



Introducing the OEM PowerEdge R440

Available as debranded or rebranded to showcase your company logo on a 1U/2S server optimized for dense scale out computing.



Dense scale out with:

- Flexible drive types
- Internal M.2 boot optimized
- Advanced iDrac and RESTful API



Supports OEM workloads including:

- Video surveillance
- Webtech/cloud storage
- eSports/gaming

| OEM Ready | | |
|--|---|--|
| Showcase your logo, build your brand presence and delight your customers using a tier 1 product. | | |
| Backed by industry proven Security, Manageability and Global Serviceability. | | |
| Security | Manageability | Services |
| <ul style="list-style-type: none"> • Build on a silicon Root of trust. • Signed firmware and secure boot. • Audit logging and alerts provide robust layers of security. | <ul style="list-style-type: none"> • iDRAC, our server management controller. • OS agnostic and comprehensive, allowing full leveragability via APIs. | <ul style="list-style-type: none"> • Backed by globally available ProSupport and ProSupport Plus. • Additional menu of services is also available. |

Contact your OEM representative to learn more

POWEREDGE R440

Optimized for dense, scale-out computing

The PowerEdge R440 delivers the perfect combination of performance and density for HPC and web-tech deployments with a feature set right-sized for scale-out infrastructure environments.



Deliver performance at scale with the Dell EMC PowerEdge portfolio

Modern compute platforms from Dell EMC easily scale and leverage key technologies to maximize application performance. The PowerEdge R440 is built on a scalable architecture that provides the choice and flexibility to optimize performance and density.

- Scale compute resources with 2nd Generation Intel® Xeon® Scalable processors, and tailor performance based on your unique workload requirements.
- Flexible storage with up to 10 x 2.5 SAS/SATA/SSD with up to 4 NVMe PCIe SSD's or 4 x 3.5.
- Free up storage with boot optimized M.2 SSDs.

Intuitive systems management with intelligent automation

The Dell EMC OpenManage™ portfolio helps deliver peak efficiency for PowerEdge servers, delivering intelligent, automated management of routine tasks. Combined with unique agent-free management capabilities, the R440 is simply managed, freeing up time for high profile projects.

- Simplify management of your servers with OpenManage Essentials, a 1:many console that automates all phases of lifecycle management: deployment, updates, monitoring, and maintenance.
- Use Quick Sync 2, a wireless module, and the OpenManage Mobile app for at-server management, to configure or troubleshoot in the data center, and to receive alerts when you're on the go.

Rely on PowerEdge with built-in security

Every PowerEdge server is made with a cyber-resilient architecture, building security into all parts of a server's life cycle. The R440 uses these new security features so you can reliably and securely deliver the right data to where your customers are, no matter where they are. Dell EMC consider each part of system security, from design to end of life, to ensure trust and deliver worry-free, secure systems.

- Rely on a secure supply chain that protects servers from factory to the data center.
- Maintain data safety with cryptographically signed firmware packages and Secure Boot.
- Prevent unauthorized or malicious change with Server Lockdown.
- Wipe all data from storage media including hard drives, SSDs and system memory quickly and securely with System Erase.

PowerEdge R440

- 1U, 2 socket server
- Up to 10 2.5 drives with up to 4 NVMe
- Internal M.2 boot drives

PowerEdge R440

| Features | Technical Specification | |
|----------------------------------|---|--|
| Processor | Up to two 2 nd Generation Intel® Xeon® Scalable processors, up to 24 cores per processor ¹ | |
| Memory | 16 DDR4 DIMM slots, Supports RDIMM /LRDIMM, speeds up to 2666MT/s, 1TB max ² | |
| Storage controllers | Internal controllers: PERC H330, H730P, H740P, HBA330, Software RAID (SWRAID) S140 Boot Optimized Storage Subsystem: HWRAID 2 x M.2 SSDs 120GB, 240 GB External PERC (RAID): H840 External HBAs (non-RAID): 12 Gbps SAS HBA | |
| Drive bays | Front drive bays: Up to 10 x 2.5" SAS/SATA (HDD/SSD) with up to 4 NVMe SSD max 76.8TB or up to 4 x 3.5 SAS/SATA HDD max 56TB Optional DVD-ROM, DVD+RW | |
| Power supplies | Bronze 450W (Cabled PSU), Platinum 550W (Hot plug PSU with full redundancy option) | |
| Fans | Up to six fans | |
| Sizing | Form factor: Rack (1U) | Height: 42.8mm (1.68") Width*: 434mm (17.08") Depth*: 714.58mm (28.13") Weight: 17.6kg (38.9lbs.) *Dimensions do not include bezel |
| Bezel | Optional LCD or security bezel | |
| Embedded / At-Server | iDRAC9 iDRAC Direct | iDRAC REST API with Redfish Quick Sync 2 BLE/wireless module |
| Consoles & Mobile | OpenManage Enterprise OpenManage Essentials | OpenManage Mobile OpenManage Power Center |
| Integrations | OpenManage integrations: Microsoft® System Center, VMware® vCenter™, BMC Truesight, Red Hat® Ansible® Modules | |
| Connections | OpenManage connections: Nagios® & Nagios® XI, IBM Tivoli Netcool/OMNIBus, Micro Focus Operations Manager I | |
| Tools | Dell EMC Repository Manager Dell EMC Update Package Dell EMC System Update Dell EMC Server Update Utility | iDRAC Service Module OpenManage Server Administrator OpenManage Storage Services |
| Security | TPM 1.2/2.0, TCM 2.0 optional Cryptographically signed firmware Silicon Root of Trust | Secure Boot System Lockdown (requires OpenManage Enterprise) System Erase |
| I/O & Ports | Network options 2 x 1GbE LOM + (optional) LOM Riser 2 x 1GbE or 2x 10GbE SFP+ or 2 x 10GbE BaseT Front ports: 1 x Dedicated iDRAC Direct USB, 1 x USB 2.0, 1 x USB 3.0 (Optional), 1 x Video Rear ports: 1 x Dedicated iDRAC network port, 1 x Serial, 2 x USB 3.0, 1 x Video Up to 2 x PCIe Gen 3 slots all x16 | |
| Supported operating systems | Canonical® Ubuntu® Server LTS Citrix® Hypervisor Microsoft Windows Server® LTSC with Hyper-V Red Hat® Enterprise Linux SUSE® Linux Enterprise Server VMware® ESXi | For specifications and interoperability details, see Dell.com/OSsupport . |
| OEM-ready version available | From bezel to BIOS to packaging, your servers can look and feel as if they were designed and built by you. For more information, visit Dell.com/OEM . | |
| Recommended support and services | Choose Dell ProSupport Plus for critical systems or Dell ProSupport for premium hardware and software support for your PowerEdge solution. Consulting and deployment offerings are also available. Contact your Dell representative today for more information. Availability and terms of Dell Services vary by region. For more information, visit dell.com/itlifecycleservices . | |
| Dell Financial Services | Deliver results with easy financing. Explore financial options that move at the speed of business. For more information, visit https://www.emc.com/products/how-to-buy/global-financial-services/index.htm .* | |

¹ 24 cores available Q3 2019.

² 768GB max memory is recommended for performance optimized configurations

Learn more at [Dell.com/PowerEdge](https://www.dell.com/poweredge)

End-to-end technology solutions

Reduce IT complexity, lower costs and eliminate inefficiencies by making IT and business solutions work harder for you. You can count on Dell EMC for end-to-end solutions to maximize your performance and uptime. A proven leader in Servers, Storage and Networking, Dell EMC Services deliver innovation at any scale. And if you're looking to preserve cash or increase operational efficiency, Dell Financial Services™ has a wide range of options to make technology acquisition easy and affordable. Contact your Dell Sales Representative for more information.*

* Payment solutions provided and serviced by Dell Financial Services L.L.C. or its affiliate or designee ("DFS") for qualified customers. Offers may not be available or may vary in certain countries. Where available, offers may be changed without notice and are subject to product availability, credit approval, execution of documentation provided by and acceptable to DFS, and may be subject to minimum transaction size. Offers not available for personal, family or household use. Product availability may vary by region. Please contact your Dell EMC representative for more information. Dell and the Dell logo are trademarks of Dell Inc. Restrictions and additional requirements may apply to transactions with governmental or public entities.

