D&LLEMC OEM





Introducing the OEM PowerEdge R840

Available as debranded or rebranded to showcase your company logo on a 2U/2S server turbocharged for data analytics.



Turbocharge your performance:

- Up to 112 cores, 6TB DDR4 mem.
- · Up to 24 direct NVMe drives
- 2 x DW GPU or 4 x FPGA's





Supports OEM workloads including:

AI/ML

OEM Ready			
Showcase your logo, build your brand presence and delight your customers using a tier 1 product.			
Backed by industry proven Security, Manageability and Global Serviceability.			
Security	Manageability	Services	
 Build on a silicon Root of trust. Signed firmware and secure boot. Audit logging and alerts provide robust layers of security. 	 iDRAC, our server management controller. OS agnostic and comprehensive, allowing full leveragability via APIs. 	 Backed by globally available ProSupport and ProSupport Plus. Additional menu of services is also available. 	

Contact your OEM representative to learn more



R840 SPEC SHEET



POWEREDGE R840

Turbocharge your data analytics

Designed to drive faster insights, the PowerEdge R840 delivers four-socket performance in a dense 2U design. Power your business-critical workloads with up to 24 direct-attached NVMe drives.

Maximize performance for demanding workloads

The R840 delivers consistent, high performance results for data-intensive applications and data analytic workloads. With powerful 2nd Generation Intel® Xeon® Scalable processors and up to 112 cores, the R840 can quickly turn analytics into insights to drive your business forward faster. Create an optimal configuration of NVMe, SSD, HDD and GPU resources to address your most demanding workloads - all in a 2U chassis.

- Scale capacity and performance with up to 26 2.5" HDDs and SSDs, 62% more than the previous generation.
- · Accelerate applications with up to 2 double-width GPUs or up to 2 FPGAs.
- · Speed data transfers with a fully integrated ultra path interconnect across all four sockets.
- Eliminate bottlenecks with up to 48 DIMMs, including up to 12 NVDIMMs.

Automate everyday tasks with Dell EMC OpenManage

The Dell EMC OpenManage™ portfolio helps deliver peak efficiency for PowerEdge server customers, delivering intelligent, automated management of routine tasks. Combined with unique agent-free management capabilities, the R840 is easy to manage, and by doing routine work automatically, you can free up time for higher-value projects.

- · Unify monitoring and management of your IT infrastructure with OpenManage Enterprise.
- Utilize a variety of OpenManage integrations and connections to take advantage of your existing IT management platform.
- Take advantage of QuickSync 2 capabilities and gain access to your servers easily through your phone or tablet.

Safeguard your data center with built-in security

Every PowerEdge server is made with a cyber-resilient architecture, delivering security into all parts of a server's life cycle. The R840 uses these new security features so you can reliably and securely deliver the right data to where your customers are, no matter where they are. Dell EMC considers each part of system security, from design to end of life, to ensure trust and deliver worry-free systems.

- Rely on a secure component supply chain to ensure protection from factory to the data center.
- Maintain data safety with cryptographically signed firmware packages and Secure Boot.
- Prevent unauthorized or malicious change with Server Lockdown.
- Wipe all data from storage media including hard drives, SSDs and system memory quickly and securely with System Erase.

PowerEdge R840

Boost performance and minimize latency:

- Choose an all-flash configuration with up to 24 direct-attached NVMe drives
- Add up to 12 NVDIMMs of memory

¹ Based on Dell EMC internal analysis, Jan 2018, comparing to the previous Dell EMC PowerEdge R830.

PowerEdge R840			
Features	Technical Specification		
Processor	Up to four 2 nd Generation Intel [®] Xeon [®] Scalable processors, up to 28 cores each		
Memory	48 DDR4 DIMM slots, Supports RDIMM /LRDIMM, up to 2933MT/s, 6TB max Up to 12 NVDIMMs, 384GB Max Supports registered ECC DDR4 DIMMs only		
Storage controllers	Internal Controllers: PERC H730P, H740P, H330 Software RAID (SWRAID) S140 Boot Optimized Storage Subsystem: HWRAID 2 x M.2 SSDs 240GB or 480GB External PERC (RAID): H840 12Gbps SAS HBAs (non-RAID): External-12Gbps SAS HBA (non-RAID), Internal- HBA330 (non-RAID)		
Drive bays	Front drive bays: Up to 8 x 2.5" SAS SATA (HDDs/SSDs) max 61.44TB, or up to 24 x 2.5" SAS/SATA (HDDs/SSDs) with up to 12 NVMe PCIe SSDs max 184.32TB, or up to 24 NVMe PCIe SSDs max 153TB Rear drive bays: Up to 2 x 2.5" SAS/SATA (HDDs/SSDs), max 15.36TB		
Power supplies	Gold:1100W - 48VDC, Platinum: 750W, 750W 240VDC ¹ , 1100W, 1100W 240VDC ¹ 1600W, 2000W, 2400W	Titanium: 750W Hot plug power supplies with full redundancy option 6 hot plugs fans with N +1 redundancy	
Dimensions	Form factor: Rack (2U)	Height: 86.8mm (3.4") Width*: 434.0mm (17.08") Depth*: 835.9mm (32.9") Weight: 36.6kg (80.7lbs.) *Dimensions do not include bezel, brackets or PSU handles	
Embedded management	iDRAC9 iDRAC Direct	iDRAC RESTful API with Redfish Quick Sync 2 BLE/wireless	
Bezel	Optional LCD bezel or security bezel		
OpenManage™ Software	OpenManage Enterprise OpenManage Essentials	OpenManage Mobile OpenManage Power Center	
Integrations and connections	Integrations: Microsoft® System Center, VMware® vCenter™, BMC Truesight ®, Red Hat® Ansible® Modules	Connections: Nagios® Core & Nagios® XI, Microfocus Operations Manager I, IBM Tivoli Netcool/OMNIbus	
Tools	Dell EMC Repository Manager Dell EMC Update Package Dell EMC System Update Dell EMC Server Update Utility	iDRAC Service Module OpenManage Server Administrator OpenManage Storage Services	
Security	TPM 1.2/2.0, TCM 2.0 optional Cryptographically signed firmware Secure Boot	Secure Boot System Lockdown (requires OpenManage Enterprise) Silicon Root of Trust Secure Erase	
I/O & Ports	Network Daughter Card Options 4 x 1GbE, 4 x 10GbE, 2 x 10GbE+2 x 1GbE, or 2 x 25GbE Front ports: 1 x Dedicated iDRAC Direct Micro USB, 1 x USB 2.0, 1 x VGA. (Optional 1 x USB 3.0 only offered on the 8-drive configuration)	Rear ports: 1 x Dedicated iDRAC port, 1 x Serial, 2 x USB 3.0, 1 x VGA Internal port: 1 x USB 3.0 Video card: 2 x VGA PCIe: Up to 6 x Gen3 slots, (4x16 slots or 2x16 + 4x8 slots)	
Accelerator Options	Up to 2 doublewidth GPUs or up to 2 full-height FPGAs ²	See Dell.com/GPU for latest information.	
Supported operating systems	Canonical® Ubuntu® Server LTS Citrix® Hypervisor Microsoft Windows Server® LTSC with Hyper-V Red Hat® Enterprise Linux Oracle® Linux	SUSE® Linux Enterprise Server VMware® ESXi For specifications and interoperability details, see <u>Dell.com/OSsupport</u>	
OEM-ready version available	From bezel to BIOS to packaging, your servers can look and feel as if they were designed and built by you. For more information, visit Dell.com/OEM .		
Recommended support	Dell ProSupport Plus for critical systems or Dell ProSupport for premium hardware and software support for your PowerEdge solution. Consulting and deployment offerings are also available. Contact your Dell representative today for more information. Availability and terms of Dell Services vary by region. For more information, visit Dell.com/ServiceDescriptions .		

Learn more at Dell.com/PowerEdge

- ¹ Available in China only.
- ² GPUs/FPGAs not available with the 2 x 2.5" rear drive bay.

End-to-end technology solutions

Reduce IT complexity, lower costs and eliminate inefficiencies by making IT and business solutions work harder for you. You can count on Dell EMC for end-to-end solutions to maximize your performance and uptime. A proven leader in Servers, Storage and Networking, Dell EMC Services deliver innovation at any scale. And if you're looking to preserve cash or increase operational efficiency, Dell Financial Services TM has a wide range of options to make technology acquisition easy and affordable. Contact your Dell Sales Representative for more information.*



