



# Validated Designs for HPC Digital Manufacturing

Tap into the power of AI and HPC to speed design workloads

## Table of Contents

<b>Get to market faster</b> . . . . .	<b>2</b>
Dell Technologies has what you need . . . . .	2
<b>Do any of these challenges sound familiar?</b> . . . . .	<b>3</b>
<b>Validated Designs for HPC Digital Manufacturing</b> . . . . .	<b>3</b>
Faster performance . . . . .	3
Easier scaling . . . . .	4
Reduced risk . . . . .	4
Customer success stories . . . . .	4
<b>Technical specifications</b> . . . . .	<b>5</b>
HPC Digital Manufacturing . . . . .	5
Building blocks . . . . .	7
SIMULIA Abaqus . . . . .	8
Altair HyperWorks . . . . .	9
ANSYS . . . . .	10
LSTC LS-DYNA . . . . .	12
Siemens Simcenter STAR-CCM+ . . . . .	13
<b>Services and financing</b> . . . . .	<b>15</b>
<b>Why choose Dell Technologies</b> . . . . .	<b>15</b>
Customer Solution Centers . . . . .	16
AI Experience Zones . . . . .	16
HPC & AI Innovation Lab . . . . .	16
HPC & AI Centers of Excellence . . . . .	16
Proven results . . . . .	16
<b>Take the next step, today</b> . . . . .	<b>17</b>



## 93% of manufacturers

believe AI will be a “pivotal  
technology” for driving growth  
and innovation.<sup>1</sup>

### Get to market faster

Technology has long been a major driver of competitiveness in manufacturing. For decades, engineers have been using technologies such as high-performance computing (HPC) to power the computer-aided engineering and design software that helps create innovative products and grow revenue while cutting costs. Now, the manufacturing industry is undergoing a “fourth industrial revolution,” powered by the rapid advancement of technologies that promise to reshape the industry.

Sensors and devices that make up the Industrial Internet of Things (IIoT) can provide manufacturers with important new data points that, when combined, create a clearer picture of the entire product lifecycle. Analytics and artificial intelligence (AI), underpinned by powerful HPC systems can be the key to unlocking the value of your data. And when harnessed, this intelligence can inform and drive decisions that impact success.

The manufacturing sector is already leading the way in the application of advanced computing. In particular, HPC-powered analytics and AI continue to revolutionize engineering to help manufacturers speed time to market with more innovative and higher quality products. And Dell Technologies is helping push the boundaries of performance with scalable, flexible solutions designed to help bring products to market faster.

### Dell Technologies has what you need

#### Expertise and guidance

The technology around analytics, HPC and AI is emerging quickly, so your team may not have had time to develop all of the skills required to design, deploy and manage solution stacks optimized for new workloads. While AI might seem like the latest IT trend, Dell Technologies has been a leader in the advanced computing space for over a decade, with proven products, solutions and expertise. Dell Technologies has a team of HPC and AI experts dedicated to staying on the cutting edge, testing new technologies and tuning solutions to your applications to help you keep pace with this constantly evolving landscape.

#### Dell Technologies Validated Designs for HPC

The advantage in today’s marketplace goes to the data-driven enterprise. For many organizations, HPC is — or is becoming — an important source of competitive advantage. An optimized HPC solution delivers the compute, throughput and capacity needed to manage the rapid data growth and increased workload demands presented by advanced data analytics and other enterprise workloads. Validated Designs are workload-optimized rack-level systems with servers, software, networking, storage and services to scale faster with the confidence of an engineering-tested solution while enabling business without boundaries.

#### Solutions customized for your environment

Dell Technologies uniquely provides an extensive portfolio of technologies to deliver the advanced computing solutions that underpin successful data analytics, HPC and AI implementations. With an extensive portfolio, years of experience and an ecosystem of curated technology and service partners, Dell Technologies provides innovative solutions, workstations, servers, networking, storage and services that reduce complexity and enable you to capitalize on the promise of HPC and AI.

<sup>1</sup> Deloitte, “[AI Enablement on the Way to Smart Manufacturing](#),” 2020.

1000 data  
points/sec

streaming a McLaren race car<sup>2</sup>

every ~20  
minutes

data-driven engineering changes to  
win<sup>2</sup>

Faster performance

Easier scaling

Reduced risk

## Do any of these challenges sound familiar?

“Workstations don’t provide sufficient performance for digital manufacturing workloads.”

Many struggle with insufficient scalability/performance of installed workstations to get the job done. These workstations are often running at maximum capacity and may not have the ability to handle today’s peak computational workloads. A balanced and integrated HPC system can deliver the throughput and capacity needed to manage rapid data growth and increased workload demands. Dell Technologies makes it easy to customize an HPC solution to meet performance requirements with a range of available options.

“We need to be able to build out digital manufacturing infrastructure more easily, with a shorter learning curve.”

Advancements in digital manufacturing software capabilities continue to push the limits of existing systems. To keep up, you need the power to scale quickly and easily. The modular, building-block design of Validated Designs for HPC Digital Manufacturing makes it easy to manage and extend compute power, storage and networking on-premises so you can grow as needed to keep pace with demands and win against the competition.

“It’s important for us to reduce risks for HPC investments.”

HPC is an important source of competitive advantage, but deploying HPC systems for specific or multiple workloads can require significant investment of time and resources — and increases the chance for errors. Engineering-Validated Designs for HPC can reduce deployment risks and increase system reliability. Dell Technologies can also provide a single point of contact for services and support.

## Validated Designs for HPC Digital Manufacturing

Dell Technologies has invested to create a portfolio of Validated Designs designed to scale faster with the confidence of engineering-tested solutions while saving valuable time and resources. They provide trusted designs that have been optimized, tested and tuned for key applications and use cases.

Validated Designs include the servers, storage, networking, software and services that have been proven in our labs and in customer deployments to meet workload requirements and customer outcomes. The modular building blocks provide a customizable yet engineering-validated approach for customers deploying new clusters, scaling or upgrading existing environments.

Validated Designs for HPC Digital Manufacturing are designed to deliver faster performance with purpose-built solutions and easier scaling with modular building blocks while reducing risk.

### Faster performance

Dell Technologies is committed to helping more people make more innovations and discoveries than any other HPC solutions vendor in the world. To that end, Dell Technologies engineers and industry experts have worked in collaboration with Dell Technologies customers and partners to design these solutions specifically for digital manufacturing workloads. The Dell Technologies HPC & AI Innovation Lab works closely with customers and partners to optimize these solutions, with a focus on performance, efficiency and reliability.

<sup>2</sup> Dell Technologies case study, “[Data-driven innovation starts at racing’s edge to improve race car aerodynamics — and speed.](#)” April 2021.



“Each car transmits key telemetry data in real time, and our trackside IT infrastructure from Dell Technologies relays it to our headquarters engineers, who use our HPC and advanced simulations to find ways to boost performance even more. It’s closed-loop innovation supported by Dell Technologies that helps keep McLaren Racing ahead of the pack.”<sup>2</sup>

—Edward Green  
Principal Digital Architect  
McLaren Racing

### Easier scaling

Validated Designs for HPC help customers get the optimal IT infrastructure for today — and tomorrow. That means creating solutions with scalable building blocks to meet evolving needs over time. Validated Designs for HPC are built with modular building blocks that enable you to scale easily to meet new capacity and performance demands. Dell Technologies’ extensive track record with servers, storage, networking and services means we can implement holistic solutions that work from day one, with an eye toward the future.

### Reduced risk

Dell Technologies engineering architects Validated Designs for HPC Digital Manufacturing to reduce risk while it making it easier to take advantage of HPC for workloads such as structural analysis; computational fluid dynamics; noise, vibration and harshness (NVH); engineering; analysis; and design. Dell Technologies Services — ranging from consulting and education to deployment and support — are available when and where you need them. With proven success in thousands of implementations worldwide, you can be confident that you can rely on Dell Technologies.

### Customer success stories

Mecury Marine marine propulsion systems

**100 design iterations**  
vs. 1 physical iteration

**2 hours**  
from 48 hours in-house hydrodynamic simulations

**Reduced development cost,**  
better time to market

See [Cloud bursting for engine speed.](#)

PING sporting goods

**4.5x**  
faster simulation

**Slash design cycles**

**Improve quality**

Read [Driving golf forward with iron-clad digital tools.](#)

McLaren

**10k**  
data points/second

**~20 minutes**  
data-driven engineering changes

**Double-digit**  
performance improvements

Read [Data-driven innovation starts at racing’s edge to improve race car aerodynamics — and speed](#) and [McLaren Racing Delivers Double-Digit Performance Improvements.](#)

See more [customer stories.](#)



Explore Virtual Rack at  
<http://esgvr.dell.com/>

## Technical specifications

The options below serve as a starting point for a customizable, yet validated solution. An HPC specialist can assist you with designing an HPC solution for your specific needs and environment. See performance tests results on the [Dell Technologies InfoHub](#) and at [hpcatdell.com](http://hpcatdell.com).

### HPC Digital Manufacturing

Specifications	
<b>PowerEdge Servers</b>	
AMD® EPYC™	R6525, R7525, C6525
Intel® Xeon™ Scalable	R650, R750, C6520
Adapter	NVIDIA® ConnectX-6 HDR
NICs	1, 10, 25, 40, 100GbE
<b>Switches</b>	
Top of rack	NVIDIA Quantum™ QM8700 series HDR
Management	PowerSwitch S, N and Z series Ethernet
<b>Software (optional, tested, recommended)</b>	
Operating system	Red Hat® Enterprise Linux®
Cluster management	Bright Cluster Manager®
Server management	iDRAC Enterprise
<b>Storage</b>	
Validated Designs for HPC NFS, BeeGFS® or PixStor™ Storage Dell EMC PowerScale Family with OneFS	
<b>Services</b>	
Consulting, education, hardware deployment and support, remote management, cloud options, financing	

### Solution highlights

- [Dell EMC PowerEdge servers](#) enhance performance across the widest range of applications with highly scalable architectures and flexible internal storage.
- [Validated Designs for HPC Storage](#) include designs for NFS, PixStor or BeeGFS, all created to speed deployment of HPC storage systems with confidence while saving resources.
- [Bright Cluster Manager](#) enables the deployment of clusters over bare metal with a management view that spans the hardware, operating system, software and users.

<b>Explicit finite element analysis (FEA) solver</b>	Typical use	SIMULIA® Abaqus®–explicit, LS-DYNA®, PAM-CRASH®, Altair® RADIOSS™
	Typical simulation types	Crash, stamping, safety, impact analysis
	Typical run environment	Message passing interface (MPI) parallel jobs run across 4–12 server nodes in a cluster with a high-speed EDR network; minimal I/O to local disks during jobs
	Recommended	PowerEdge C6420 (4 in 2U) Intel Xeon 6252 (24-core) 192GB memory 800GB NVMe scratch storage EDR high speed network
<b>Implicit FEA solver</b>	Typical use	ANSYS® Mechanical™, Abaqus-Standard, MSC® Nastran®, Siemens® NX® Nastran, Altair OptiStruct®
	Typical simulation types	NVH, structural integrity (linear and non-linear), assembly
	Typical run environment	Most jobs run on a single server node and tend to require large memory to improve overall performance; scratch I/O to array of local disks typically preferred over shared file system
	Recommended	PowerEdge R640 (1U) Intel Xeon 6242 (16-core) 384GB memory 1600GB NVMe scratch storage EDR high-speed network
<b>Computational fluid dynamics (CFD) solver</b>	Typical use	ANSYS® Fluent®, CFX®, CD-adaptico® STAR-CD®, STAR-CCM+®, OpenFOAM®, Exa® PowerFLOW®, AcuSolve®
	Typical simulation types	Fluid flow, pump design, combustion, aerodynamics, acoustics
	Typical run environment	MPI parallel jobs run across 4–12 server nodes in a cluster with a high speed EDR network; minimal I/O to local disks during job
	Recommended	PowerEdge C6420 (4 in 2U) Intel Xeon 6252 (24-core) 192GB memory 800GB NVMe scratch storage EDR high-speed network
<b>Management</b>	Management software	Bright Cluster Manager (optional) IPMI based cluster management tools Remote Cluster Management Services (optional)
	Management server building blocks	Cluster management: 1 for modest clusters; 2 for larger clusters Cluster administration (queues): 1–2 for each specific task Login: Typically 1 for each 30–100 users
	Recommended	PowerEdge R640 Intel Xeon 3106 (16 cores per server) 192GB 2667MHz DDR4 memory 1x 800GB mixed-use SATA SSDs



## Building blocks

Easily grow capabilities and scale your environment with these building blocks. They are designed and tested for a variety of digital manufacturing workloads, with recommendations below based on application needs.

<b>Basic building block</b>	<b>Typical use</b>	Windows®-based customers looking for a modest cluster to improve single job capacity and overall volume of jobs Stepping stone from Windows workstation usage to full Linux-based HPC cluster environment
	<b>Typical simulation types</b>	Crash, stamping, safety, impact analysis, fluid flow, pump design, combustion, aerodynamics, acoustics
	<b>Typical run environment</b>	SMP parallel jobs on a single node and MPI parallel jobs run across two-node 10GE switchless “couplet”
	<b>Recommended</b>	PowerEdge R840 Intel Xeon 6242 (64 cores/server, 128 cores/couplet) 384GB DDR4 memory 4x 480GB mixed-use SATA SSDs
<b>Visual building block</b>	<b>Typical use</b>	Pre/post processing software on data in HPC environment for remote desktop use
	<b>Typical software</b>	VNC®, NICE®, VMware® Horizon®
	<b>Recommended</b>	PowerEdge R740 Intel Xeon 6242 384GB DDR4 memory 2x 240GB multi-use SSD (OS in RAID-1) 1.6TB NVMe for local data NVIDIA Tesla® P40 24GB GPU
<b>Storage building block</b>	<b>Typical use</b>	Customers looking for a cost-effective solution to maintain HPC storage near HPC cluster
	<b>Characteristics</b>	Up to 10TB of raw storage (RAID-6) >1.3GB/s read/write performance Suitable for using IP over IB on existing EDR HPC network
	<b>Recommended</b>	PowerEdge R740xd Dual Intel Xeon 4110 Silver (20 total cores) 96GB DDR4 memory 2x 240GB multi-use SSD (OS in RAID-1) 12TB (12x) nearline SAS HDDs in RAID-6 PERC H740P RAID controller

## Solver building blocks for digital manufacturing workloads

Solver building blocks are designed and tested for a variety of computer-aided engineering workloads. Options are available to mix and match server processor, memory and storage, with recommendations below.

<b>Solver building block</b>	Base simulation compute resource
<b>Form factor</b>	PowerEdge R640 (1U) or C6420 (4 in 2U) based on rack density requirements
<b>Processor</b>	Intel Xeon 6242 (16-core) or Intel 6252 (24-core) based on overall workload
<b>Memory</b>	192GB memory or 384GB memory based on problem size
<b>Storage</b>	800GB NVMe scratch or 1600GB NVMe scratch based on problem size
<b>Network</b>	EDR



## SIMULIA Abaqus

Leveraging robust simulation software vastly reduces physical testing requirements, helping reduce product costs and enhance quality while speeding time to market. The system design for SIMULIA Abaqus revolutionizes FEA to help speed time to market with higher quality products. It uses a flexible approach to HPC system design, with individual building blocks that can be combined to build HPC systems optimized specifically for SIMULIA Abaqus software from Dassault Systèmes®.

Recommended configurations		
<b>Infrastructure server</b>	<b>Compute</b>	PowerEdge R640 with iDRAC9 Enterprise
	<b>Processors</b>	Dual Intel Xeon Bronze 3106 processors
	<b>Memory</b>	192GB of RAM (12x 16GB 2667 MTps DIMMs)
	<b>Storage</b>	PERC H330 RAID controller 2x 480GB mixed-use SATA SSD RAID 1
	<b>Networking</b>	NVIDIA EDR InfiniBand (optional)
<b>Compute building block</b>	<b>Compute options</b>	<ul style="list-style-type: none"> <li>PowerEdge R640 with iDRAC9 Enterprise</li> <li>PowerEdge C6420 with iDRAC9 Express</li> </ul>
	<b>Processor options</b>	Dual Intel Xeon Gold processors: <ul style="list-style-type: none"> <li>6242, 16 cores per socket</li> <li>6248, 20 cores per socket</li> <li>6252, 24 cores per socket</li> </ul>
	<b>Memory options</b>	<ul style="list-style-type: none"> <li>192GB (12x 16GB 2933 MTps DIMMs)</li> <li>384GB (12x 32GB 2933 MTps DIMMs)</li> <li>768GB (24x 32GB 2933 MTps DIMMs, R640 only)</li> </ul>
	<b>Storage options</b>	PERC H330, H730P or H740P RAID controller with: <ul style="list-style-type: none"> <li>2x 480GB mixed-use SATA SSD RAID 0</li> <li>4x 480GB mixed-use SATA SSD RAID 0</li> </ul>
	<b>Networking</b>	NVIDIA ConnectX-5 EDR InfiniBand adapter
<b>Basic building block</b>	<b>Compute</b>	PowerEdge R840 with iDRAC9 Enterprise
	<b>Processors</b>	Quad Intel Xeon Gold 6242 processors
	<b>Memory</b>	384GB of RAM (24x 16GB 2933 MTps DIMMS)
	<b>Storage</b>	PERC H740P RAID controller <ul style="list-style-type: none"> <li>2x 240GB read-intensive SATA SSD RAID 1 (OS)</li> <li>4x 480GB mixed-use SATA SSD RAID 0 (scratch)</li> </ul>
	<b>Networking</b>	NVIDIA ConnectX-5 EDR InfiniBand (optional) NVIDIA 25GbE (optional)
<b>System networking</b>		PowerSwitch S3048-ON Ethernet switch NVIDIA SB7890 36-port EDR InfiniBand switches
<b>Cluster management software</b>		Bright Cluster Manager (recommended)



<b>Storage</b>	<b>Scratch</b>	Local storage
	<b>Operational</b>	<ul style="list-style-type: none"> <li>1–30 users</li> <li>• PowerEdge R740xd</li> <li>• Intel Xeon Bronze dual-core 4110 processors</li> <li>• 96GB of memory, 12x 8GB 2667 MT/s DIMMS</li> <li>• PERC H730P RAID controller</li> <li>• 2x 250GB mixed-use SATA SSD in RAID-1 (for OS)</li> <li>• 12x 12TB 3.5: nISAS HDDs in RAID-6 (for data)</li> <li>• Dell EMC iDRAC9 Express</li> <li>• 2x 750W PSUs</li> <li>• NVIDIA EDR InfiniBand adapter</li> <li>• Site specific high-speed Ethernet adapter (optional) 25–100 users</li> <li>• Validated Designs for HPC NFS Storage</li> </ul>
<b>Services</b>		Consulting, education, hardware deployment and support, remote management, cloud options, financing

### Altair HyperWorks

Manufacturers lead the way in the application of advanced computing, using HPC powered analytics and AI to revolutionize computer-aided engineering (CAE), speeding time to market with higher quality products. The system design for Altair HyperWorks enables CAE ranging from model based systems design and early geometry ideation to detailed multiphysics simulation and optimization. The solution uses a flexible building block approach to HPC system design, where individual building blocks can be combined to build HPC systems that are optimized specifically for Altair HyperWorks® workloads and use cases.

<b>Recommended configurations</b>		
<b>Infrastructure server</b>	<b>Compute</b>	PowerEdge R640 with iDRAC9 Enterprise
	<b>Processors</b>	Dual Intel Xeon Bronze 3106 processors
	<b>Memory</b>	192GB of RAM (12x 16GB 2667 MTps DIMMs)
	<b>Storage</b>	PERC H330 RAID controller 2x 480GB mixed-use SATA SSD RAID 1
	<b>Networking</b>	NVIDIA EDR InfiniBand (optional)
<b>Compute building block</b>	<b>Compute options</b>	<ul style="list-style-type: none"> <li>• PowerEdge R640 with iDRAC9 Enterprise</li> <li>• PowerEdge C6420 with iDRAC9 Express</li> </ul>
	<b>Processor options</b>	Dual Intel Xeon Gold processors: <ul style="list-style-type: none"> <li>• 6242, 16 cores per socket</li> <li>• 6248, 20 cores per socket</li> <li>• 6252, 24 cores per socket</li> </ul>
	<b>Memory options</b>	<ul style="list-style-type: none"> <li>• 192GB (12x 16GB 2933 MTps DIMMs)</li> <li>• 384GB (12x 32GB 2933 MTps DIMMs)</li> <li>• 768GB (24x 32GB 2933 MTps DIMMs, R640 only)</li> </ul>
	<b>Storage options</b>	PERC H330, H730P or H740P RAID controller with: <ul style="list-style-type: none"> <li>• 2x 480GB mixed-use SATA SSD RAID 0</li> <li>• 4x 480GB mixed-use SATA SSD RAID 0</li> </ul>
	<b>Networking</b>	NVIDIA ConnectX-5 EDR InfiniBand adapter

**Altair  
Hyperworks  
Unlimited**  
makes this  
solution  
available as  
a managed  
service

<b>Basic building block</b>	<b>Compute</b>	PowerEdge R840 with iDRAC9 Enterprise
	<b>Processors</b>	Quad Intel Xeon Gold 6242 processors
	<b>Memory</b>	384GB of RAM (24x 16GB 2933 MTps DIMMS)
	<b>Storage</b>	PERC H740P RAID controller <ul style="list-style-type: none"> <li>• 2x 240GB read-intensive SATA SSD RAID 1 (OS)</li> <li>• 4x 480GB mixed-use SATA SSD RAID 0 (scratch)</li> </ul>
	<b>Networking</b>	NVIDIA ConnectX-5 EDR InfiniBand (optional) NVIDIA 25GbE (optional)
<b>System networking</b>		PowerSwitch S3048-ON Ethernet switch NVIDIA SB7890 36-port EDR InfiniBand switches
<b>Cluster management software</b>		Bright Cluster Manager (recommended)
<b>Storage</b>	<b>Scratch</b>	Local storage
	<b>Operational</b>	1–30 users <ul style="list-style-type: none"> <li>• PowerEdge R740xd</li> <li>• Intel Xeon Bronze dual-core 4110 processors</li> <li>• 96GB of memory, 12x 8GB 2667 MT/s DIMMS</li> <li>• PERC H730P RAID controller</li> <li>• 2x 250GB mixed-use SATA SSD in RAID-1 (for OS)</li> <li>• 12x 12TB 3.5: nISAS HDDs in RAID-6 (for data)</li> <li>• Dell EMC iDRAC9 Express</li> <li>• 2x 750W PSUs</li> <li>• NVIDIA EDR InfiniBand adapter</li> <li>• Site specific high-speed Ethernet adapter (optional) 25–100 users</li> <li>• Validated Designs for HPC NFS Storage</li> </ul>
<b>Services</b>		Consulting, education, hardware deployment and support, remote management, cloud options, financing

## ANSYS

Many manufacturers use ANSYS software for CFD simulations and FEA workloads. That’s why Dell Technologies expanded its Validated Designs for HPC Digital Manufacturing with a validated design for ANSYS software, including ANSYS CFX, Fluent and Mechanical. Standardized building blocks simplify design, speed configuration and ordering of clusters that have been rigorously tested and tuned. The modular designs include servers, storage, networking, software and services in engineering-tested — yet customizable — configurations to deliver faster deployment, better performance and easier scaling while reducing risk.

<b>Recommended configurations</b>		
<b>Infrastructure server</b>	<b>Compute</b>	PowerEdge R650 with iDRAC9 Enterprise
	<b>Processors</b>	Dual Intel Xeon Silver 4314 processors
	<b>Memory</b>	256GB of RAM (16x 16GB 3200 MTps DIMMs)
	<b>Storage</b>	PERC H345 RAID controller 2x 480GB mixed-use SATA SSD RAID 1
	<b>Networking</b>	NVIDIA ConnectX-6 InfiniBand HCA (optional)



<b>Infrastructure server</b>	<b>Platform</b>	PowerEdge R650 with iDRAC Enterprise and 2x 750W power supplies
	<b>Processor</b>	Dual Intel Xeon Silver 4314
	<b>Memory</b>	256GB of RAM (16x 16GB 3200 MTps DIMMs)
	<b>Storage</b>	PERC H345 RAID controller 2x 480GB mixed-use SATA SSD RAID 1
	<b>Networking</b>	NVIDIA ConnectX-6 InfiniBand HCA (optional)
<b>Compute servers</b>	<b>Compute</b>	PowerEdge C6520, R650 or R750
	<b>Processors</b>	Dual Intel Xeon Gold 6346 (16 cores per socket) Dual Intel Xeon Gold 6342 (24 cores per socket) Dual Intel Xeon Gold 6338 (32 cores per socket) Dual Intel Xeon Gold 8358 (32 cores per socket)
	<b>Memory</b>	256 GB (16 x 16GB 3200 MTps DIMMs) 512 GB (16 x 32GB 3200 MTps DIMMs) 1024 GB (16 x 64GB 3200 MTps DIMMs)
	<b>Storage</b>	PERC H345, H745 or H755 RAID controller 2 x 480GB Mixed-Use SATA SSD RAID 0 4 x 480GB Mixed-Use SATA SSD RAID 0
	<b>Networking</b>	NVIDIA ConnectX-6 HDR InfiniBand (optional)
	<b>Software</b>	iDRAC Enterprise (R650 and R750); iDRAC Express (C6520)
<b>System networking</b>		PowerSwitch S3048-ON Ethernet switch NVIDIA SB7890 36-port EDR InfiniBand switches
<b>Cluster management software</b>		Bright Cluster Manager (recommended)
<b>Storage</b>	<b>Scratch</b>	Local server storage
	<b>Operational</b>	1–30 users PowerEdge R740xd <ul style="list-style-type: none"> <li>• Intel Xeon Silver dual-core 4210 processors</li> <li>• 96GB of memory, 12x 8GB 2666 MT/s DIMMS</li> <li>• PERC H740P RAID controller</li> <li>• 2x 480GB mixed-use SATA SSD in RAID-1 (for OS)</li> <li>• 12x 12TB 3.5: NLSAS HDDs in RAID-6 (for data)</li> <li>• Dell EMC iDRAC9 Express</li> <li>• 2x 750W PSUs</li> <li>• NVIDIA ConnectX-6 InfiniBand adapter</li> <li>• Site specific high-speed Ethernet adapter (optional)</li> </ul> 25–100 users <ul style="list-style-type: none"> <li>• PowerScale A200 scale-out NAS or</li> <li>• High-performance parallel filesystem: Validated Designs for HPC PixStor Storage</li> </ul>
<b>Services</b>		Consulting, education, hardware deployment and support, remote management, cloud options, financing

## LSTC LS-DYNA

Growing consumer expectations and intense global competition are driving manufacturers to find new ways to produce more sophisticated products faster and with lower costs. HPC-powered LS DYNA from Livermore Software Technology Corporation (LSTC) is an advanced general purpose FEA program capable of simulating complex real world problems. Manufacturers in the automotive, aerospace, construction and other industries use LS DYNA to perform complex FEA workloads. Building on decades of experience with HPC, Dell Technologies worked to enhance simulation performance with a scalable, flexible system for LSTC LS-DYNA.

Recommended configurations		
<b>Infrastructure server</b>	Compute	PowerEdge R640 with iDRAC9 Enterprise
	Processors	Dual Intel Xeon Bronze 3106 processors
	Memory	192GB of RAM (12x 16GB 2667 MTps DIMMs)
	Storage	PERC H330 RAID controller 2x 480GB mixed-use SATA SSD RAID 1
	Networking	NVIDIA EDR InfiniBand (optional)
<b>Compute building block</b>	Compute options	<ul style="list-style-type: none"> <li>PowerEdge R640 with iDRAC9 Enterprise</li> <li>PowerEdge C6420 with iDRAC9 Express</li> </ul>
	Processor options	Dual Intel Xeon Gold processors: <ul style="list-style-type: none"> <li>6242, 16 cores per socket</li> <li>6248, 20 cores per socket</li> <li>6252, 24 cores per socket</li> </ul>
	Memory options	<ul style="list-style-type: none"> <li>192GB (12x 16GB 2933 MTps DIMMs)</li> <li>384GB (12x 32GB 2933 MTps DIMMs)</li> <li>768GB (24x 32GB 2933 MTps DIMMs, R640 only)</li> </ul>
	Storage options	PERC H330, H730P or H740P RAID controller with: <ul style="list-style-type: none"> <li>2x 480GB mixed-use SATA SSD RAID 0</li> <li>4x 480GB mixed-use SATA SSD RAID 0</li> </ul>
	Networking	NVIDIA ConnectX-5 EDR InfiniBand adapter
<b>Basic building block</b>	Compute	PowerEdge R840 with iDRAC9 Enterprise
	Processors	Quad Intel Xeon Gold 6142 processors
	Memory	384GB of RAM (24x 16GB 2666 MTps DIMMS)
	Storage	PERC H740P RAID controller <ul style="list-style-type: none"> <li>2x 240GB read-intensive SATA SSD RAID 1 (OS)</li> <li>4x 480GB mixed-use SATA SSD RAID 0 (scratch)</li> </ul>
	Networking	NVIDIA ConnectX-5 EDR InfiniBand (optional) NVIDIA 25GbE (optional)
<b>System networking</b>		PowerSwitch S3048-ON Ethernet switch NVIDIA SB7890 36-port EDR InfiniBand switches
<b>Cluster management software</b>		Bright Cluster Manager (recommended)

<b>Storage</b>	<b>Scratch</b>	Local storage
	<b>Operational</b>	1–30 users <ul style="list-style-type: none"> <li>• PowerEdge R740xd</li> <li>• Intel Xeon Bronze dual-core 4110 processors</li> <li>• 96GB of memory, 12x 8GB 2667 MT/s DIMMS</li> <li>• PERC H730P RAID controller</li> <li>• 2x 250GB mixed-use SATA SSD in RAID-1 (for OS)</li> <li>• 12x 12TB 3.5: nSAS HDDs in RAID-6 (for data)</li> <li>• Dell EMC iDRAC9 Express</li> <li>• 2x 750W PSUs</li> <li>• NVIDIA EDR InfiniBand adapter</li> <li>• Site specific high-speed Ethernet adapter (optional)</li> </ul> 25–100 users <ul style="list-style-type: none"> <li>• Validated Designs for HPC NFS Storage</li> </ul>
<b>Services</b>		Consulting, education, hardware deployment and support, remote management, cloud options, financing

### Siemens Simcenter STAR-CCM+

Digital manufacturing software, like Siemens Simcenter™ STAR CCM+, is commonly used across a wide range of CFD and multiphysics applications. It's capable of capturing the physics that will influence product performance, enabling engineers to predict performance changes in response to multiple parametric design changes. The Validated Design for Simcenter STAR CCM+ uses a flexible approach to HPC system design, using modular building blocks that can be combined to build HPC systems optimized for Simcenter STAR CCM+ workloads and use cases.

<b>Recommended configurations</b>		
<b>Intel-based infrastructure server</b>	<b>Compute</b>	PowerEdge R650
	<b>Processors</b>	Dual Intel Xeon Silver 4314
	<b>Memory</b>	256GB of RAM (16x 16GB 3200 MTps DIMMs)
	<b>Storage</b>	PERC H345 RAID controller 2x 480GB mixed-use SATA SSD RAID 1
	<b>Networking</b>	NVIDIA ConnectX-6 HDR InfiniBand HCA (optional)
<b>AMD-based infrastructure server</b>	<b>Compute</b>	PowerEdge R6515
	<b>Processor</b>	AMD EPYC™ 7313P with 16 cores per socket
	<b>Memory</b>	128GB of RAM (8x 16GB 3200 MTps DIMMs)
	<b>Storage</b>	PERC H345 RAID controller 2x 480GB mixed-use SATA SSD RAID 1
	<b>Networking</b>	NVIDIA ConnectX-6 InfiniBand HCA (optional)
<b>Compute building block</b>	<b>Compute options</b>	Intel: PowerEdge C6520, R650, R750 AMD: PowerEdge R6525, C6525
	<b>Processor options</b>	Dual Intel Xeon Gold 6346, 6342, 6338 or 8358 Dual AMD EPYC 7443, 7513, 7543, 7643, 7713
	<b>Memory options</b>	<ul style="list-style-type: none"> <li>• 256GB (16x 16GB 3200 MTps DIMMs)</li> <li>• 512GB (16x 32GB 3200 MTps DIMMs)</li> <li>• 1024GB (16x 64GB 3200 MTps DIMMs)</li> </ul>
	<b>Storage options</b>	PERC H345, H745 or H755 RAID controller with: <ul style="list-style-type: none"> <li>• 1-2x 480GB mixed-use SATA SSD RAID 0</li> <li>• 4x 480GB mixed-use SATA SSD RAID 0</li> </ul>
	<b>Networking</b>	NVIDIA ConnectX-6 HDR InfiniBand adapter



<b>System networking</b>		PowerSwitch S3048-ON Ethernet switch NVIDIA QM8790 40-port HDR100 InfiniBand
<b>Cluster management software</b>		Bright Cluster Manager (recommended)
<b>Storage</b>	<b>Scratch</b>	Local storage
	<b>Operational</b>	<p>1–30 users</p> <ul style="list-style-type: none"> <li>• PowerEdge R740xd with 144TB of raw storage</li> <li>• Intel Xeon Silver 4210 processors</li> <li>• 96GB of memory, 12x 8GB 2666 MT/s DIMMS</li> <li>• PERC H740P RAID controller</li> <li>• 2x 480GB mixed-use SATA SSD in RAID-1 for OS</li> <li>• 12x 12TB 3.5: NLSAS HDDs in RAID-6 for data</li> <li>• Dell EMC iDRAC9 Express</li> <li>• 2x 750W power supplies</li> <li>• NVIDIA ConnectX-6 HDR100 InfiniBand adapter</li> <li>• High-speed Ethernet adapter (optional)</li> </ul> <p>PowerEdge R7515 with 144TB of raw storage</p> <ul style="list-style-type: none"> <li>• AMD EPYC 7313P processor</li> <li>• 128GB of memory, 8x 16GB 3200 MTps DIMMs</li> <li>• PERC H745 RAID controller</li> <li>• 2x 240GB mixed-use SATA SSD in RAID-1 for OS</li> <li>• 12 x 12TB 3.5" NLSAS HDDs in RAID-6 for data</li> <li>• Dell EMC iDRAC9 Enterprise</li> <li>• 2x 750W power supplies</li> <li>• NVIDIA ConnectX-6 HDR100 InfiniBand HCA (optional)</li> <li>• High-speed Ethernet adapter (optional)</li> </ul> <p>25–100 users</p> <ul style="list-style-type: none"> <li>• Dell EMC PowerScale A200 scale-out NAS</li> <li>• Or for shared high-performance parallel file system, Validated Designs for PixStor Storage</li> </ul>
<b>Services</b>		Consulting, education, hardware deployment and support, remote management, cloud options, financing



## Services and financing

Dell Technologies is there every step of the way, linking people, processes and technology to accelerate innovation and enable optimal business outcomes.

- [Consulting Services](#) are delivered by certified experts to help you get the business value of advanced computing. The services include an assessment, workshop, testing, proofs of concept and production implementation. These experts help determine where advanced computing is a good fit for your organization. They also help you build your own internal team of experts through knowledge transfer at each step.
- [Education Services](#) offers courses and certifications in data science and advanced analytics through self-paced online labs and instructor-led workshops.
- [Deployment](#) experts have the experience, expertise and best practices to enhance your success with data analytics, HPC and AI solutions. With a proven track record of success in thousands of engagements worldwide, you can rely on Dell Technologies as your partner.
- [Support](#) experts can provide comprehensive hardware and collaborative software support 24x7 for optimal system performance and minimized downtime. ProSupport includes next-business-day on-site service with four- and eight-hour parts-and-labor response options, and escalation management with customer-defined severity levels. You can also opt for ProSupport Plus to get a technology service manager, who serves as a single point of contact for your support needs.
- Once the HPC cluster is deployed, [Remote HPC Cluster Management](#) services help keep it running smoothly with proactive monitoring and management of the entire HPC solution.
- [Financial Services](#) offers a wealth of leasing and financing options to help you find opportunities when your organization faces decisions regarding capital expenditures, operating expenditures and cash flow.

## Why choose Dell Technologies

We're committed to advancing data analytics, HPC and AI, and we've dedicated a great deal of resources toward that goal.

- Come in for an [executive briefing](#) and collaborate on ways to reach your business goals.
- Dell Technologies [Customer Solution Centers](#) are staffed with computer scientists, engineers and subject matter experts in a variety of disciplines.
- We are committed to [providing you with choice](#). We want you to get what you need and have a great experience working with us. If we don't have what you need, we'll tell you who does. We believe in being open, and we publish our performance results.
- Dell Technologies is the only company in the world with a portfolio that spans from workstations to supercomputers, including servers, networking, storage, software and services.
- Because Dell Technologies offers such a wide selection of solutions, we can act as your trusted advisor without trying to sell you a one-size-fits-all approach to your problem. That range of solutions has also given us the expertise to understand a broad spectrum of challenges and how to address them.

>35,000

full-time Services and  
Support employees<sup>3</sup>

>2,500

service centers<sup>3</sup>

<sup>3</sup> [Dell Technologies Key Facts](#),  
accessed November 2021.



25%

fewer prototypes<sup>4</sup>

15X

faster run times<sup>4</sup>

10x cost savings

with an on-premises solution<sup>5</sup>

### Customer Solution Centers

Our global network of dedicated [Dell Technologies Customer Solution Centers](#) are trusted environments where world-class IT experts collaborate with you to share best practices, facilitate in-depth discussions of effective business strategies and help your business become more successful and competitive. Dell Technologies Customer Solution Centers reduce the risks associated with new technology investments and can help improve speed of implementation.

### AI Experience Zones

Curious about AI and what it can do for your business? Run demos, try proofs of concept and pilot software in Singapore, Seoul, Sydney and Bangalore in other Dell Technologies Customer Solution Centers. Dell Technologies experts are available to collaborate and share best practices as you can explore the latest technology, and get the information and hands-on experience you need for your advanced computing workloads.

### HPC & AI Innovation Lab

The [Dell Technologies HPC & AI Innovation Lab](#) in Austin, Texas, is the flagship innovation center. Housed in a 13,000-square-foot data center, it gives you access to thousands of Dell EMC servers, two powerful HPC clusters, and sophisticated storage and network systems. It's staffed by a dedicated group of computer scientists, engineers and Ph.D. subject matter experts who actively partner and collaborate with customers and other members of the HPC community. The team engineers HPC and AI solutions, tests new and emerging technologies, and shares expertise including performance results and best practices.

### HPC & AI Centers of Excellence

As data analytics, HPC and AI converge and the technology evolves, Dell Technologies worldwide HPC & AI Centers of Excellence provide thought leadership, test new technologies and share best practices. They maintain local industry partnerships, and have direct access to Dell and other technology creators to incorporate your feedback and needs into their roadmaps. Through collaboration, [Dell Technologies HPC & AI Centers of Excellence](#) provide a network of resources based on the wide-ranging know-how and experience in the community.

### Proven results

Dell Technologies holds leadership positions in some of the biggest and largest-growth categories in the IT infrastructure business, and that means you can confidently source your IT needs from Dell Technologies.

- #1 in servers<sup>6</sup>
- #1 in converged and hyper converged infrastructure (HCI)<sup>7</sup>
- #1 in storage<sup>8</sup>
- #1 cloud IT infrastructure<sup>9</sup>

See [Dell Technologies Key Facts](#).

<sup>4</sup> Dell Technologies case study, "[Revving up product engineering](#)," October 2020.

<sup>5</sup> Dell video case study, "[OTTO Motors Advances AI with Dell EMC PowerEdge and VMware](#)," May 2020.

<sup>6</sup> IDC [WW Quarterly Server Tracker](#), Vendor Revenue, September 2021.

<sup>7</sup> IDC [WW Quarterly Converged Systems Tracker](#), Vendor Revenue, March 2021.

<sup>8</sup> IDC [WW Quarterly Enterprise Storage Systems Tracker](#), Vendor Revenue, September 2021.

<sup>9</sup> IDC [WW Quarterly Cloud IT Infrastructure Tracker](#), Vendor Revenue, October 2021.

## Take the next step, today

Don't wait to find out how Dell Technologies can simplify design, configuration and ordering — so you can leverage the advantages of HPC sooner and with less risk. Contact your Dell Technologies or authorized channel partner representative for more details right away.

### Contact us

To learn more, visit [delltechnologies.com/hpc](https://delltechnologies.com/hpc) or [contact](#) your local representative or authorized reseller.



Copyright © 2021 Dell Inc. or its subsidiaries. All Rights Reserved. Dell, EMC, and other trademarks are trademarks of Dell Inc. or its subsidiaries.

Other trademarks may be the property of their respective owners. Published in the USA 11/21 Solution overview DELL-SO-RS-HPC-DIG-MFG-USLET-106

CFX® is a trademark of Sony Corporation in Japan. ANSYS®, ANSYS Fluent®, and ANSYS Mechanical™ are registered trademarks or trademarks of ANSYS, Inc. or its subsidiaries in the United States or other countries. OPENFOAM® is a registered trademark of OpenCFD Limited, producer and distributor of the OpenFOAM software via [www.openfoam.com](http://www.openfoam.com). Exa® PowerFLOW® is a registered trademark of Exa Corporation. SIMULIA®, Abaqus®, and Dassault Systèmes® are registered trademarks of Dassault Systèmes or its subsidiaries in the United States and/or other countries. LS-DYNA® is a trademark or registered trademark of Livermore Software Technology Corporation in the United States and/or other countries. PAM-CRASH® is a registered trademark or trademark of ESI Group in the U.S. and/or other countries. Altair®, RADIOSS™, OptiStruct®, AcuSolve®, and HyperWorks® are trademarks or registered trademarks of Altair Engineering, Inc. Siemens®, NX®, Simcenter™, STAR-CCM+®, CD-adaptico®, and STAR-CD® are registered trademarks of Siemens Product Lifecycle Management Software, Inc. or its subsidiaries in the United States and in other countries. MSC® and MSC Nastran™ are trademarks or registered trademarks of MSC Software Corporation or its subsidiaries in the United States and/or other countries. Nastran® is a registered trademark of the National Aeronautics and Space Administration. Intel® and Xeon® are registered trademarks of Intel Corporation in the U.S. and other countries. Lustre® is a registered trademark of Seagate Technology LLC in the United States. VMware® products are covered by one or more patents listed at <http://www.vmware.com/go/patents>. VMware® is a registered trademark or trademark of VMware, Inc. in the United States and/or other jurisdictions. Mellanox®, SwitchX®, ConnectX®, and InfiniBand® are registered trademarks of NVIDIA Corporation. Bright Cluster Manager® is a trademark of Bright Computing, Inc. Red Hat® is a registered trademark of Red Hat, Inc. in the United States and other countries. Linux® is the registered trademark of Linus Torvalds in the U.S. and other countries. NVIDIA® and CUDA® are trademarks and/or registered trademarks of NVIDIA Corporation in the U.S. and other countries. Windows® is a registered trademark of Microsoft Corporation in the United States and/or other countries. VNC® is a trademark of RealVNC Limited and is protected by trademark registrations and/or pending trademark applications in the European Union, United States of America and other jurisdictions. NICE® is a trademark or registered trademark of NICE Ltd. and/or its subsidiaries.

Dell Technologies believes the information in this document is accurate as of its publication date. The information is subject to change without notice.