

**DELL**Technologies



Everyday productivity,  
built to last.



**Dell Pro 3 14/16**

P314260  
P316260

P314265  
P316265

# Built lighter, smarter, and ready for modern work



The Dell Pro 3 devices are designed for professionals who need mobility, intelligence, and durability in one refined device. With a thinner, lighter design, on-device AI performance, enterprise-grade security, and long-lasting battery life, Dell Pro 3 helps teams stay productive wherever work happens.



## Lightweight design for modern professionals

The Dell Pro 3 14 and 16 are built from durable, lightweight materials with a sleek, tapered profile that looks clean and modern. Starting at just 2.89 pounds, the 14-inch model is the lightest<sup>1</sup> and thinnest<sup>2</sup> commercial notebook in its class, making it easy to carry while still designed for everyday professional use. A metallic topcoat adds a smoother, scratch-resistant finish that holds up over time.



## Built to last in real-world work environments

With Wi-Fi 7 and optional 4G or 5G, Dell Pro 3 supports fast, reliable connectivity almost anywhere. Two Thunderbolt 4 ports enable flexible docking and multi-display setups, while a service-friendly, modular design helps extend device life. Commercial-grade durability testing and quantum-resistant BIOS verification help protect devices against everyday wear and evolving security threats.



## Quiet, clear, and collaboration-ready

An improved thermal design delivers up to 31 percent quieter cooling<sup>3</sup>, helping the system stay unobtrusive even during demanding tasks. Bright displays up to 400 or 500 nits keep content easy to see, while HDR-capable camera options and dual noise-canceling microphones help users look and sound clear on calls.



## Smart performance with on-device AI

Powered by Intel® Core, Core Ultra, and AMD Ryzen™ 400 series AI processors, Dell Pro 3 delivers responsive performance with built-in on-device AI acceleration. Copilot+ PC options help users work more efficiently, while Intel vPro and AMD DASH provide enterprise-grade security and manageability to support modern IT environments.

FEATURE	TECHNICAL SPECIFICATION	
PRODUCT <sup>1</sup>	Dell Pro 3 14	Dell Pro 3 16
MODEL NUMBER	P314260	P316260
CHASSIS <sup>2</sup>	Glass Fiber Composite (Top Cover, Palm rest) PC+ABS (Bottom Cover)	Glass Fiber Composite (Top Cover, Palm rest) PC+ABS (Bottom Cover)
PROCESSOR OPTIONS <sup>1,3</sup>	<p><b>Series 3 Intel® Core™ Ultra - CoPilot+ PC*</b> Intel® Core™ Ultra 5 332 vPro® (6 cores) Intel® Core™ Ultra 5 335 vPro® (8 cores) Intel® Core™ Ultra 7 355 (8 cores) Intel® Core™ Ultra 7 365 vPro® (8 cores) Intel® Core™ Ultra 5 336HvPro® (12 cores)</p> <p><b>Series 3 Intel® Core™ - AI PC*</b> Intel® Core™ 3 304 (5 cores) Intel® Core™ 5 315 (6 cores) Intel® Core™ 5 320 (6 cores) Intel® Core™ 5 330 (6 cores) Intel® Core™ 7 350 (6 cores) Intel® Core™ 7 360 (6 cores)</p>	<p><b>Series 3 Intel® Core™ Ultra - CoPilot+ PC*</b> Intel® Core™ Ultra 5 332 vPro® (6 cores) Intel® Core™ Ultra 5 335 vPro® (8 cores) Intel® Core™ Ultra 7 355 (8 cores) Intel® Core™ Ultra 7 365 vPro® (8 cores) Intel® Core™ Ultra 5 336HvPro® (12 cores)</p> <p><b>Series 3 Intel® Core™ - AI PC*</b> Intel® Core™ 3 304 (5 cores) Intel® Core™ 5 315 (6 cores) Intel® Core™ 5 320 (6 cores) Intel® Core™ 5 330 (6 cores) Intel® Core™ 7 350 (6 cores) Intel® Core™ 7 360 (6 cores)</p>
GRAPHICS <sup>1,4</sup>	<p><b>Series 3 Intel® Core™ Ultra</b> Intel® Graphics, 2Xe with 6 cores processor Intel® Graphics, 4Xe with 8/12 cores processor</p> <p><b>Series 3 Intel® Core™</b> Intel® Graphics</p>	<p><b>Series 3 Intel® Core™ Ultra</b> Intel® Graphics, 2Xe with 6 cores processor Intel® Graphics, 4Xe with 8/12 cores processor</p> <p><b>Series 3 Intel® Core™</b> Intel® Graphics</p>
OPERATING SYSTEM <sup>1</sup>	Windows 11 Professional Microsoft® Windows 11 Home Windows 11 Pro Education (with Series 3 Intel® Core™) Ubuntu® Linux® 24.04	Windows 11 Professional Microsoft® Windows 11 Home Windows 11 Pro Education (with Series 3 Intel® Core™) Ubuntu® Linux® 24.04
MEMORY OPTIONS <sup>1</sup>	<p><b>Series 3 Intel® Core™ Ultra</b> 16 GB DDR5, 5600 MT/s, single or dual-channel 32 GB DDR5, 5600 MT/s, single or dual-channel 64 GB DDR5, 5600 MT/s, dual-channel</p> <p><b>Series 3 Intel® Core™</b> 8 GB DDR5, 5600 MT/s, single-channel 16 GB DDR5, 5600 MT/s, single-channel 32 GB DDR5, 5600 MT/s, single-channel 48 GB DDR5, 5600 MT/s, single-channel</p>	<p><b>Series 3 Intel® Core™ Ultra</b> 16 GB DDR5, 5600 MT/s, single or dual-channel 32 GB DDR5, 5600 MT/s, single or dual-channel 64 GB DDR5, 5600 MT/s, dual-channel</p> <p><b>Series 3 Intel® Core™</b> 8 GB DDR5, 5600 MT/s, single-channel 16 GB DDR5, 5600 MT/s, single-channel 32 GB DDR5, 5600 MT/s, single-channel 48 GB DDR5, 5600 MT/s, single-channel</p>
STORAGE OPTIONS <sup>1,5</sup>	256 GB SSD, TLC 512 GB SSD, TLC, Gen 5 (supported on Series 3 Intel® Core™ Ultra only) 512 GB SSD, TLC, SED Ready 512 GB SSD, TLC 512 GB SSD 1 TB SSD, TLC 1 TB SSD 2 TB SSD	256 GB SSD, TLC 512 GB SSD, TLC, Gen 5 (supported on Series 3 Intel® Core™ Ultra only) 512 GB SSD, TLC, SED Ready 512 GB SSD, TLC 512 GB SSD 1 TB SSD, TLC 1 TB SSD 2 TB SSD
DISPLAY <sup>1</sup>	14" WUXGA (1920x1200), Non-Touch, 60Hz, 400 nits, 62.5% sRGB, 6bit+FRC, Anti-Glare 14" WUXGA (1920x1200), Touch, 60Hz, 400 nits, 100% sRGB, 8bit+FRC, Anti-Glare, ComfortView Plus (Low Blue Light) 14" WUXGA (1920x1200), Non-Touch, 1-120Hz (VRR), 500 nits, 100% sRGB, 8bit, Anti-Glare, ComfortView Plus (Low Blue Light), Super Low Power, Lightweight	16" WUXGA (1920x1200), Non-Touch, 60Hz, 400 nits, 62.5% sRGB, 6bit+FRC, Anti-Glare 16" WUXGA (1920x1200), Touch, 60 Hz, 400 nits, 62.5% sRGB, 6bit+FRC, Anti-Glare
CONNECTIVITY OPTIONS <sup>1,6,7</sup>	<p><b>Wireless LAN Options*</b></p> <p><b>Series 3 Intel® Core™ Ultra</b> Intel® Wi-Fi 7 BE211, 2x2, Qualified against Bluetooth® Core 6.0 wireless Card Intel® Wi-Fi 6E AX211, 2x2, Qualified against Bluetooth® Core 5.4 wireless Card</p> <p><b>Series 3 Intel® Core™</b> Intel® Wi-Fi 7 BE213, 2x2, Qualified against Bluetooth® Core 6.0 wireless Card Intel® Wi-Fi 6E AX211, 2x2, Qualified against Bluetooth® Core 5.4 wireless Card MediaTek® Wi-Fi 6 MT7920, 2X2, Qualified against Bluetooth® Core 6.0 wireless Card</p> <p><b>Mobile Broadband Options*</b> 5G – Mediatek® T700 (DW5933e-m), eSIM capable (with Series 3 Intel® Core™ Ultra only) 4G LTE – Qualcomm® Snapdragon™ X12 Global LTE-Advanced (DW5826e-m), eSIM capable</p> <p><b>Modern Standby Microsoft Compliant*</b></p>	<p><b>Wireless LAN Options*</b></p> <p><b>Series 3 Intel® Core™ Ultra</b> Intel® Wi-Fi 7 BE211, 2x2, Qualified against Bluetooth® Core 6.0 wireless Card Intel® Wi-Fi 6E AX211, 2x2, Qualified against Bluetooth® Core 5.4 wireless Card</p> <p><b>Series 3 Intel® Core™</b> Intel® Wi-Fi 7 BE213, 2x2, Qualified against Bluetooth® Core 6.0 wireless Card Intel® Wi-Fi 6E AX211, 2x2, Qualified against Bluetooth® Core 5.4 wireless Card MediaTek® Wi-Fi 6 MT7920, 2X2, Qualified against Bluetooth® Core 6.0 wireless Card</p> <p><b>Mobile Broadband Options*</b> 5G – Mediatek® T700 (DW5933e-m), eSIM capable (with Series 3 Intel® Core™ Ultra only) 4G LTE – Qualcomm® Snapdragon™ X12 Global LTE-Advanced (DW5826e-m), eSIM capable</p> <p><b>Modern Standby Microsoft Compliant*</b></p>
CAMERA	HD RGB camera, 720p at 30 fps, Temporal Noise Reduction, Camera Shutter FHD RGB HDR camera, 1080p at 30 fps, Temporal Noise Reduction, Camera Shutter FHD RGB HDR + IR camera, 1080p at 30 fps, Presence Detection, Temporal Noise Reduction, Camera Shutter	HD RGB camera, 720p at 30 fps, Temporal Noise Reduction, Camera Shutter FHD RGB HDR camera, 1080p at 30 fps, Temporal Noise Reduction, Camera Shutter FHD RGB HDR + IR camera, 1080p at 30 fps, Presence Detection, Temporal Noise Reduction, Camera Shutter
AUDIO AND SPEAKERS	2 x 2W Speakers, Realtek 2 x Noise Canceling Microphones	2 x 2W Speakers, Realtek 2 x Noise Canceling Microphones
PORTS AND SLOTS	2 x Type-C Thunderbolt™ 4/USB4 (40 Gbps) port with Power Delivery and DisplayPort™ 2.1 1 x Type-A USB 3.2 Gen1 (5 Gbps) 1 x Type-A USB 3.2 Gen1 (5 Gbps) with PowerShare 1 x RJ45 Ethernet port (1 Gbps) 1 x HDMI 2.1 port 1 x Global headset port 1 x Optional external nano SIM card tray (WWAN only) 1 x Kensington Wedge Shaped Lock Slot	2 x Type-C Thunderbolt™ 4/USB4 (40 Gbps) port with Power Delivery and DisplayPort™ 2.1 1 x Type-A USB 3.2 Gen1 (5 Gbps) 1 x Type-A USB 3.2 Gen1 (5 Gbps) with PowerShare 1 x RJ45 Ethernet port (1 Gbps) 1 x HDMI 2.1 port 1 x Global headset port 1 x Optional external nano SIM card tray (WWAN only) 1 x Kensington Wedge Shaped Lock Slot

FEATURE	TECHNICAL SPECIFICATION	TECHNICAL SPECIFICATION
<b>PRODUCT</b> <sup>1</sup>	Dell Pro 3 14	Dell Pro 3 16
<b>MODEL NUMBER</b>	P314260	P316260
<b>BATTERY</b> <sup>8,9</sup>	3-cell, 45 Wh, ExpressCharge, ExpressCharge Boost Capable 3-cell, 45 Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost Capable 3-cell, 57 Wh, ExpressCharge, ExpressCharge Boost Capable 3-cell, 57 Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost Capable 3-cell, 70 Wh, ExpressCharge, ExpressCharge Boost Capable 3-cell, 70 Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost Capable	3-cell, 45 Wh, ExpressCharge, ExpressCharge Boost Capable 3-cell, 45 Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost Capable 3-cell, 57 Wh, ExpressCharge, ExpressCharge Boost Capable 3-cell, 57 Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost Capable 3-cell, 70 Wh, ExpressCharge, ExpressCharge Boost Capable 3-cell, 70 Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost Capable
<b>AC ADAPTER</b> <sup>10, 11, 12</sup>	65W USB-C GAN Slim Adapter (2-pin, Wall-mount) 65W USB-C Adapter 100W USB-C Adapter	65W USB-C GAN Slim Adapter (2-pin, Wall-mount) 65W USB-C Adapter 100W USB-C Adapter
<b>INPUTS</b>	10-Finger Touch Display (optional) Spill Resistant Non-Backlit AI hotkey Keyboard Spill Resistant Backlit AI hotkey Keyboard Precision Clickpad with multi-touch gesture support	10-Finger Touch Display (optional) Spill Resistant Non-Backlit AI hotkey Keyboard Spill Resistant Backlit AI hotkey Keyboard Precision Clickpad with multi-touch gesture support
<b>MANAGEABILITY</b>	Intel vPro® Manageability with Intel® Active Management Technology (Intel® AMT)	Intel vPro® Manageability with Intel® Active Management Technology (Intel® AMT)
<b>SECURITY</b> <sup>13, 14</sup>	<b>Standard Security Features:</b> TPM 2.0 FIPS-140-3 Certified / TCG Certified Quantum-resistant BIOS Chassis intrusion switch Camera Shutter Security Lock Slot  <b>Optional Security Features:</b> Fingerprint Reader (in Power Button) (Windows Hello compliant) FHD IR Camera (Windows Hello compliant)	<b>Standard Security Features:</b> TPM 2.0 FIPS-140-3 Certified / TCG Certified Quantum-resistant BIOS Chassis intrusion switch Camera Shutter Security Lock Slot  <b>Optional Security Features:</b> Fingerprint Reader (in Power Button) (Windows Hello compliant) FHD IR Camera (Windows Hello compliant)
<b>DIMENSIONS AND WEIGHTS</b> <sup>15, 16</sup>	Width: 12.42 inches / 315.5 mm Depth: 8.90 inches / 226.0 mm Height (front): starting from 0.45 inches / 11.3 mm Height (rear): starting from 0.61 inches / 15.47 mm Height (max): starting from 0.77 inches / 19.45 mm  Weight: starting from 2.89 lb / 1.31 kg	Width: 14.12 inches / 358.6 mm Depth: 9.98 inches / 253.4 mm Height (front): starting from 0.44 inches / 11.16 mm Height (rear): starting from 0.61 inches / 15.41 mm Height (max): 0.81 inches / 20.65 mm  Weight: starting from 4.21 lb / 1.91 kg
<b>WHAT'S IN THE BOX</b> <sup>17</sup>	Dell Pro 3 14 Laptop Power Adapter & Cable Quick Start Guide	Dell Pro 3 16 Laptop Power Adapter & Cable Quick Start Guide

FEATURE	TECHNICAL SPECIFICATION	
PRODUCT <sup>1</sup>	Dell Pro 3 14	Dell Pro 3 16
MODEL NUMBER	P314265	P316265
CHASSIS <sup>2</sup>	Glass Fiber Composite (Top Cover, Palm rest) PC+ABS (Bottom Cover)	Glass Fiber Composite (Top Cover, Palm rest) PC+ABS (Bottom Cover)
PROCESSOR OPTIONS <sup>1,3</sup>	AMD Series 400 Processors with Ryzen™ AI NPU - CoPilot+ PC AMD Ryzen™ AI 7 PRO 450 (8 cores, 16 threads) AMD Ryzen™ AI 7 450 (8 cores, 16 threads) AMD Ryzen™ AI 5 PRO 435 (6 cores, 12 threads)	AMD Series 400 Processors with Ryzen™ AI NPU - CoPilot+ PC AMD Ryzen™ AI 7 PRO 450 (8 cores, 16 threads) AMD Ryzen™ AI 7 450 (8 cores, 16 threads) AMD Ryzen™ AI 5 PRO 435 (6 cores, 12 threads)
GRAPHICS <sup>1,4</sup>	AMD Radeon™ 860M with AMD Ryzen™ AI 7 450 / PRO 450 AMD Radeon™ 840M with AMD Ryzen™ AI 5 PRO 435	AMD Radeon™ 860M with AMD Ryzen™ AI 7 450 / PRO 450 AMD Radeon™ 840M with AMD Ryzen™ AI 5 PRO 435
OPERATING SYSTEM <sup>1</sup>	Windows 11 Pro 64-bit Windows 11 Home 64-bit Ubuntu® Linux® 24.04 LTS	Windows 11 Pro 64-bit Windows 11 Home 64-bit Ubuntu® Linux® 24.04 LTS
MEMORY OPTIONS <sup>1</sup>	16GB DDR5, 5600 MT/s, single or dual-channel 32GB DDR5, 5600 MT/s, single or dual-channel 64GB DDR5, 5600 MT/s, dual-channel	16GB DDR5, 5600 MT/s, single or dual-channel 32GB DDR5, 5600 MT/s, single or dual-channel 64GB DDR5, 5600 MT/s, dual-channel
STORAGE OPTIONS <sup>1,5</sup>	256 GB SSD, TLC 512 GB SSD, TLC, SED 512 GB SSD, TLC 512 GB SSD 1 TB SSD, TLC 1 TB SSD 2 TB SSD	256 GB SSD, TLC 512 GB SSD, TLC, SED 512 GB SSD, TLC 512 GB SSD 1 TB SSD, TLC 1 TB SSD 2 TB SSD
DISPLAY <sup>1</sup>	14" WUXGA (1920x1200), Non-Touch, 60Hz, 400 nits, 62.5% sRGB, Anti-Glare 14" WUXGA (1920x1200), Touch, 60Hz, 400 nits, 100% sRGB, Anti-Glare, ComfortView Plus (Low Blue Light) 14" WUXGA (1920x1200), Non-Touch, 20-120Hz (VRR), 500 nits, 100% sRGB, Anti-Glare, ComfortView Plus (Low Blue Light), Super Low Power, Lightweight	16" WUXGA (1920x1200), Non-Touch, 60Hz, 400 nits, 62.5% sRGB, Anti-Glare 16" WUXGA (1920x1200), Touch, 60 Hz, 400 nits, 62.5% sRGB, Anti-Glare
CONNECTIVITY OPTIONS <sup>1,6,7</sup>	<b>Modern Standby Microsoft Compliant</b>  <b>Wireless LAN Options<sup>6</sup></b> MediaTek Wi-Fi 6E MT7922, 2x2, 802.11ax, Qualified against Bluetooth® 5.2 wireless card MediaTek Wi-Fi 7 MT7925, 2x2, 802.11be, Qualified against Bluetooth® 5.4 wireless card  <b>Mobile Broadband Options<sup>7</sup></b> 4G LTE – Qualcomm® Snapdragon™ X12 Global LTE-Advanced (DW5826e-m), eSIM capable	<b>Modern Standby Microsoft Compliant</b>  <b>Wireless LAN Options<sup>6</sup></b> MediaTek Wi-Fi 6E MT7922, 2x2, 802.11ax, Qualified against Bluetooth® 5.2 wireless card MediaTek Wi-Fi 7 MT7925, 2x2, 802.11be, Qualified against Bluetooth® 5.4 wireless card  <b>Mobile Broadband Options<sup>7</sup></b> 4G LTE – Qualcomm® Snapdragon™ X12 Global LTE-Advanced (DW5826e-m), eSIM capable
CAMERA	HD RGB camera, 720p at 30 fps, Temporal Noise Reduction, Camera Shutter FHD RGB HDR camera, 1080p at 30 fps, Temporal Noise Reduction, Camera Shutter FHD RGB HDR + IR camera, 1080p at 30 fps, Presence Detection, Temporal Noise Reduction, Camera Shutter	HD RGB camera, 720p at 30 fps, Temporal Noise Reduction, Camera Shutter FHD RGB HDR camera, 1080p at 30 fps, Temporal Noise Reduction, Camera Shutter FHD RGB HDR + IR camera, 1080p at 30 fps, Presence Detection, Temporal Noise Reduction, Camera Shutter
AUDIO AND SPEAKERS	2 x 2W Speakers, Realtek 2 x Noise Canceling Microphones	2 x 2W Speakers, Realtek 2 x Noise Canceling Microphones
PORTS AND SLOTS	2x Thunderbolt™ 4 (40 Gbps) port with DisplayPort™ 2.1 / USB Type-C® / USB4 / Power Delivery 1x USB 3.2 Gen 1 (5 Gbps) Type-A port 1x USB 3.2 Gen 1 (5 Gbps) Type-A port with PowerShare 1x Global headset port 1x HDMI 2.1 port 1x Optional external nano SIM card tray (WWAN only) 1 x RJ45 Ethernet port (1 Gbps) 1 x Kensington Wedge Shaped Lock Slot	2x Thunderbolt™ 4 (40 Gbps) port with DisplayPort™ 2.1 / USB Type-C® / USB4 / Power Delivery 1x USB 3.2 Gen 1 (5 Gbps) Type-A port 1x USB 3.2 Gen 1 (5 Gbps) Type-A port with PowerShare 1x Global headset port 1x HDMI 2.1 port 1x Optional external nano SIM card tray (WWAN only) 1 x RJ45 Ethernet port (1 Gbps) 1 x Kensington Wedge Shaped Lock Slot
BATTERY <sup>8,9</sup>	3-cell, 45 Wh, ExpressCharge, ExpressCharge Boost Capable 3-cell, 45 Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost Capable  3-cell, 55 Wh, ExpressCharge, ExpressCharge Boost Capable 3-cell, 55 Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost Capable  3-cell, 70 Wh, ExpressCharge, ExpressCharge Boost Capable 3-cell, 70 Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost Capable	3-cell, 45 Wh, ExpressCharge, ExpressCharge Boost Capable 3-cell, 45 Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost Capable  3-cell, 55 Wh, ExpressCharge, ExpressCharge Boost Capable 3-cell, 55 Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost Capable  3-cell, 70 Wh, ExpressCharge, ExpressCharge Boost Capable 3-cell, 70 Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost Capable
AC ADAPTER <sup>10, 11, 12</sup>	65W USB-C GAN Slim Adapter (2-pin, Wall-mount) 65W USB-C Adapter 100W USB-C Adapter	65W USB-C GAN Slim Adapter (2-pin, Wall-mount) 65W USB-C Adapter 100W USB-C Adapter
INPUTS	10-Finger Touch Display (optional) Spill Resistant Non-Backlit AI hotkey Keyboard Spill Resistant Backlit AI hotkey Keyboard Precision Clickpad with multi-touch gesture support	10-Finger Touch Display (optional) Spill Resistant Non-Backlit AI hotkey Keyboard Spill Resistant Backlit AI hotkey Keyboard Precision Clickpad with multi-touch gesture support
MANAGEABILITY	Out-of-band (OOB) remote management for AMD-powered PRO systems AMD DASH (Desktop and mobile Architecture for System Hardware) AIM-T (AMD Integrated Management Technology)	Out-of-band (OOB) remote management for AMD-powered PRO systems AMD DASH (Desktop and mobile Architecture for System Hardware) AIM-T (AMD Integrated Management Technology)

FEATURE	TECHNICAL SPECIFICATION	TECHNICAL SPECIFICATION
PRODUCT <sup>1</sup>	Dell Pro 3 14	Dell Pro 3 16
MODEL NUMBER	P314265	P316265
SECURITY <sup>13,14</sup>	<p><b>Standard Security Features:</b>                      TPM 2.0 FIPS-140-3 Certified / TCG Certified                      Quantum-resistant BIOS                      Chassis intrusion switch                      Camera Shutter                      Security Lock Slot</p> <p><b>Optional Security Features:</b>                      Fingerprint Reader (in Power Button) (Windows Hello compliant)                      FHD IR Camera (Windows Hello compliant)</p>	<p><b>Standard Security Features:</b>                      TPM 2.0 FIPS-140-3 Certified / TCG Certified                      Quantum-resistant BIOS                      Chassis intrusion switch                      Camera Shutter                      Security Lock Slot</p> <p><b>Optional Security Features:</b>                      Fingerprint Reader (in Power Button) (Windows Hello compliant)                      FHD IR Camera (Windows Hello compliant)</p>
DIMENSIONS AND WEIGHTS <sup>15,16</sup>	<p>Width: 12.42 in. (315.5 mm)                      Depth: 8.90 in. (226.0 mm)                      Height (front) starting from: 0.44 in (11.3 mm)                      Height (rear) starting from: 0.61 in (15.47 mm)                      Height (max) starting from: 0.77 in (19.45mm)</p> <p>Weight starting from: 2.95 lbs (1.33 kg)</p>	<p>Width: 14.12 in.(358.6mm)                      Depth: 9.98 in. (253.4mm)                      Height (front) starting from: 0.44 in.(11.16mm)                      Height (rear) starting from: 0.61 in. (15.41mm)                      Height (max) starting from: 0.82 in (20.85mm)</p> <p>Weight starting from: 4.21 lbs (1.912 kg)</p>
WHAT'S IN THE BOX <sup>17</sup>	<p>Dell Pro 3 14 Laptop                      Power Adapter &amp; Cable                      Quick Start Guide</p>	<p>Dell Pro 3 16 Laptop                      Power Adapter &amp; Cable                      Quick Start Guide</p>

**Page 2 Disclaimers:**

1. Based on internal analysis of data for comparable 14-inch entry business laptops from major PC manufacturers [Feb, 2026].
2. Based on internal analysis of data for comparable 14-inch entry business laptops from major PC manufacturers [Feb, 2026].
3. Based on internal analysis, Feb 2026. Data is based on comparison with Dell Pro 14 launched in 2025.

**Product Disclaimers:**

1. Offering may vary by country, hardware configuration, and/or operating system.
2. Glass Fiber Composite is made of polycarbonate (thermoplastic) with Glass Fiber reinforcement. PC+ABS is a blend of two thermoplastics - polycarbonate (PC) and acrylonitrile butadiene styrene (ABS).
3. Copilot+ PC comes with a high-performance NPU (40+ TOPS) designed to run advanced AI experiences locally and more efficiently.
4. High-Efficiency Video Coding (HEVC) content playback on the system and on an external display as well as HEVC content streaming is supported on configurations with a discrete graphics card, built in 4K panel, Dolby Vision or CyberLink Blue-ray player, for other configurations HEVC content playback on the system will require a separate purchase and download of software HEVC codec or third-party media players.
5. GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less than stated.
6. Wi-Fi 7 requires the latest Wi-Fi Alliance certification, certified device driver, hardware update, supported OS version and compatible router. Router requires a separate purchase. Wi-Fi connectivity is only available in select locations. Check availability with your service provider. The Bluetooth wireless card version may Offering may vary depending on the operating system that is installed on your computer.
7. Mobile Broadband antenna and module available only at time of system purchase. Mobile Broadband subject to service provider's broadband subscription and coverage area; additional charges apply. eSim technology subject to regional carrier/service provider availability & service provider's data plan subscription; additional charges apply. Check availability with your service provider.
8. The stated Watt Hour (Wh) is not an indication of battery life. Express Charge (EC) enables quick battery charging 0-80% capacity in 60 minutes. Express Charge Boost (ECB) enables quick battery charging to 0-35% capacity in 20 minutes. Charging patterns for EC and ECB are measured for the system in a shutdown state. Long life cycle battery options have a charging pattern that enables longer life. Long-life cycle battery options are capable of 3 years life or 1000 discharge/charge cycles, and Dell provides a 3-year limited hardware warranty for these battery options
9. Limited Hardware Warranty: For copy of Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see [www.dell.com/warranty](http://www.dell.com/warranty).
10. 45 Wh battery requires at least a 65W power adapter for Express Charge and Express Charge Boost
11. 57 Wh battery requires at least a 65W power adapter for Express Charge and 100 W adapter for Express Charge Boost.
12. 70 Wh battery requires at least a 100W power adapter for Express Charge and Express Charge Boost.
13. Quantum-resistant BIOS verification protects PCs against current and emerging cryptographic threats.
14. Chassis Intrusion Switch remotely detects hardware tampering and is integrated with Dell SafeBIOS Indicators of Attack.
15. Height may vary depending on configuration. Height (max) represents the maximum system thickness excluding the system rubber feet.
16. Weights vary depending on configuration and manufacturing variability.
17. Power Adapter and Cable can be opted out in EMEA and APJ regions.



**Leading in sustainable practices to reduce the environmental impact of our products and packaging.**

Learn more: [Dell.com/sustainable-devices](https://Dell.com/sustainable-devices)

FEATURE	TECHNICAL SPECIFICATION	AVAILABILITY	
MATERIALS <sup>1</sup>	Post-consumer recycled plastic (PCR)	50% in top cover, bezel and bottom cover 30% in palm rest and speaker housing 95% in adapter case (105W) 98% in battery case (45 Whr, 57 Whr and 70 Whr) 100% in battery film (45 Whr, 57 Whr and 70 Whr)	
	Bio-based plastic	46% in rubber feet	
	Low emissions aluminum	50% in top cover 50% in tpp cover	
	Recycled aluminum	98% in adapter thermal shield (105W)	
	Recycled steel	90% in touchpad support brackets	
	Recycled Copper	50% in adapter cable (105W) 100% in printed circuit board (45 Whr, 57Whr and 70 Whr)	
	Recycled cobalt	100% in battery (45 Whr, 57 Whr)	
	Reduced cobalt	50% in battery (70 Whr) 90% in battery (57 Whr)	
	PACKAGING	Materials	100% recycled or renewable materials
		Dell Multipack Available <sup>1</sup>	Yes
ECOLABELS <small>Details vary by region. Visit ecolabel website for more information</small>	<u>EPEAT Gold with Climate+</u>	Yes	
	<u>TCO Certified</u>	Yes	
	<u>ENERGY STAR®</u>	Yes	
MODULAR & REPAIRABLE COMPONENTS	USB-C port	Yes	
	Mainboard and I/O board	Yes	
	Customer replaceable battery	Yes	

For more information, see our resources for [materials](#), [packaging](#) and [product recycling](#).

1. Offering may vary by country and by configuration and operating system.  
2. Power and battery options may vary based on chosen technical specifications and customization.



**Leading in sustainable practices to reduce the environmental impact of our products and packaging.**

Learn more: [Dell.com/sustainable-devices](https://Dell.com/sustainable-devices)

FEATURE	TECHNICAL SPECIFICATION	AVAILABILITY	
MATERIALS <sup>1</sup>	Post-consumer recycled plastic (PCR)	50% in bezel and bottom cover 30% in top cover, palm rest and speaker housing 95% in adapter case (105W) 98% in battery case (45 Whr, 57 Whr and 70 Whr) 100% in battery film (45 Whr, 57 Whr and 70 Whr)	
	Bio-based plastic	46% in rubber feet	
	Low emissions aluminum	50% in top cover 50% in tpp cover	
	Recycled aluminum	98% in adapter thermal shield (105W)	
	Recycled steel	90% in touchpad support brackets	
	Recycled Copper	50% in adapter cable (105W) 100% in printed circuit board (45 Whr, 57Whr and 70 Whr)	
	Recycled cobalt	100% in battery (45 Whr, 57 Whr)	
	Reduced cobalt	50% in battery (70 Whr) 90% in battery (57 Whr)	
	PACKAGING	Materials	100% recycled or renewable materials
		Dell Multipack Available <sup>1</sup>	Yes
ECOLABELS <small>Details vary by region. Visit ecolabel website for more information</small>	<u>EPEAT Gold with Climate+</u>	Yes	
	<u>TCO Certified</u>	Yes	
	<u>ENERGY STAR®</u>	Yes	
MODULAR & REPAIRABLE COMPONENTS	USB-C port	Yes	
	Mainboard and I/O board	Yes	
	Customer replaceable battery	Yes	

For more information, see our resources for [materials](#), [packaging](#) and [product recycling](#).

1. Offering may vary by country and by configuration and operating system.  
 2. Power and battery options may vary based on chosen technical specifications and customization.



**Leading in sustainable practices to reduce the environmental impact of our products and packaging.**

Learn more: [Dell.com/sustainable-devices](https://Dell.com/sustainable-devices)

FEATURE	TECHNICAL SPECIFICATION	AVAILABILITY	
MATERIALS <sup>1</sup>	Post-consumer recycled plastic (PCR)	50% in top cover, bezel and bottom cover 30% in palm rest and speaker housing 95% in adapter case (105W) 98% in battery case (45 Whr, 57 Whr and 70 Whr) 100% in battery film (45 Whr, 57 Whr and 70 Whr)	
	Bio-based plastic	46% in rubber feet	
	Low emissions aluminum	50% in top cover 50% in tpp cover	
	Recycled aluminum	98% in adapter thermal shield (105W)	
	Recycled steel	90% in touchpad support brackets	
	Recycled Copper	50% in adapter cable (105W) 100% in printed circuit board (45 Whr, 57Whr and 70 Whr)	
	Recycled cobalt	100% in battery (45 Whr, 57 Whr)	
	Reduced cobalt	50% in battery (70 Whr) 90% in battery (57 Whr)	
	PACKAGING	Materials	100% recycled or renewable materials
		Dell Multipack Available <sup>1</sup>	Yes
ECOLABELS <small>Details vary by region. Visit ecolabel website for more information</small>	<u>EPEAT Gold with Climate+</u>	Yes	
	<u>TCO Certified</u>	Yes	
	<u>ENERGY STAR®</u>	Yes	
MODULAR & REPAIRABLE COMPONENTS	USB-C port	Yes	
	Mainboard and I/O board	Yes	
	Customer replaceable battery	Yes	

For more information, see our resources for [materials](#), [packaging](#) and [product recycling](#).

1. Offering may vary by country and by configuration and operating system.  
2. Power and battery options may vary based on chosen technical specifications and customization.



**Leading in sustainable practices to reduce the environmental impact of our products and packaging.**

Learn more: [Dell.com/sustainable-devices](https://Dell.com/sustainable-devices)

FEATURE	TECHNICAL SPECIFICATION	AVAILABILITY	
MATERIALS <sup>1</sup>	Post-consumer recycled plastic (PCR)	50% in bezel and bottom cover 30% in top cover, palm rest and speaker housing 95% in adapter case (105W) 98% in battery case (45 Whr, 57 Whr and 70 Whr) 100% in battery film (45 Whr, 57 Whr and 70 Whr)	
	Bio-based plastic	46% in rubber feet	
	Low emissions aluminum	50% in top cover 50% in tpp cover	
	Recycled aluminum	98% in adapter thermal shield (105W)	
	Recycled steel	90% in touchpad support brackets	
	Recycled Copper	50% in adapter cable (105W) 100% in printed circuit board (45 Whr, 57Whr and 70 Whr)	
	Recycled cobalt	100% in battery (45 Whr, 57 Whr)	
	Reduced cobalt	50% in battery (70 Whr) 90% in battery (57 Whr)	
	PACKAGING	Materials	100% recycled or renewable materials
		Dell Multipack Available <sup>1</sup>	Yes
ECOLABELS <small>Details vary by region. Visit ecolabel website for more information</small>	<u>EPEAT Gold with Climate+</u>	Yes	
	<u>TCO Certified</u>	Yes	
	<u>ENERGY STAR®</u>	Yes	
MODULAR & REPAIRABLE COMPONENTS	USB-C port	Yes	
	Mainboard and I/O board	Yes	
	Customer replaceable battery	Yes	

For more information, see our resources for [materials](#), [packaging](#) and [product recycling](#).

1. Offering may vary by country and by configuration and operating system.  
 2. Power and battery options may vary based on chosen technical specifications and customization.