DØLLTechnologies

Everyday productivity, built to last.

Dell Pro 3 14/16

P314260   P314265
P316260   P316265

Built lighter, smarter, and ready for modern work

The Dell Pro 3 devices are designed for professionals who need mobility, intelligence, and durability in one refined device. With a thinner, lighter design, on-device AI performance, enterprise-grade security, and long-lasting battery life, Dell Pro 3 helps teams stay productive wherever work happens.

Lightweight design for modern professionals

The Dell Pro 3 14 and 16 are built from durable, lightweight materials with a sleek, tapered profile that looks clean and modern. Starting at just 2.89 pounds, the 14-inch model is the lightest[1] and thinnest[2] commercial notebook in its class, making it easy to carry while still designed for everyday professional use. A metallic topcoat adds a smoother, scratch-resistant finish that holds up over time.

Built to last in real-world work environments

With Wi-Fi 7 and optional 4G or 5G, Dell Pro 3 supports fast, reliable connectivity almost anywhere. Two Thunderbolt 4 ports enable flexible docking and multi-display setups, while a service-friendly, modular design helps extend device life. Commercial-grade durability testing and quantum-resistant BIOS verification help protect devices against everyday wear and evolving security threats.

Quiet, clear, and collaboration-ready

An improved thermal design delivers up to 31 percent quieter cooling[3], helping the system stay unobtrusive even during demanding tasks. Bright displays up to 400 or 500 nits keep content easy to see, while HDR-capable camera options and dual noise-canceling microphones help users look and sound clear on calls.

Smart performance with on-device AI

Powered by Intel® Core, Core Ultra, and AMD Ryzen™ 400 series AI processors, Dell Pro 3 delivers responsive performance with built-in on-device AI acceleration. Copilot+ PC options help users work more efficiently, while Intel vPro and AMD DASH provide enterprise-grade security and manageability to support modern IT environments.

FEATURE	TECHNICAL SPECIFICATION	
PRODUCT [1]	Dell Pro 3 14	Dell Pro 3 16
MODEL NUMBER	P314260	P316260
CHASSIS [2]	PC+GF* (Top Cover, Palm rest) PC+ABS (Bottom Cover)	PC+GF* (Top Cover, Palm rest) PC+ABS (Bottom Cover)
PROCESSOR OPTIONS [1,3]	Series 3 Intel® Core™ Ultra - CoPilot+ PC Availability coming soon Series 3 Intel® Core™ - AI PC Availability coming soon	Series 3 Intel® Core™ Ultra - CoPilot+ PC Availability coming soon Series 3 Intel® Core™ - AI PC Availability coming soon
GRAPHICS [1,4]	Intel® Graphics	Intel® Graphics
OPERATING SYSTEM [1]	Windows 11 Professional Microsoft® Windows 11 Home Windows 11 Pro Education (with Series 3 Intel® Core™) Ubuntu® Linux® 24.04	Windows 11 Professional Microsoft® Windows 11 Home Windows 11 Pro Education (with Series 3 Intel® Core™) Ubuntu® Linux® 24.04
MEMORY OPTIONS [1]	Series 3 Intel® Core™ Ultra 16 GB DDR5, 5600 MT/s, single or dual-channel 32 GB DDR5, 5600 MT/s, single or dual-channel 64 GB DDR5, 5600 MT/s, dual-channel Series 3 Intel® Core™ Availability coming soon	Series 3 Intel® Core™ Ultra 16 GB DDR5, 5600 MT/s, single or dual-channel 32 GB DDR5, 5600 MT/s, single or dual-channel 64 GB DDR5, 5600 MT/s, dual-channel Series 3 Intel® Core™ Availability coming soon
STORAGE OPTIONS [1,5]	256 GB SSD, TLC 512 GB SSD, TLC, SED 512 GB SSD, TLC 512 GB SSD 1 TB SSD, TLC 1 TB SSD 2 TB SSD	256 GB SSD, TLC 512 GB SSD, TLC, SED Ready 512 GB SSD, TLC 512 GB SSD 1 TB SSD, TLC 1 TB SSD 2 TB SSD
DISPLAY [1]	14" WUXGA (1920x1200), Non-Touch, 60Hz, 400 nits, 62.5% sRGB, Anti-Glare 14" WUXGA (1920x1200), Touch, 60Hz, 400 nits, 100% sRGB, Anti-Glare, ComfortView Plus (Low Blue Light) 14" WUXGA (1920x1200), Non-Touch, 1-120Hz (VRR), 500 nits, 100% sRGB, Anti-Glare, ComfortView Plus (Low Blue Light), Super Low Power, Lightweight	16" WUXGA (1920x1200), Non-Touch, 60Hz, 400 nits, 62.5% sRGB, Anti-Glare 16" WUXGA (1920x1200), Touch, 60 Hz, 400 nits, 62.5% sRGB, Anti-Glare
CONNECTIVITY OPTIONS [1,6,7]	**Wireless LAN Options**[6] Series 3 Intel® Core™ Ultra Intel® Wi-Fi 7 BE211, 2x2, Bluetooth® 6.0 wireless card Intel® Wi-Fi 6E AX211, 2x2, Bluetooth® 5.3 Wireless Card Series 3 Intel® Core™ Availability coming soon **Mobile Broadband Options**[7] Series 3 Intel® Core™ Ultra 5G – MediaTek® T700 (DW5933e), eSIM capable 4G LTE – Qualcomm® Snapdragon™ X12 Global LTE-Advanced (DW5826e), eSIM capable Series 3 Intel® Core™ Availability coming soon **Modern Standby Microsoft Compliant (BIOS/-WiFi/WWAN)**	**Wireless LAN Options**[6] Series 3 Intel® Core™ Ultra Intel® Wi-Fi 7 BE211, 2x2, Bluetooth® 6.0 wireless card Intel® Wi-Fi 6E AX211, 2x2, Bluetooth® 5.3 Wireless Card Series 3 Intel® Core™ Availability coming soon **Mobile Broadband Options**[7] Series 3 Intel® Core™ Ultra 5G – MediaTek® T700 (DW5933e), eSIM capable 4G LTE – Qualcomm® Snapdragon™ X12 Global LTE-Advanced (DW5826e), eSIM capable Series 3 Intel® Core™ Availability coming soon **Modern Standby Microsoft Compliant (BIOS/-WiFi/WWAN)**
CAMERA	HD RGB camera, 720p at 30 fps, Temporal Noise Reduction, Camera Shutter FHD RGB HDR camera, 1080p at 30 fps, Temporal Noise Reduction, Camera Shutter FHD RGB HDR + IR camera, 1080p at 30 fps, Presence Detection, Temporal Noise Reduction, Camera Shutter	HD RGB camera, 720p at 30 fps, Temporal Noise Reduction, Camera Shutter FHD RGB HDR camera, 1080p at 30 fps, Temporal Noise Reduction, Camera Shutter FHD RGB HDR + IR camera, 1080p at 30 fps, Presence Detection, Temporal Noise Reduction, Camera Shutter
AUDIO AND SPEAKERS	2 x 2W Speakers, Realtek 2 x Noise Canceling Microphones	2 x 2W Speakers, Realtek 2 x Noise Canceling Microphones
PORTS AND SLOTS	2 x Type-C Thunderbolt™ 4/USB4 (40 Gbps) port with Power Delivery and DisplayPort™ 2.1 1 x Type-A USB 3.2 Gen1 (5 Gbps) 1 x Type-A USB 3.2 Gen1 (5 Gbps) with PowerShare 1 x RJ45 Ethernet port (1 Gbps) 1 x HDMI 2.1 port 1 x Global headset port 1 x Optional external nano SIM card tray (WWAN only) 1 x Kensington Wedge Shaped Lock Slot	2 x Type-C Thunderbolt™ 4/USB4 (40 Gbps) port with Power Delivery and DisplayPort™ 2.1 1 x Type-A USB 3.2 Gen1 (5 Gbps) 1 x Type-A USB 3.2 Gen1 (5 Gbps) with PowerShare 1 x RJ45 Ethernet port (1 Gbps) 1 x HDMI 2.1 port 1 x Global headset port 1 x Optional external nano SIM card tray (WWAN only) 1 x Kensington Wedge Shaped Lock Slot
BATTERY [8,9]	3-cell, 45 Wh, ExpressCharge, ExpressCharge Boost Capable 3-cell, 45 Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost Capable 3-cell, 57 Wh, ExpressCharge, ExpressCharge Boost Capable 3-cell, 57 Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost Capable 3-cell, 70 Wh, ExpressCharge, ExpressCharge Boost Capable 3-cell, 70 Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost Capable	3-cell, 45 Wh, ExpressCharge, ExpressCharge Boost Capable 3-cell, 45 Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost Capable 3-cell, 57 Wh, ExpressCharge, ExpressCharge Boost Capable 3-cell, 57 Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost Capable 3-cell, 70 Wh, ExpressCharge, ExpressCharge Boost Capable 3-cell, 70 Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost Capable
AC ADAPTER [10,11,12]	65W USB-C GAN Slim Adapter (2-pin, Wall-mount) 65W USB-C Adapter 100W USB-C Adapter	65W USB-C GAN Slim Adapter (2-pin, Wall-mount) 65W USB-C Adapter 100W USB-C Adapter

FEATURE	TECHNICAL SPECIFICATION	TECHNICAL SPECIFICATION
PRODUCT [1]	Dell Pro 3 14	Dell Pro 3 16
MODEL NUMBER	P314260	P316260
INPUTS	10-Finger Touch Display (optional) Spill Resistant Non-Backlit AI hotkey Keyboard Spill Resistant Backlit AI hotkey Keyboard Precision Clickpad with multi-touch gesture support	10-Finger Touch Display (optional) Spill Resistant Non-Backlit AI hotkey Keyboard Spill Resistant Backlit AI hotkey Keyboard Precision Clickpad with multi-touch gesture support
MANAGEABILITY	Intel vPro® Manageability with Intel® Active Management Technology (Intel® AMT)	Intel vPro® Manageability with Intel® Active Management Technology (Intel® AMT)
SECURITY [13, 14]	**Standard Security Features:** TPM 2.0 FIPS-140-3 Certified / TCG Certified Quantum-resistant BIOS Chassis intrusion switch Camera Shutter Security Lock Slot **Optional Security Features:** Fingerprint Reader (in Power Button) (Windows Hello compliant) FHD IR Camera (Windows Hello compliant)	**Standard Security Features:** TPM 2.0 FIPS-140-3 Certified / TCG Certified Quantum-resistant BIOS Chassis intrusion switch Camera Shutter Security Lock Slot **Optional Security Features:** Fingerprint Reader (in Power Button) (Windows Hello compliant) FHD IR Camera (Windows Hello compliant)
DIMENSIONS AND WEIGHTS [15, 16]	Width: 12.42 inches / 315.5 mm Depth: 8.90 inches / 226.0 mm Height (front): starting from 0.45 inches / 11.3 mm Height (rear): starting from 0.61 inches / 15.47 mm Height (max): starting from 0.77 inches / 19.45 mm Weight: starting from 2.89 lb / 1.31 kg	Width: 14.12 inches / 358.6 mm Depth: 9.98 inches / 253.4 mm Height (front): starting from 0.44 inches / 11.16 mm Height (rear): starting from 0.61 inches / 15.41 mm Height (max): 0.81 inches / 20.65 mm Weight: starting from 4.21 lb / 1.91 kg
WHAT'S IN THE BOX [17]	Dell Pro 3 14 Laptop Power Adapter & Cable Quick Start Guide	Dell Pro 3 16 Laptop Power Adapter & Cable Quick Start Guide

FEATURE	TECHNICAL SPECIFICATION	
PRODUCT [1]	Dell Pro 3 14	Dell Pro 3 16
MODEL NUMBER	P314265	P316265
CHASSIS [2]	PC+GF (Top Cover, Palm rest) PC+ABS (Bottom Cover)	PC+GF (Top Cover, Palm rest) PC+ABS (Bottom Cover)
PROCESSOR OPTIONS [1,3]	AMD Series 400 Processors with Ryzen™ AI NPU - CoPilot+ PC AMD Ryzen™ AI 7 PRO 450 (8 cores, 16 threads) AMD Ryzen™ AI 7 450 (8 cores, 16 threads) AMD Ryzen™ AI 5 PRO 435 (6 cores, 12 threads)	AMD Series 400 Processors with Ryzen™ AI NPU - CoPilot+ PC AMD Ryzen™ AI 7 PRO 450 (8 cores, 16 threads) AMD Ryzen™ AI 7 450 (8 cores, 16 threads) AMD Ryzen™ AI 5 PRO 435 (6 cores, 12 threads)
GRAPHICS [1,4]	AMD Radeon™ 860M with AMD Ryzen™ AI 7 450 / PRO 450 AMD Radeon™ 840M with AMD Ryzen™ AI 5 PRO 435	AMD Radeon™ 860M with AMD Ryzen™ AI 7 450 / PRO 450 AMD Radeon™ 840M with AMD Ryzen™ AI 5 PRO 435
OPERATING SYSTEM [1]	Windows 11 Pro 64-bit Windows 11 Home 64-bit Ubuntu® Linux® 24.04 LTS	Windows 11 Pro 64-bit Windows 11 Home 64-bit Ubuntu® Linux® 24.04 LTS
MEMORY OPTIONS [1]	16GB DDR5, 5600 MT/s, single or dual-channel 32GB DDR5, 5600 MT/s, single or dual-channel 64GB DDR5, 5600 MT/s, dual-channel	16GB DDR5, 5600 MT/s, single or dual-channel 32GB DDR5, 5600 MT/s, single or dual-channel 64GB DDR5, 5600 MT/s, dual-channel
STORAGE OPTIONS [1,5]	256 GB SSD, TLC 512 GB SSD, TLC, SED 512 GB SSD, TLC 512 GB SSD 1 TB SSD, TLC 1 TB SSD 2 TB SSD	256 GB SSD, TLC 512 GB SSD, TLC, SED 512 GB SSD, TLC 512 GB SSD 1 TB SSD, TLC 1 TB SSD 2 TB SSD
DISPLAY [1]	14" WUXGA (1920x1200), Non-Touch, 60Hz, 400 nits, 62.5% sRGB, Anti-Glare 14" WUXGA (1920x1200), Touch, 60Hz, 400 nits, 100% sRGB, Anti-Glare, ComfortView Plus (Low Blue Light) 14" WUXGA (1920x1200), Non-Touch, 20-120Hz (VRR), 500 nits, 100% sRGB, Anti-Glare, ComfortView Plus (Low Blue Light), Super Low Power, Lightweight	16" WUXGA (1920x1200), Non-Touch, 60Hz, 400 nits, 62.5% sRGB, Anti-Glare 16" WUXGA (1920x1200), Touch, 60 Hz, 400 nits, 62.5% sRGB, Anti-Glare
CONNECTIVITY OPTIONS [1,6,7]	**Modern Standby Microsoft Compliant** **Wireless LAN Options[6]** MediaTek Wi-Fi 6E MT7922, 2x2, 802.11ax, Bluetooth® 5.2 wireless card MediaTek Wi-Fi 7 MT7925, 2x2, 802.11be, Bluetooth® 5.4 wireless card **Mobile Broadband Options[7]** 4G LTE – Qualcomm® Snapdragon™ X12 Global LTE-Advanced (DW5826e), eSIM capable	**Modern Standby Microsoft Compliant** **Wireless LAN Options[6]** MediaTek Wi-Fi 6E MT7922, 2x2, 802.11ax, Bluetooth® 5.2 wireless card MediaTek Wi-Fi 7 MT7925, 2x2, 802.11be, Bluetooth® 5.4 wireless card **Mobile Broadband Options[7]** 4G LTE – Qualcomm® Snapdragon™ X12 Global LTE-Advanced (DW5826e), eSIM capable
CAMERA	HD RGB camera, 720p at 30 fps, Temporal Noise Reduction, Camera Shutter FHD RGB HDR camera, 1080p at 30 fps, Temporal Noise Reduction, Camera Shutter FHD RGB HDR + IR camera, 1080p at 30 fps, Presence Detection, Temporal Noise Reduction, Camera Shutter	HD RGB camera, 720p at 30 fps, Temporal Noise Reduction, Camera Shutter FHD RGB HDR camera, 1080p at 30 fps, Temporal Noise Reduction, Camera Shutter FHD RGB HDR + IR camera, 1080p at 30 fps, Presence Detection, Temporal Noise Reduction, Camera Shutter
AUDIO AND SPEAKERS	2 x 2W Speakers, Realtek 2 x Noise Canceling Microphones	2 x 2W Speakers, Realtek 2 x Noise Canceling Microphones
PORTS AND SLOTS	2x Thunderbolt™ 4 (40 Gbps) port with DisplayPort™ 2.1 / USB Type-C® / USB4 / Power Delivery 1x USB 3.2 Gen 1 (5 Gbps) Type-A port 1x USB 3.2 Gen 1 (5 Gbps) Type-A port with PowerShare 1x Global headset port 1x HDMI 2.1 port 1x Optional external nano SIM card tray (WWAN only) 1 x RJ45 Ethernet port (1 Gbps) 1 x Kensington Wedge Shaped Lock Slot	2x Thunderbolt™ 4 (40 Gbps) port with DisplayPort™ 2.1 / USB Type-C® / USB4 / Power Delivery 1x USB 3.2 Gen 1 (5 Gbps) Type-A port 1x USB 3.2 Gen 1 (5 Gbps) Type-A port with PowerShare 1x Global headset port 1x HDMI 2.1 port 1x Optional external nano SIM card tray (WWAN only) 1 x RJ45 Ethernet port (1 Gbps) 1 x Kensington Wedge Shaped Lock Slot
BATTERY [8,9]	3-cell, 45 Wh, ExpressCharge, ExpressCharge Boost Capable 3-cell, 45 Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost Capable 3-cell, 57 Wh, ExpressCharge, ExpressCharge Boost Capable 3-cell, 57 Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost Capable 3-cell, 70 Wh, ExpressCharge, ExpressCharge Boost Capable 3-cell, 70 Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost Capable	3-cell, 45 Wh, ExpressCharge, ExpressCharge Boost Capable 3-cell, 45 Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost Capable 3-cell, 57 Wh, ExpressCharge, ExpressCharge Boost Capable 3-cell, 57 Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost Capable 3-cell, 70 Wh, ExpressCharge, ExpressCharge Boost Capable 3-cell, 70 Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost Capable
AC ADAPTER [10,11,12]	65W USB-C GAN Slim Adapter (2-pin, Wall-mount) 65W USB-C Adapter 100W USB-C Adapter	65W USB-C GAN Slim Adapter (2-pin, Wall-mount) 65W USB-C Adapter 100W USB-C Adapter
INPUTS	10-Finger Touch Display (optional) Spill Resistant Non-Backlit AI hotkey Keyboard Spill Resistant Backlit AI hotkey Keyboard Precision Clickpad with multi-touch gesture support	10-Finger Touch Display (optional) Spill Resistant Non-Backlit AI hotkey Keyboard Spill Resistant Backlit AI hotkey Keyboard Precision Clickpad with multi-touch gesture support
MANAGEABILITY	Out-of-band (OOB) remote management for AMD-powered PRO systems AMD DASH (Desktop and mobile Architecture for System Hardware) AIM-T (AMD Integrated Management Technology)	Out-of-band (OOB) remote management for AMD-powered PRO systems AMD DASH (Desktop and mobile Architecture for System Hardware) AIM-T (AMD Integrated Management Technology)

FEATURE	TECHNICAL SPECIFICATION	TECHNICAL SPECIFICATION
PRODUCT [1]	Dell Pro 3 14	Dell Pro 3 16
MODEL NUMBER	P314265	P316265
SECURITY [13,14]	**Standard Security Features:** TPM 2.0 FIPS-140-3 Certified / TCG Certified Quantum-resistant BIOS Chassis intrusion switch Camera Shutter Security Lock Slot **Optional Security Features:** Fingerprint Reader (in Power Button) (Windows Hello compliant) FHD IR Camera (Windows Hello compliant)	**Standard Security Features:** TPM 2.0 FIPS-140-3 Certified / TCG Certified Quantum-resistant BIOS Chassis intrusion switch Camera Shutter Security Lock Slot **Optional Security Features:** Fingerprint Reader (in Power Button) (Windows Hello compliant) FHD IR Camera (Windows Hello compliant)
DIMENSIONS AND WEIGHTS [15,16]	Width: 12.42 in. (315.5 mm) Depth: 8.90 in. (226.0 mm) Height (front) starting from: 0.44 in (11.3 mm) Height (rear) starting from: 0.61 in (15.47 mm) Height (max) starting from: 0.77 in (19.45mm) Weight starting from: 2.95 lbs (1.33 kg)	Width: 14.12 in.(358.6mm) Depth: 9.98 in. (253.4mm) Height (front) starting from: 0.44 in.(11.16mm) Height (rear) starting from: 0.61 in. (15.41mm) Height (max) starting from: 0.82 in (20.85mm) Weight starting from: 4.21 lbs (1.912 kg)
WHAT'S IN THE BOX [17]	Dell Pro 3 14 Laptop Power Adapter & Cable Quick Start Guide	Dell Pro 3 16 Laptop Power Adapter & Cable Quick Start Guide

Product Disclaimers:

1.   Offering may vary by country, hardware configuration, and/or operating system.

2.   PC+GF is a blend of thermoplastics - polycarbonate (PC) and glass fiber (GF) finish.

3.   Copilot+ PC comes with a high-performance NPU (40+ TOPS) designed to run advanced AI experiences locally and more efficiently.

4.   High-Efficiency Video Coding (HEVC) content playback on the system and on an external display as well as HEVC content streaming is supported on configurations with a discrete graphics card, built in 4K panel, Dolby Vision or CyberLink Blue-ray player; for other configurations HEVC content playback on the system will require a separate purchase and download of software HEVC codec or third-party media players.

5.   GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less than stated.

6.   Wi-Fi 7 requires the latest Wi-Fi Alliance certification, certified device driver, hardware update, supported OS version and compatible router. Router requires a separate purchase. Wi-Fi connectivity is only available in select locations. Check availability with your service provider. The Bluetooth wireless card version may Offering may vary depending on the operating system that is installed on your computer.

7.   Mobile Broadband antenna and module available only at time of system purchase. Mobile Broadband subject to service provider's broadband subscription and coverage area; additional charges apply. eSim technology subject to regional carrier/service provider availability & service provider's data plan subscription; additional charges apply. Check availability with your service provider.

8.   The stated Watt Hour (Wh) is not an indication of battery life. Express Charge (EC) enables quick battery charging 0-80% capacity in 60 minutes. Express Charge Boost (ECB) enables quick battery charging to 0-35% capacity in 20 minutes. Charging patterns for EC and ECB are measured for the system in a shutdown state. Long life cycle battery options have a charging pattern that enables longer life. Long-life cycle battery options are capable of 3 years life or 1000 discharge/charge cycles, and Dell provides a 3-year limited hardware warranty for these battery options

9.   Limited Hardware Warranty: For copy of Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty.

10.   45 Wh battery requires at least a 65W power adapter for Express Charge and Express Charge Boost

11.   57 Wh requires battery requires at least a 65W power adapter for Express Charge and 100 W adapter for Express Charge Boost.

12.   70 Wh battery requires at least a 100W power adapter for Express Charge and Express Charge Boost.

13.   Quantum-resistant BIOS verification protects PCs against current and emerging cryptographic threats.

14.   Chassis Intrusion Switch remotely detects hardware tampering and is integrated with Dell SafeBIOS Indicators of Attack.

15.   Height may vary depending on configuration. Height (max) represents the maximum system thickness excluding the system rubber feet.

16.   Weights vary depending on configuration and manufacturing variability.

17.   Power Adapter and Cable can be opted out in EMEA and APJ regions.

Leading in sustainable practices to reduce the environmental impact of our products and packaging.
Learn more: Dell.com/sustainable-devices

FEATURE	TECHNICAL SPECIFICATION	AVAILABILITY
MATERIALS[1]	Post-consumer recycled plastic (PCR)	50% in top cover, bezel and bottom cover
		30% in palm rest and speaker housing
		95% in adapter case (105W)
		98% in battery case (45 Whr, 57 Whr and 70 Whr)
		100% in battery film (45 Whr, 57 Whr and 70 Whr)
	Bio-based plastic	46% in rubber feet
	Low emissions aluminum	50% in top cover
		50% in tpp cover
	Recycled aluminum	98% in adapter thermal shield (105W)
	Recycled steel	90% in touchpad support brackets
		50% in adapter cable (105W)
	Recycled Copper	100% in printed circuit board (45 Whr, 57Whr and 70 Whr)
	Recycled cobalt	100% in battery (45 Whr, 57 Whr)
		50% in battery (70 Whr)
	Reduced cobalt	90% in battery (57 Whr)
PACKAGING	Materials	100% recycled or renewable materials
	Dell Multipack Available[1]	Yes
ECOLABELS Details vary by region. Visit ecolabel website for more information	EPEAT Gold with Climate+	Yes
	TCO Certified	Yes
	ENERGY STAR ®	Yes
MODULAR & REPAIRABLE COMPONENTS	USB-C port	Yes
	Mainboard and I/O board	Yes
	Customer replaceable battery	Yes

For more information, see our resources for materials, packaging and product recycling.

Leading in sustainable practices to reduce the environmental impact of our products and packaging.
Learn more: Dell.com/sustainable-devices

FEATURE	TECHNICAL SPECIFICATION	AVAILABILITY
MATERIALS[1]	Post-consumer recycled plastic (PCR)	50% in bezel and bottom cover
		30% in top cover, palm rest and speaker housing
		95% in adapter case (105W)
		98% in battery case (45 Whr, 57 Whr and 70 Whr)
		100% in battery film (45 Whr, 57 Whr and 70 Whr)
	Bio-based plastic	46% in rubber feet
	Low emissions aluminum	50% in top cover
		50% in tpp cover
	Recycled aluminum	98% in adapter thermal shield (105W)
	Recycled steel	90% in touchpad support brackets
		50% in adapter cable (105W)
	Recycled Copper	100% in printed circuit board (45 Whr, 57Whr and 70 Whr)
	Recycled cobalt	100% in battery (45 Whr, 57 Whr)
		50% in battery (70 Whr)
	Reduced cobalt	90% in battery (57 Whr)
PACKAGING	Materials	100% recycled or renewable materials
	Dell Multipack Available[1]	Yes
ECOLABELS Details vary by region. Visit ecolabel website for more information	EPEAT Gold with Climate+	Yes
	TCO Certified	Yes
	ENERGY STAR ®	Yes
MODULAR & REPAIRABLE COMPONENTS	USB-C port	Yes
	Mainboard and I/O board	Yes
	Customer replaceable battery	Yes

For more information, see our resources for materials, packaging and product recycling.

Leading in sustainable practices to reduce the environmental impact of our products and packaging.
Learn more:　Dell.com/sustainable-devices

FEATURE	TECHNICAL SPECIFICATION	AVAILABILITY
MATERIALS[1]	Post-consumer recycled plastic (PCR)	50% in top cover, bezel and bottom cover
		30% in palm rest and speaker housing
		95% in adapter case (105W)
		98% in battery case (45 Whr, 57 Whr and 70 Whr)
		100% in battery film (45 Whr, 57 Whr and 70 Whr)
	Bio-based plastic	46% in rubber feet
	Low emissions aluminum	50% in top cover
		50% in tpp cover
	Recycled aluminum	98% in adapter thermal shield (105W)
	Recycled steel	90% in touchpad support brackets
		50% in adapter cable (105W)
	Recycled Copper	100% in printed circuit board (45 Whr, 57Whr and 70 Whr)
	Recycled cobalt	100% in battery (45 Whr, 57 Whr)
		50% in battery (70 Whr)
	Reduced cobalt	90% in battery (57 Whr)
PACKAGING	Materials	100% recycled or renewable materials
	Dell Multipack Available[1]	Yes
ECOLABELS Details vary by region. Visit ecolabel website for more information	EPEAT Gold with Climate+	Yes
	TCO Certified	Yes
	ENERGY STAR ®	Yes
MODULAR & REPAIRABLE COMPONENTS	USB-C port	Yes
	Mainboard and I/O board	Yes
	Customer replaceable battery	Yes

For more information, see our resources for materials, packaging and product recycling.

1. Offering may vary by country and by configuration and operating system.
2. Power and battery options may vary based on chosen technical specifications and customization.

Leading in sustainable practices to reduce the environmental impact of our products and packaging.
Learn more: Dell.com/sustainable-devices

FEATURE	TECHNICAL SPECIFICATION	AVAILABILITY
MATERIALS[1]	Post-consumer recycled plastic (PCR)	50% in bezel and bottom cover
		30% in top cover, palm rest and speaker housing
		95% in adapter case (105W)
		98% in battery case (45 Whr, 57 Whr and 70 Whr)
		100% in battery film (45 Whr, 57 Whr and 70 Whr)
	Bio-based plastic	46% in rubber feet
	Low emissions aluminum	50% in top cover
		50% in tpp cover
	Recycled aluminum	98% in adapter thermal shield (105W)
	Recycled steel	90% in touchpad support brackets
		50% in adapter cable (105W)
	Recycled Copper	100% in printed circuit board (45 Whr, 57Whr and 70 Whr)
	Recycled cobalt	100% in battery (45 Whr, 57 Whr)
		50% in battery (70 Whr)
	Reduced cobalt	90% in battery (57 Whr)
PACKAGING	Materials	100% recycled or renewable materials
	Dell Multipack Available[1]	Yes
ECOLABELS
Details vary by region. Visit ecolabel website for more information	EPEAT Gold with Climate+	Yes
	TCO Certified	Yes
	ENERGY STAR ®	Yes
MODULAR & REPAIRABLE COMPONENTS	USB-C port	Yes
	Mainboard and I/O board	Yes
	Customer replaceable battery	Yes

For more information, see our resources for materials, packaging and product recycling.