



Latitude 7230 Rugged Extreme Tablet Accessories



#DellRugged



Dell Keyboard for Latitude 7230 Rugged Extreme Tablet

Increase your productivity by adding an IP-65 rated full-size keyboard that easily locks into place and converts your tablet into a 2-in-1



Transform your tablet into a 2-in-1

Keep your tablet propped upright while you type with this full-size rigid keyboard

Easily attaches with **dual locking mechanisms**

Fully opens to **180 degrees**

Increased connectivity with more I/O ports

Connect your other devices using the tablet's

RJ-45 port and 3 USB-A ports

Fully rugged and sealed

IP-65 rated for maximum protection against dirt, dust, and water ingress

Customizable RGB backlight

Set your backlight to the optimal color and brightness for the environment you work in

Dimensions	298.8 x 22 x 55.9mm	
Weight	1054.2 g	
Compatibility	Latitude 7230 Rugged Extreme	
Features	USB 3.2 Gen1 Type-A port with PowerShare x 1 USB 3.2 Gen1 Type-A port x 2 Network (RJ-45) port x 1	Tablet lock Click pad Docking pogo connectors

Language Layout	SKU
US English Premium (QWERTY)	580-AKUY
US International (QWERTY)	580-AKTB
UK (QWERTY)	580-AKTE
Belgian (AZERTY)	580-AKSY
Nordic (QWERTY)	580-AKTF
German (QWERTZ)	580-AKSW
Swiss (QWERTZ)	580-AKSX
French (AZERTY)	580-AKSZ
Arabic (QWERTY)	580-AKTC
Portuguese (QWERTY)	580-AKTD
Spanish (QWERTY)	580-BBCR
Hungarian (QWERTZ)	580-BBCV
Hebrew (QWERTY)	580-BBCS
Rubberized, US (QWERTY)	580-BBCW

Function Keys
Fn + Esc Toggle Fn-key lock
F1 Mute audio
F2 Decrease volume
F3 Increase volume
F4 Mute microphone
F5 Keyboard backlight brightness
F6 Decrease screen brightness
F7 Increase screen brightness
F8 Switch to external display
F9 Scroll lock
F10 Print screen
F12 Home

Rugged Control Center enables more features
Customize Rugged Keyboard
Shortcuts: Fn + Q, Fn + W, Fn + E, Fn + T, Fn + A, Fn + D, Fn + F, and Fn + G.
Create Keyboard Macros
Configure keyboard backlight
Configure Stealth Mode etc.

Dell Rotating Hand Strap for Latitude 7230 Rugged Extreme Tablet

Find the ideal viewing angle on-the-go with the 360-degree Dell Rotating Hand Strap.



Adjust and secure the strap to your wrist

- Ergonomically-designed strap allows for a custom fit

All new cleanable, rugged materials

- Performance and ruggedness equal to your tablet
- Tested and validated to endure tension stress, extreme temperatures and exposure to chemical solvents*

Universal VESA attachment

- Backplate features standard 75 x75 mm dimensions and is compatible with other accessories with a VESA pattern

Excellent viewing experience

- Featuring a 360-degree swivel, hand strap lets you hold and rotate the tablet in any direction with ease

Prop up your tablet with the kickstand

- When you're not using the hand strap, use the dual release buttons to activate the kickstand
- Enjoy even more flexibility and productivity

Dimensions	110 x 86 x 65mm
Weight	136 g
Compatibility	Latitude 7230 Rugged Extreme
Features	Custom Fit 360-degree swivel Kickstand VESA mount based attachment Cleanable Material*

*Tested solvents: Gasoline, diesel, motor oil, red loctite, super glue, MEK, DP810, minimum 99% IPA, acetone, oil base furniture cleaner, kerosene, bleach, engine degreaser, paint thinner, super sani-cloth

Dell Mobile Battery Charger for Latitude 7230 Rugged Extreme Tablet

Keep your tablet fully charged with the lightweight Dell Mobile 2x Battery Charger with Wall Mount



Dual battery bays with charge LEDs

- Use the toaster style dual battery bays to charge your tablet's hot swappable batteries
- Each bay has a charge status indicator light, so you know when the batteries are fully charged

Multiple USB options

- Power-In Access Door offers both USB-C and 4.5mm barrel adapter
- Use the USB-A (10W out) charger to power your other devices

Optional wall mount

- Includes wall mounting brackets to easily dock your charger in the office
- Charging unit removes quickly for portability

Dimensions	141 x 78 x 41 mm
Weight	338.6 g
Compatibility	Latitude 7230 Rugged Extreme Latitude 7220 Rugged Extreme
Features	Mountable on a wall Indicator LEDs on the charger Dual Power-In options: USB-C and 4.5mm barrel 10W out charge via USB-A

Dell Magnetic Mount for Latitude 7230 Rugged Extreme Tablet

Mount your Latitude 7230 Rugged Extreme Tablet instantly to any metal surface with a powerful VESA magnetic backplate built for tough conditions.



Mount your tablet instantly

- Mount your tablet on a vehicle or any metal surface using the powerful magnetic backplate
- VESA backplate attaches simply and securely to the back of your tablet

All new cleanable, rugged materials

- Performance and ruggedness equal to your tablet
- Tested and validated to endure exposure to chemical solvents*

Dimensions	86 x 86 x 20mm
Weight	230 g
Compatibility	Latitude 7230 Rugged Extreme
Features	Mountable on a vehicle Mountable on any metal surface VESA mount based attachment Cleanable Material*

*Tested solvents: Gasoline, diesel, motor oil, red loctite, super glue, MEK, DP810, minimum 99% IPA, acetone, oil base furniture cleaner, kerosene, bleach, engine degreaser, paint thinner, super sani-cloth

Mobility Accessories for Latitude 7230 Rugged Extreme Tablet

Dell Rigid Handle

Take your work on-the-go with the ergonomic, reversible Dell Rigid Tablet Handle

More ways to hold and carry your tablet

Reverse the handle according to preference and ergonomics

Handle feels great in your hand with rubber mold for grip and rigid polymer structure for a solid feel

Easily access the configurable bay

Angled design lets you easily access the controls in your tablet's configurable bay



Dimensions	282.8 x 33.1 x 49mm
Weight	99g
Compatibility	Latitude 7230 Rugged Extreme

Dell Mobile Stand

Manage orientation on desk with USB-C dock

Wherever work takes you, this foldable, lightweight stand lets you dock and use your Latitude 7230 Rugged Extreme Tablet without a keyboard

Works with the various other accessories

Folds flat to take into the field easily



Dimensions	142 x 95 x 20 mm
Weight	113g
Compatibility	Latitude 7230 Rugged Extreme Tablet Latitude 7220 Rugged Extreme Tablet

Dell Flexible Handle & Shoulder Strap

Take your Rugged tablet into harsh environments with a flexible, high-performance handle and an ergonomic shoulder strap



Dimensions	Flexible Handle: 275 x 25 x 35 mm Shoulder Strap: 1400 x 61 x 17 mm
Weight	Flexible Handle: 75g Shoulder Strap: 90g
Compatibility	Latitude 7230 Rugged Extreme Tablet Latitude 7220 Rugged Extreme Tablet

Mobility Accessories for Latitude 7230 Rugged Extreme Tablet

Dell Rugged Active Pen (PN720R)

Pressure-sensitive responsiveness provides a pen-on-paper like experience on your Latitude Rugged tablet

- A rugged active pen utilizes MPP technology and IP-55 rating allows you to work w/ your tablet, even when there is dust, dirt, water or fog.

Store 4 replacement nibs in the cap of your rugged active pen for a worry-free field experience.



Dimensions	10 x 140 x 10 mm
Weight	85g
Compatibility	Latitude 7230 Rugged Extreme Latitude 7220 Rugged Extreme

Dell Passive Pen

Get a natural writing and drawing experience on your rugged tablet's screen!

- Passive stylus is always delivered with a system but
- Can also be purchased separately via cus kits as a spare part. Shape is different to previous generations to improve ergonomics
- Can be used with 7220/7212/7202 but not garaged



Dimensions	7.5 x 5 x 100 mm
Weight	4g
Compatibility	Latitude 7230 Rugged xtreme (garaged) Latitude 7220/7212/7202 Rugged Extreme (not araged)

Additional Charging Accessories for Dell Rugged 7230

35.6 Whr 2 Cell Battery

No more worries about running out of battery power! You can power your tablet with this 2-Cell Lithium-Ion Battery with a capacity of up to 35.6 WHr.

Compatible with:

- Latitude 7230 Rugged Extreme

Auto Air DC Adapter

Power up and stay productive on the road, in-flight or in your office with one device the Dell™ Auto/Air Adapter.

Compatible with:

- Latitude 7230 Rugged Extreme
- Latitude 5430 Rugged
- Latitude 7330 Rugged Extreme

DELL DOCK – WD19S 130W AND 180W

(Recommended)

Power your productivity.



FASTEST CHARGING

Boost your PC's power with ExpressCharge on the World's most powerful USB-C® dock.



ENHANCED PRODUCTIVITY

Do your best work faster with a dock that offers the ability to connect to monitors and peripherals all with a single connection to the PC.



FASTEST CHARGING

Evolve as your needs change with the World's first modular dock with upgradeable power and connectivity.¹



INTELLIGENT MANAGEMENT

Work without disruptions utilizing a single firmware on our most manageable docks ever.

¹Based on Dell internal analysis, February 2019.

DELL THUNDERBOLT™ DOCK

WD22TB4



Enhanced Productivity

Dell ExpressCharge allows you to charge up to 80% in one hour², making it the most efficient way to manage the workday. Increase your power delivery and charge faster with a dock that delivers up to 130W of power².



Future-Ready design

Upgrade to get the latest in connectivity with not one but two Thunderbolt™ 4 ports for even more flexibility. Upgrade with ease with swappable modules to meet the needs of your IT environment.



Intelligent Management

Intelligent management capabilities make it easier to deploy, manage and upgrade the docks in your environment. Streamline the deployment and management of all the docks in the family with a single firmware.



² Within Dell Power Manager software, selecting ExpressCharge™ can recharge system battery from 0% up to 80% within 60 minutes. After charging has reached 80% capacity, charging speed will return to normal speed. Recommended for use with the provided Dell power adapter; not recommended with a smaller capacity power adapter. Charging time may vary +/-10% due to system tolerance..

Latitude 7230 Rugged Extreme Tablet Dell Partner Vehicle Docks



#DellRugged

HAVIS

PMT

**GAMBER
JOHNSON**



Gamber Johnson Vehicle Docks

Key Features of all Gamber V Docks

- Accommodates 7230 rotating hand strap, magnetic mount, rigid handle
- Gasket around POGO connector
- VESA 75mm mounting pattern (1/4" Studs)
- One-Handed docking/undocking

PC Board Details:

- Power Port – 19.5VDC Input
- 1x USB-C – 3.1 Speed, 2A MAX Output
- 2x USB-A – 3.1 Speed, 2A MAX Output
- 1x Ethernet – 10/100mbs, Wake on LAN
- 1x Serial – RS232
- OPTIONAL 4x RF Passthrough
- OPTIONAL HDMI

Gamber Johnson docking station for 7230 Rugged Extreme Tablet

Compatibility	7230 Plan to be compatible with next gen 12" tablet
Dimensions	H: 10.4" W:12.03" D: 3.85" with 0.65" PEM studs 3.18" without PEM studs
Weight	3.5lbs (1.6kg)

Various Gamber Vehicle Docks for 7230

GJ Mfg #	PC Board	Pass-through	Automotive PSU included
7160-1772-00	Lite (No HDMI)	No	·
7160-1772-04	Lite (No HDMI)	Quad RF	·
7160-1772-10	Full (with HDMI)	No	·
7160-1772-14	Full (with HDMI)	Quad RF	·
7160-1773-00	No Electronics	No	·
7160-1773-04	No Electronics	Quad RF	·
7160-1811-00	No Electronics	No	·
7170-0991-00	Lite (No HDMI)	No	✓ (barrel)
7170-0991-04	Lite (No HDMI)	Quad RF	✓ (barrel)
7170-0991-10	Full (with HDMI)	No	·
7170-0991-14	Full (with HDMI)	Quad RF	·
7170-0992-00	No Electronics	No	✓ (Type-C)
7170-0992-04	No Electronics	Quad RF	✓ (Type-C)

For more information, please contact your Dell and Gamber Johnson sales representatives.

PMT Vehicle Docks

Key Features of all PMT V Docks:

- VESA 75mm mounting pattern (1/4" screws & nuts included)
- One-Handed docking/undocking
- Ultra-slim, low-profile design
- Does not accommodate accessories attached to rear of tablet device (other than Rigid Handle)
- Lightweight, recyclable, CNC machined, aircraft-grade aluminum construction

PCB Details:

- Power Port – 19.5VDC Input
- 1x USB-C – 3.1 Speed, 2A MAX Output
- 2x USB-A – 3.1 Speed, 2A MAX Output
- 1x Ethernet – 10/100mbs, Wake on LAN
- 1x Serial – RS232
- OPTIONAL 4x RF Passthrough
- OPTIONAL HDMI
- OPTIONAL HDMI

PMT docking station for 7230 Rugged Extreme Tablet

Compatibility	7230 Plan to be compatible with next gen 12" tablet
Dimensions	H: 9.45" W:12.37" D: 2.97" w/ mounting plate 2.74" w/o mounting plate
Weight	6.5lbs (2.81kg)

Various PMT Vehicle Docks for 7230

PMT Mfg #	PC Board	Pass-through	Automotive PSU included
AS7.D921.100	Lite (No HDMI)	No	•
AS7.D921.102	Lite (No HDMI)	Quad RF	•
AS7.D921.104	No Electronics	No	•
AS7.D921.105	No Electronics	Quad RF	•
AS7.D921.110	Full (with HDMI)	No	•
AS7.D921.112	Full (with HDMI)	Quad RF	•
AS7.D921.100-PS	Lite (No HDMI)	No	✓ (barrel)
AS7.D921.102-PS	Lite (No HDMI)	Quad RF	✓ (barrel)
AS7.D921.104-PS	No Electronics	No	✓ (Type-C)
AS7.D921.105-PS	No Electronics	Quad RF	✓ (Type-C)
AS7.D921.110-PS	Full (with HDMI)	No	•
AS7.D921.112-PS	Full (with HDMI)	Quad RF	•

Havis Vehicle Docks

Havis docking station for 7230 Rugged Extreme Tablet

Compatibility	7230 Plan to be compatible with next gen 12" tablet
Dimensions	H: 10.2" W:10.0" D: 3.5"
Weight	2.75 lbs. (1.25 kg)

Various Havis Vehicle Docks for 7230

Havis Mfg #	PC Board	Pass-through	Automotive PSU included
DS-DELL-901	Lite (No HDMI)	No	Internal Non-Isolated (9-36V)*
DS-DELL-901-4	Lite (No HDMI)	Quad RF	Internal Non-Isolated (9-36V)*
DS-DELL-902	Lite (No HDMI)	No	Internal Non-Isolated (9-36V)*
DS-DELL-902-4	Lite (No HDMI)	Quad RF	Internal Non-Isolated (9-36V)*
DS-DELL-903	No Electronics	No	.
DS-DELL-903-4	No Electronics	Quad RF	.
DS-DELL-904	Lite (No HDMI)	No	.
DS-DELL-904-4	Lite (No HDMI)	Quad RF	.
DS-DELL-905	Lite (No HDMI)	No	.
DS-DELL-905-4	Lite (No HDMI)	Quad RF	.
DS-DELL-906	No Electronics	No	.
DS-DELL-906-4	No Electronics	Quad RF	.
DS-DELL-907	Advanced	No	.
DS-DELL-907-4	Advanced	Quad RF	.
DS-DELL-908	Advanced	No	.
DS-DELL-908-4	Advanced	Quad RF	.

Multi-Bay Battery Charger

Keep your Dell Latitude Rugged Batteries fully charged with the Lind Modular Multi-Bay Charger. Charge up to 16 batteries per charger with interchangeable battery bays for the Dell Latitude Rugged line of notebook and tablet computers. Lind battery chargers incorporate the highest degree of circuit protection to ensure your Dell batteries are charged properly.



Features:

- **LED Light Indicator:** Green / Yellow / Red
- **Temperature Range:** Red 0°C to 40°C (NOTE: Charging outside of temp range may result in temporary stoppage of charging)
- **Input Power:** 19.5VDC (200W max draw) from a Dell Power Adapter
- **Input Power Connector:** 3.0x4.5mm (Mini-Bondi) or 5.0x7.4mm (Bondi)
- **Agency Approval:** IEC 60950-1, CB
- **Mil-Standards:** tested to MIL-STD-810G certification

Master Controller

- Allows users to daisy-chain multiple chargers to enable simultaneous charging of up to 16 batteries per Master Controller
- The wattage of the AC Adapter can range from 45 to 330W and determines how many batteries can be charged simultaneously.
- The higher the wattage of the AC Adapter, the higher the number of batteries being charged, lowering the overall charge time.
- The power adapter shipped with the Dell Latitude Rugged Notebooks or Tablet may be used with the charging system.
- 240W adapter is recommended for optimal charging times when 4 or more batteries are being charged.

Charging Bays

- Charging time is estimated to be 8 hours for 16 bays with a 240W AC/DC adapter.
- Lind Charging Bays (DECHCB-5023/DECHCB-5439), Lind Master Controller (DECHMC-5021) and Dell AC/DC adapter are sold separately

Master Controller		Charging Bays			
LIND SKU	DELL ASKU	Laptops		Tablets	
		Lind 5430 and 7330 Charging Bays*:		Lind 7230 and 7220 Charging Bays:	
LIND SKU	DELL SKU	LIND SKU	DELL SKU	LIND SKU	DELL SKU
DECHMC-5021	AA560079	DECHCB-5439	AB885072	DECHCB-5023	AC324445

* Compatible with previous generation of laptops (5420,5424,7424)

For more information, please contact your Dell and Lind sales representatives.

Lind Power Solutions

Fully Rugged 100W USB Type-C

The Lind Fully Rugged 100W USB-C power adapter is designed to deliver continuous, reliable power to your Dell device that uses a USB-C input connector for power. It is the only truly rugged 100 Watt USB-C power adapter in the market. Its rugged design combined with its safety features make this adapter ideally suited for daily use in even the most extreme environments and demanding applications.

- **Output Power:** Up to 100 watts
- **Operating Temperature:** -20 to +40 °C
- **Storage Temperature:** -40 to +85 °C
- **Weight:** 370 g (excluding cables)
- **Dimensions:** 135 x 75 x 25 mm (excluding cables)
- **Output cables:** hardwired, 92cm with straight or screw-on/right-angled USB-C connector
- **Input cables:** detachable, 92cm with cig or bare wire



LIND Part	Output Cable	Input Cable	Input Voltage
USBC100-5460	straight USB-C	cig plug	11-16V DC
USBC100-5461	straight USB-C	bare wire	11-16V DC
USBC100-5462	straight USB-C	cig plug	12-32V DC
USBC100-5463	straight USB-C	bare wire	12-32V DC
USBC100-5484	screw-on, right angled	cig plug	11-16V DC
USBC100-5485	screw-on, right angled	bare wire	11-16V DC
USBC100-5487	screw-on, right angled	cig plug	12-32V DC
USBC100-5486	screw-on, right angled	bare wire	12-32V DC

Lind Power Solutions

Fully Rugged Forklift

These adapters are especially designed for forklift and railway applications. The electrical isolation between input and output prevents ground loops, and filters voltage spikes or power surges occurring on the input voltage line, thus eliminating potential damage to the adapter itself and to your Dell device. Available for 12-32Vdc, 20-60Vdc and 70-110Vdc power sources.

- **Output Power:** Up to 100 watts
- **Operating Temperature:** -20 to +40 °C
- **Storage Temperature:** -40 to +85 °C
- **Weight:** 570 g (excluding cables)
- **Dimensions:** 240 x 75 x 30 mm (excluding cables)
- **Mounting hole size:** 5.0 mm
- **Output cables:** available with 3.0 x 4.5mm or 5.0 x 7.4mm cable



LIND Part	Input Voltage
DE2045I-4709	12-32V DC
DE2045I-2542	20-60V DC
DE2045I-4710	70-110V DC
DE1950I-4711	12-32V DC
DE1950I-4712	20-60V DC
DE1950I-4713	70-110V DC

Lind Power Solutions

Fully Rugged Extreme

These DC/DC Adapters meet the most common MIL-Standards (electrical and environmental): MIL-STD461F, MIL-STD1275D, and MIL-STD810G. They are housed in a rugged aluminum case, and are epoxy encapsulated and sealed to resist shock, moisture and dust. They also comply to RTCA/DO-160D, Section 21.

- **Operating Temperature:** -40 to +60 °C
- **Storage Temperature:** -40 to +80 °C
- **Storage Temperature:** -40 to +85 °C
- **Weight:** 570 g (excluding cables)
- **Dimensions:** 240 x 75 x 30 mm (excluding cables)
- **Certification:** MIL-STD810F, EMI/RFI (meets MIL-STD461E, CE102, CS101, CS114, CS115, CS116, RE102, RS101, RS103), **input transient protection** (meets MIL-STD1275B Voltage Surge +100 VDC, Voltage Spike +/- 250 VDC), **noise & ripple** (meets MIL-STD1275D & MIL-STD416E, CE102)
- **Autorecovery:** Low & High voltage input, reverse polarity, short circuit protection



LIND Part	Input Voltage
MIL2045-2221	11-32V DC
MIL1950-4798	11-32V DC

Lind Power Solutions

Fully Rugged Standard

Epoxy potted and housed in an ABS case for durability and sealed to protect the adapter from moisture and high humidity, these adapters are designed to power your Dell device from your vehicle. They are equipped with many safety and technical features to ensure the highest level of performance and safe operation when charging your Dell device. Available for 12-16 or 12-32 Vdc power sources.

- **Output Power:** Up to 90 watts
- **Operating Temperature:** -20 to +40 °C
- **Storage Temperature:** -40 to +85 °C
- **Weight:** 375 g (excluding cables)
- **Dimensions:** 135 x 75 x 25 mm (excluding cables)
- **Cables:** detachable (field-replaceable)



LIND Part	Input Voltage
DE2045-1320	12-16V DC
DE2045-1319	12-32V DC
DE1950-4448	12-16V DC
DE1950-4707	12-32V DC

Accessory List for 7230 Rugged Extreme Tablet

Dell branded accessories

Accessory Name	DAO	EMEA	APJ
Dell Rugged Active Pen for Latitude 7230 & 7220 Rugged Extreme Tablets – PN720R	750-ADXS	750-ACHI	750-ADXS
Dell Rugged Active Pen for Latitude 7230 Rugged Extreme Tablet Replacement Tips	750-ADXR	750-ACHK	750-ADXR
Dell Mobile Battery Charger for Latitude 7230 Rugged Extreme Tablet	451-BDDQ	451-BCZR	451-BCZR
Dell Rigid Handle for Latitude 7230 Rugged Extreme Tablet	460-BDPB	460-BDNV	460-BDNV
Dell Passive Pen for Latitude 7230 Rugged Extreme Tablet	750-BBBF	750-ADWS	750-ADWS
Dell Passive Pen for Latitude 7230 Rugged Extreme Tablet- Replacement Tips (5pk)	750-BBBB	750-ADWU	750-ADWU
Dell SSD Bracket for Latitude 7230 Rugged Extreme Tablet	575-BCNV	575-BCNH	575-BCNH
Dell Battery Bay Dummy Cover for Latitude 7230 Rugged Extreme Tablet	451-BDDP	451-BCZS	451-BCZS
Dell Keyboard for Latitude 7230 Rugged Extreme Tablet	Please refer to page 2 of this document		
Dell Flexible Handle for Latitude 7230 & 7220 Rugged Extreme Tablets	460-BDPD	460-BDNX	460-BDPF
Dell Shoulder Strap for Latitude 7230 & 7220 Rugged Extreme Tablets	460-BDPC	460-BDNW	460-BDPH
Dell Mobile Stand for Latitude 7230 Rugged Extreme Tablet	452-BDWU	750-ADWR	460-BDPJ
Dell Rotating Hand Strap for Latitude 7230 Rugged Extreme Tablet	460-BDNZ	750-ADWT	460-BDPG
Dell Magnetic Mount for Latitude 7230 Rugged Extreme Tablet	452-BDWT	460-BDNY	460-BDPK
35.6 Whr 2 Cell Battery	451-BDDY	451-BDDY	451-BDDY
Auto Air DC Adapter	492-BBUN	492-BBUN	492-BBUN
Dell Dual Charge Dock - HD22Q	Please contact your Dell sales representative to order		
Dell Thunderbolt 4 Dock - WD22TB4	Please contact your Dell sales representative to order		
Dell Universal Dock - UD22	Please contact your Dell sales representative to order		
Dell USB-C Dock WD19S 130W	Please contact your Dell sales representative to order		
Dell USB-C Dock WD19S 180W	Please contact your Dell sales representative to order		

Partner Accessories

Accessory Name	SKU
Standard Vehicle Docks by Havis, Gamber and PMT (with and without port replication, antennas and power supply)	Please contact your Dell sales representative to order
7230 + Keyboard Cradle by Havis and Gamber (only cradle option for docking 7230 with Dell rugged keyboard for 7230; no ports)	
Desk Dock by Havis (using Havis standard vehicle dock + desk stand or warehouse arm)	
Adapters and charging solutions by Lind	
Handheld scanners by Honeywell	
Lind Power Solutions	