




Precision 5860 Tower



Scalable performance in a mid-sized tower.

Scalable performance in a mid - sized tower

Keep pace with accelerated project timelines and fluctuating workload requirements with a scalable mid-sized tower



Precision 5860 Tower



Intelligent performance

Up to Intel® Xeon® W7-2495X,
(2) AMD or NVIDIA pro graphics,
56TB storage, 2TB of 4800MHz
(DDR5) memory, 1350W power
supply

Advanced Thermals

Dell Optimizer for Precision

User experience

Reduced chassis size, back
carrying handles

High-speed front I/O (USB
3.2 Gen 2/ 2x2), Legacy port
package includes Serial + (2) PS2

Dual network ports: 1G + 10G
5x PCIe slots

Mission critical reliability and security

ISV Certifications

ECC and RMT Pro options

Advanced thermals (dedicated air
channels for components)


TPM 2.0, lockable chassis
with intrusion detection, self
encrypting drives

Recommended Accessories



**Dell UltraSharp 32 HDR
PremierColor Monitor - UP3221Q**

Create phenomenal 4K HDR content on the world's first professional monitor with 2K mini-LED direct backlit dimming zones.*



Dell UltraSharp 27 Monitor - U2722D

Elevate your productivity on this innovative 27-inch QHD Hub monitor with a wide color coverage including DCI-P3. Features ComfortView Plus an always-on built-in low blue light screen, USB-C with up to 90W power delivery, and RJ45 connectivity.



**Dell Premier Multi-Device Wireless
Keyboard and Mouse - KM7321W**

Multi-task seamlessly across 3 devices with this premium full-size keyboard and sculpted mouse combo featuring programmable shortcuts and 36 months battery life.



**Dell Pro Wireless Headset
- WL5022**

Work from anywhere with this Bluetooth Teams certified headset that lets you switch seamlessly to your PC or smartphone and enjoy crystal clear audio on the go.



**3Dconnexion SpaceMouse Pro
Wireless - 3DX-700075**

SpaceMouse® Pro Wireless offers professional 3D navigation, advanced ergonomic design, reliable connectivity with a high performance Universal Receiver and much more with up to two months of battery life.



**Dell UltraSharp Webcam -
WB7022**

Elevate your video conferencing experience on this powerful, intelligent 4K webcam that optimizes your visuals with a large 4K Sony STARVIS™ CMOS sensor and AI Auto-Framing.



Precision workstations

Dell Precision fixed and mobile workstations are designed with the environment in mind, using sustainable materials in our products and packaging wherever possible.

Design

1st

Workstations made with reclaimed carbon fiber and renewable bioplastic.¹²

Sustainable Materials

up to 61%

Recycled plastic in fixed workstations and up to 21% in mobile workstations¹³. Oceanbound plastic is also used in the components of select Precisions.¹⁴

Packaging Innovation

100%

Precision mobile workstations ship in packaging made from 100% recycled or renewable materials and is 100% recyclable.¹⁵

ECOLABELS



35+

EPEAT registered products¹⁶



8.0

ENERGY STAR®
throughout the portfolio

FEATURE	TECHNICAL SPECIFICATION
MODEL NUMBER¹	Precision 5860 Tower
PROCESSOR OPTIONS¹	Intel® Xeon® W7-2595X (48.75 MB cache, 26 cores, 52 threads, 2.8 GHz to 4.8 GHz Turbo, 250 W) Intel® Xeon® W7-2575X (45 MB cache, 22 cores, 44 threads, 3.0 GHz to 4.8 GHz Turbo, 250 W) Intel® Xeon® W5-2565X (37.5 MB cache, 18 cores, 36 threads, 3.2 GHz to 4.8 GHz Turbo, 240 W) Intel® Xeon® W5-2555X (33.75 MB cache, 14 cores, 28 threads, 3.3 GHz to 4.8 GHz Turbo, 210 W) Intel® Xeon® W5-2545 (30 MB cache, 12 cores, 24 threads, 3.5 GHz to 4.7 GHz Turbo, 210 W) Intel® Xeon® W3-2535 (26.25 MB cache, 10 cores, 20 threads, 3.5 GHz to 4.6 GHz Turbo, 185 W) Intel® Xeon® W3-2525 (22.5 MB cache, 8 cores, 16 threads, 3.5 GHz to 4.5 GHz Turbo, 175 W) Intel® Xeon® W3-2423 , 15MB cache, 6 cores, 2.1GHz to 4.2GHz Intel® Xeon® W3-2425, 15MB cache, 6 cores, 3.0GHz to 4.4GHz Intel® Xeon® W3-2435, 22.5MB cache, 8 cores, 3.1GHz to 4.5GHz Intel® Xeon® W5-2445, 26.25MB cache, 10 cores, 3.1GHz to 4.6GHz Intel® Xeon® W5-2455X, 30MB cache, 12 cores, 3.2GHz to 4.6GHz Intel® Xeon® W5-2465X, 33.75MB cache, 16 cores, 3.1GHz to 4.7GHz Intel® Xeon® W7-2475X, 37.5MB cache, 20 cores, 2.6GHz to 4.8GHz Intel® Xeon® W7-2495X, 45MB cache, 24 cores, 2.5GHz to 4.8GHz
OPERATING SYSTEM¹	Windows 11 Pro Downgrade (Windows 10 Pro Image-factory installed) Windows 10 CMIT Government Edition, 64-bit (China only) Windows 11 Pro for Workstations Windows 10 Pro for Workstations Downgrade Ubuntu® 24.04 LTS, 64-bit Red Hat® Enterprise Linux® 9.3 Post product launch: NeoKylin
MEMORY OPTIONS^{1,2,3}	16GB, 1 x 16GB, DDR5 SPR, 1 DPC, 4800MT/s 32GB, 2 x 16GB, DDR5 SPR, 1 DPC, 4800MT/s 64GB, 4 x 16GB, DDR5 SPR, 1 DPC, 4800MT/s 96GB, 6 x 16GB, DDR5 SPR, 2 DPC, 4400MT/s 128GB, 8 x 16GB, DDR5 SPR, 2 DPC, 4400MT/s 32GB, 1 x 32GB, DDR5 SPR, 1 DPC, 4800MT/s 64GB, 2 x 32GB, DDR5 SPR, 1 DPC, 4800MT/s 128GB, 4 x 32GB, DDR5 SPR, 1 DPC, 4800MT/s 192GB, 6 x 32GB, DDR5 SPR, 2 DPC, 4400MT/s 256GB, 8 x 32GB, DDR5 SPR, 2 DPC, 4400MT/s 64GB, 1 x 64GB, DDR5 SPR, 1 DPC, 4800MT/s 128GB, 2 x 64GB, DDR5 SPR, 1 DPC, 4800MT/s 256GB, 4 x 64GB, DDR5 SPR, 1 DPC, 4800MT/s 384GB, 6 x 64GB, DDR5 SPR, 2 DPC, 4400MT/s 512GB, 8 x 64GB, DDR5 SPR, 2 DPC, 4400MT/s 128GB, 1 x 128GB, DDR5 SPR, 1 DPC, 4800MT/s 256GB, 2 x 128GB, DDR5 SPR, 1 DPC, 4800MT/s 512GB, 4 x 128GB, DDR5 SPR, 1 DPC, 4800MT/s 768GB, 6 x 128GB, DDR5 SPR, 2 DPC, 4400MT/s 1TB, 8 x 128GB, DDR5 SPR, 2 DPC, 4400MT/s 256GB, 1 x 256GB, DDR5 SPR, 1 DPC, 4800MT/s 512GB, 2 x 256GB, DDR5 SPR, 1 DPC, 4800MT/s 1TB, 4 x 256GB, DDR5 SPR, 1 DPC, 4800MT/s 1.5TB, 6 x 256GB, DDR5 SPR, 2 DPC, 4400MT/s 2TB, 8 x 256GB, DDR5 SPR, 2 DPC, 4400MT/s
STORAGE OPTIONS^{1,5}	3.5-inch, 1TB, 7200 RPM, SATA, HDD 3.5-inch, 2TB, 7200 RPM, SATA, Enterprise HDD 3.5-inch, 4TB, 7200 RPM, SATA, Enterprise HDD 3.5-inch, 8TB, 7200 RPM, SATA, Enterprise HDD 3.5-inch, 12TB, 7200RPM, Enterprise HDD 2.5-inch, 500GB, 7200 RPM, SATA, HDD 2.5-inch, 600GB, 15K RPM, SAS Enterprise HDD 2.5-inch, 1.2TB, 10K RPM, SAS Enterprise HDD 2.5-inch, 2.4TB, 10K RPM, SAS Enterprise HDD 2.5-inch, 1.92TB, SATA MU SSD M.2 2230, 256GB, PCIe NVMe Gen4 x4, SSD, Class 35 M.2 2280, 2TB, PCIe NVMe Gen4 x4, SSD, Self-Encrypting, Opal 2.0, FIPS M.2 2280, 4TB, PCIe NVMe Gen4 x4, SSD, Self-Encrypting, Opal 2.0, FIPS M.2 2280, 512GB, PCIe NVMe Gen4 x4, SSD, Self-Encrypting, Opal 2.0, FIPS M.2 2280, 1TB, PCIe NVMe Gen4 x4, SSD, Self-Encrypting, Opal 2.0, FIPS

FEATURE	TECHNICAL SPECIFICATION
MODEL NUMBER ¹	Precision 5860 Tower
GRAPHICS	NVIDIA: Nvidia RTX Pro 6000 Blackwell (300W), 96GB GDDR7 (coming soon) Nvidia RTX 5000 Blackwell, 48GB GDDR7 (coming soon) NVIDIA® RTX™ A6000, 48GB GDDR6 NVIDIA® RTX™ A5500, 24GB GDDR6 NVIDIA® RTX™ A4500, 20GB GDDR6 NVIDIA® RTX™ A4000, 16GB GDDR6 NVIDIA® RTX™ A2000, 12GB GDDR6 NVIDIA® RTX™ 6000 Ada Generation NVIDIA® RTX™ 5000 Ada Generation NVIDIA® RTX™ 4500 Ada Generation NVIDIA® RTX™ 4000 Ada Generation NVIDIA® RTX™ 2000 Ada Generation NVIDIA® A1000, 8 GB GDDR6 NVIDIA® A400, 4 GB GDDR6 NVIDIA® GV100, 32GB HBM2 NVIDIA® A800 AMD: AMD Radeon™ Pro W7400 AMD Radeon™ Pro W6800, 16GB GDDR6 AMD Radeon™ Pro W6600, 8GB GDDR6 AMD Radeon™ Pro W7500 AMD Radeon™ Pro W7600 AMD Radeon™ Pro W7700 AMD Radeon™ Pro W7900
PRODUCTIVITY SOFTWARE ¹	Microsoft Office Home and Business Commercial Microsoft Office 2021 Professional Commercial Dell Optimizer for Precision
SECURITY SOFTWARE	McAfee® Small Business Security 30-day free trial McAfee® Small Business Security 12-month subscription McAfee® Small Business Security 36-month subscription Dell Encryption Personal Dell Encryption Enterprise
WARRANTY ^{9,10}	3-year Basic warranty with hardware service with on-site/in-home service after remote diagnosis 4-year Basic warranty with hardware service with on-site/in-home service after remote diagnosis 5-year Basic warranty with hardware service with on-site/in-home service after remote diagnosis 3-year ProSupport with Next Business Day on-site service 4-year ProSupport with Next Business Day on-site service 5-year ProSupport with Next Business Day on-site service 3-year ProSupport Plus for Client with Next Business Day on-site service 4-year ProSupport Plus for Client with Next Business Day on-site service 5-year ProSupport Plus for Client with Next Business Day on-site service
ACCIDENTAL DAMAGE SERVICES	3-year Accidental Damage Service 4-year Accidental Damage Service 5-year Accidental Damage Service
PORTS	Front: (2) USB 3.2 Gen 1 ports USB 3.2 Gen 2 Type-C port with PowerShare USB 3.2 Gen 2 Type-C port Universal audio port SD-card slot Rear: (3) USB 3.2 Gen 2 Type-C ports (2) USB 3.2 Gen 1 ports USB 3.2 Gen 1 port with Smart Power On RJ45 Ethernet port, 1GBE RJ45 Ethernet port, 10GBE Line-out port Serial port (optional) (2) PS2 ports (optional)
OPTICAL DRIVE	Optional - only on computers with ODD 8x DVD-ROM 9.5mm optical drive 8x DVD+/-RW 9.5mm optical drive 16x DVD+/-RW half-height optical drive
SLOTS	Full-height Gen5 PCIe x16 slot Full-height Gen4 PCIe x16 slot (2) Full-height Gen4 PCIe x8 slot open-ended Full-height Gen4 PCIe x8 slot (x4 electrical) open-ended (2) M.2 2230/2280 slots for PCIe NVMe Gen4 SSD (2) SATA slots for 2.5/3.5-inch HDD/SSD (2) Externally facing storage flexbays

FEATURE	TECHNICAL SPECIFICATION
MODEL NUMBER ¹	Precision 5860 Tower
DIMENSIONS	US: Height: 16.29in. (414mm) /16.45in. (417.90mm) with rubber-foot protruding Width: 6.79in. (172.60mm) /6.94in. (176.50mm) with rubber-foot protruding Depth: 16. 90in. (429.60mm) /17.79in. (452.10mm) with lock-structure protruding Weight: Maximum: 47.80lb (21.70kg) Minimum: 31.70lb (14.40kg) Rest of the world: Height: 414mm (16.29in.) / 417.90mm (16.45in.) with rubber-foot protruding Width: 172.60mm (6.79in.) /176.50mm (6.94in.) with rubber-foot protruding Depth: 429.60mm (16.90in.) / 452.10mm (17.79in.) with lock-structure protruding Weight: Maximum: 21.70kg (47.80lb) Minimum: 14.40kg (31.70lb)
AUDIO & SPEAKERS ¹	Realtek Audio Controller, ALC3246-CG Single Universal Audio Jack on Front panel One line out jack on Rear IO Internal speakers
CHASSIS	Mid-size tower
WIRELESS	Qualcomm® WCN6856-DBS, 2x2 MIMO, 3571MBps, 2.4GHz/5GHz/6GHz, Wi-Fi 6E (Wi-Fi 802.11ax), Bluetooth 5.3
POWER OPTIONS	750W Platinum internal power supply unit 1350W Platinum internal power supply unit - optional
REGULATORY	Product Safety, EMC and Environmental Datasheets: https://www.dell.com/learn/sg/en/sgcorp1/product-info-datasheets-safety-emc-environmental Dell Regulatory Compliance Home Page: https://www.dell.com/learn/sg/en/sgcorp1/regulatory-compliance Dell and the Environment: https://www.dell.com/en-sg/dt/corporate/social-impact/advancing-sustainability/champion-the-many-people/the-peoplebehind-our-products.htm
CHIPSET	Intel® PCH W790
HARDWARE SECURITY	Security cable slot Padlock loop Chassis lock support - Coin locker Chassis intrusion switch Lockable bezel for externally-facing storage flexbay (included with M.2 NVMe drives, optional with SATA drives) TPM 2.0 Discrete Hardware
SYSTEMS MANAGE- MENT	Dell Trusted Device agent SW (for intrusion switch) Waves MaxxAudio Pro Support Dell Color Management and Calibration for Monitors Microsoft Windows BitLocker Manager Support for Encryption SED HDD's (Opal FIPS and non FIPS) Support eDRIVE Storage including RAID PBA support of smart card reader Local HDD data wipe via BIOS ("Secure Erase") BIOS Administrative Password BIOS HDD password option (default off) Windows 10 Device Guard and Credential Guard BIOS Data Port On/Off - Data Port disablement Secure update of pre-boot password(s) via remote BIOS update Core Performance Boost (CPB) IOMMU (Input-Output Memory Management Unit) Single Root IO Virtualization Support (SR-IOV)
CONFIGURATION SERVICES	Factory image load BIOS customization Hardware customization Asset Tagging and Reporting
ADD-IN CARDS	Intel® Ethernet Network Adapter x710-T2L NIC Card (Base-T) Intel® Ethernet Converged Network Adapter X710-DA2 NIC Card (Optical, requires SFP+ transceivers) Intel® Ethernet Converged Network Adapter E810-DA2 NIC Card (Optical, requires SFP+/SFP28 transceivers) UltraSpeed Duo card UltraSpeed Quad storage card Wireless LAN card Intel® Ethernet Network Adapter i226 2.5GBE NIC Card Post product launch USB 3.1 Thunderbolt 4 card MegaRaid9540 Serial card Post product launch MegaRaid9660 USB 4.0 Type-C card (PRTS)

Product Disclaimers

Pages 2-6:

* Based on internal analysis, April 2021. Dell Optimizer available in 2020 devices, not available in OptiPlex 3000 series, Latitude 3310 2-in-1 and Latitude Chromebook Enterprise. Feature availability and functionality varies by model.

1 Based on Dell internal analysis of competitive PC performance software and applications. September 2021. Intelligent Privacy is available on select Dell systems and devices.

2 Available on Latitude 9000 and select 7000 series; Precision mobile workstations 7000 and select 5000 series. See product details for availability.

3 ExpressConnect available with Dell Optimizer software version 2.0 and onwards. Download the latest at <https://www.dell.com/support/home>.

4 Disclaimer: Simultaneous multi-network connection (or Connection based teaming) is a new connectivity feature under ExpressConnect. It simultaneously sends and receives data and video traffic using two or more wired or wireless connections. Based on Dell internal analysis.

5 Best network selection based on signal strength, channel congestion, router type and others. Network suggestions based on user credentials.

6 ExpressResponse must be enabled in the Applications feature. DO learns how user uses the selected application(s) over several hours. Based on Dell testing using Sysmark 2018 benchmark on a Latitude system running productivity applications; and using performance evaluation benchmarks on Precision mobile workstations running ISV applications, March 2020. Improvement will vary based on product configuration, use, application and other factors

7 User must input preferred apps first in order for them to be analyzed.

12 Based on Dell analysis, Jan 2021. 21% bioplastics in LCD coverlid.

13 Based on internal analysis, April 2022.

14 Ocean-bound plastic used in the fan and fan housing (13%) on Precision 3260 CFF and the fan housing (28%) on Precision mobile workstations 3570 & 3571.

15 New packaging is made with up to 95% recycled content and up to 22% renewable content in the form of FSC paper fibers. Material make up varies by product and size. Excludes optional items added to order and included in box. Paper packaging materials can be recycled via municipal recycling, where available. System bag is made from recycled plastic and can be recycled along with other thin plastics.

16 EPEAT registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.

Pages 7-8:

1. Offering may vary by region. Some items may be available after product introduction. For complete details, refer to the Technical Guidebook published on www.dell.com/support.

2. System Memory and Graphics: Significant system memory may be used to support graphics, depending on system memory size and other factors.

3. 4GB or Greater System Memory Capability: A 64-bit operating system is required to support 4GB or more of system memory.

4. Particular versions of Microsoft Windows may not support the full Bluetooth 4.2 functionality

5. Storage Option: GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.

6. TPM is available in selected regions.

7. Absolute: Not a Dell offer. Certain conditions apply. For full details, see terms and conditions at www.lockforlaptops.com.

8. Please refer to www.epeat.net for specific country registration rating and participation.

9. Limited Hardware Warranty: For copy of Ltd Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty.

10. on-site service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty (www.dell.com/warranty) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.

11. Dell Services: Availability and terms of Dell Services vary by region. For more information, visit www.dell.com/servicedescriptions.

12. For complete listing of declarations and certifications, refer to the Dell Regulatory and Environmental Datasheet found in the Manuals section of Product Support information www.dell.com/support/home/us/en/19.