

D¢LLTechnologies

intel.

Brochure

No challenge is too great...



Future battlefields will demand mobile, enterprise-level performance

to manage real-time intelligence gathering, assimilation and recommendations for quick, on-site decision-making.



A data-based 5G world demands

high-powered, rugged and flexible servers. Dell PowerEdge XR servers are less than half the length of traditional servers. Front or rear connectivity makes them easy to install in small enclosures at the base of cell towers.



Promote the perfect shopping experience with tailored and synchronized automated mood lighting, digital suggestions, point of sale and more — all powered by compact compute running out of sight.





...with XR series PowerEdge servers

Dell Technologies brings you Tier 1, enterprise-level, open and non-proprietary computing that is smaller, faster and more capable than ever before.



XR series servers are compact and ruggedized. Select servers are tested to comply with MIL-STD, NEBS, and Marine.



On the outside, they are designed to withstand combinations of dust, extreme temperatures, shock, and vibrations, depending on the model.



On the inside, you can choose a **traditional or sled-based design** to best suit your footprint/space and Intel[®] technology for your performance needs.

Ruggedized for the extreme edge

Power your mission and expand your potential with PowerEdge XR12, XR11, XR4000, XR5610, XR7620 and XR8000 servers — true innovation engines.

The right combination of capabilities

OEM Solutions use an individualized design process that leverages the best of Dell Technologies capabilities so OEM customers can innovate faster and create the best experiences for their customers and end users.







	XR5610	XR7620	XR8000
Component expandability	 Front-and rear-facing I/O Integrated 4 x25/10GbE LOM PTP Up to 2 risers providing OCP 3.0 and/or 2 PCIe Gen5 x16 card slots 	 Front-and rear-facing I/O Up to 4x PCIe Gen4/5 slots OCP 3.0 for network cards 1x LP slot 	 Broad range of configurability supporting up to 4 nodes with flexible I/O sled options: 2U modular front-accessible chassis with dual power supply to support up to 4 nodes 2U sled XR8620: 3x FHHL (Gen5) 1U sled XR8610: 1x FHHL (Gen5)
Latest accelerators	• Up to 2x SW GPUs	• 2x 300W (DW) or 4x 150W (SW)	• 1x 300W GPU per node
Storage	Up to 4x 2.5" SAS/SATA SSDs or NVMe® SSDs Internal: Internal BOSS-N1 (2x M.2 NVMe) for boot	 4x 2.5" NVMe 4x 2.5" SATA\SAS with PERC11 8x E3.S NVMe 8x E3.S NVMe with PERC12 	 2x M.2 NVMe Optional RAID Up to 3.84TB, 22110 options
Other features	Short-depth 1U Certified rugged for operation in environmentally variant locations (MIL-STD and NEBS)	Short-depth 2U Dual socket Certified rugged for operation in environmentally variant locations (MIL-STD and NEBS)	 Short-depth Front-accessible 1U and 2U sled options Extended temp (-20°C to 65°C) for select configurations Both AC and DC power options Full sled replacement for simplified field maintenance and service







	XR12	XR11	XR4000R / XR4000Z
Component expandability	Flexible I/O choices with five PCIe Gen4 slots	Three PCle Gen4 slots	Up to four PCle Gen4 FHFL slots in rackable variant
Latest accelerators	Expanded GPU options with support for up to two NVIDIA® T4 cards or up to two NVIDIA A100, A10, or A40 GPU cards	• Up to two NVIDIA T4 GPU cards	2x A2 or 1x A30 in the 2U sled configuration
Storage	Expanded storage with up to six SAS/SATA/NVMe SSDs	Up to four SAS/SATA/NVMe SSDs	 1U sled: 4x M.2 NVMe drives; up to 15Tb 2U sled: 12x M.2 NvME drives; up to 46Tb
Other features	 Compact and flexible design with mounting model choices for front- or rear-facing I/O and power supplies for edge environments High-speed memory capacity with Intel Optane™ Persistent Memory 200 series Certified rugged for operation in environmentally variant locations (NEBS Level 3, MIL-STD and Marine) Powerful remote systems management connectivity 	Compact and flexible design with mounting model choices for front- or rear-facing I/O and power supplies for edge environments High-speed memory capacity with Intel Optane Persistent Memory 200 series Certified rugged for operation in environmentally variant locations (NEBS Level 3, MIL-STD and Marine) Powerful remote systems management connectivity	XR4000Z stackable/mountable chassis can fit: 2x 1U sled or 1x 2U sled + 1 witness node XR4000R rackable chassis can fit: 4x 1U sled or 2x 1U sled + 1x 2U sled or 2x 2U sled + 1 witness node Certified rugged for operation in environmentally variant locations (MIL-STD and NEBS)

Services and Support

Dell Technologies is with you every step of the way, linking people, processes and technology to accelerate innovation and enable optimal business outcomes, including Support Services, Deployment Services, Managed Services, Residency Services, and Services for Data Security.

Intrinsic Security

Achieve confidence with servers designed with a security-first approach to mitigate threats. Dell Technologies builds on our heritage of a strong silicon-based root of trust with a Secure Development Lifecycle that delivers protection at every step.



Learn more

Contact your Dell Technologies sales representative or visit **Dell.com/OEM**.

D¢LLTechnologies

Copyright © 2023 Dell Inc. or its subsidiaries. All Rights Reserved. Dell Technologies, Dell and other trademarks are trademarks of Dell Inc. or its subsidiaries. Intel®, the Intel® logo, and Optane™ are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries. NVIDIA® is a trademark and/or registered trademark of NVIDIA Corporation in the U.S. and other countries. The NVMe® word mark is a registered trademark of NVM Express, Inc. Other trademarks may be the property of their respective owners. Published in the USA 03/23 Brochure

Dell Technologies believes the information in this document is accurate as of its publication date. The information is subject to change without notice.