

**DELL**Technologies



---

## Dell Pro 5 14/16

P514260  
P516260

P514265  
P516265



# Dell Pro 5



Dell Pro 5 Dell Technologies  
 AMD  
 Arc™ ( )  
 Dell Pro CPU  
 12 Xe GPU



Dell Pro 5  
 AMD  
 Dell Pro 5  
 Wi-Fi 7, NFC, 5G



Dell Pro 5  
 50%  
 VRR  
 31%  
 18%



WUXGA OLED  
 TNR(Temporal Noise Reduction)  
 8MP  
 LED

	Dell Pro 5 14	Dell Pro 5 16
	P514260	P516260
CHASSIS	{ ( ), PC+GF( ) }	{ ( ), PC+GF( ) }
2	<b>3 @™ Ultra - Copilot+ PC</b> @™ Ultra 5 322(6 ) @™ Ultra 5 332 vPro®(6 ) @™ Ultra 5 325(8 ) @™ Ultra 5 335 vPro®(8 ) @™ Ultra 7 355(8 ) @™ Ultra 7 365 vPro®(8 ) @™ Ultra 5 336H vPro®(12 ) @™ Ultra 7 356H(16 ) <sup>3</sup> @™ Ultra 7 366H vPro®(16 ) @™ Ultra 5 338H vPro®(12 ) <sup>4</sup> @™ Ultra X7 368H vPro®(16 ) <sup>4</sup> <b>3 @™ - AI PC</b>	<b>3 @™ Ultra - Copilot+ PC</b> @™ Ultra 5 322(6 ) @™ Ultra 5 332 vPro®(6 ) @™ Ultra 5 325(8 ) @™ Ultra 5 335 vPro®(8 ) @™ Ultra 7 355(8 ) @™ Ultra 7 365 vPro®(8 ) @™ Ultra 5 336H vPro®(12 ) @™ Ultra 7 356H(16 ) <sup>3</sup> @™ Ultra 7 366H vPro®(16 ) @™ Ultra 5 338H vPro®(12 ) <sup>4</sup> @™ Ultra X7 368H vPro®(16 ) <sup>4</sup> <b>3 @™ - AI PC</b>
1.5	<b>3 @™ Ultra</b> @™ ,2Xe, 6 @™ ,4Xe, 8 @™ ,4Xe, 12/16 @ Arc™ B370 GPU, 10Xe, 12 @™ Ultra 5 338H <sup>4</sup> @ Arc™ B390 GPU, 12Xe, 16 @™ Ultra X7 368H <sup>4</sup>	<b>3 @™ Ultra</b> @™ ,2Xe, 6 @™ ,4Xe, 8 @™ ,4Xe, 12/16 @ Arc™ B370 GPU, 10Xe, 12 @™ Ultra 5 338H <sup>4</sup> @ Arc™ B390 GPU, 12Xe, 16 @™ Ultra X7 368H <sup>4</sup>
1	Windows 11 Professional Microsoft® Windows 11 Home Ubuntu® Linux® 24.04	Windows 11 Professional Microsoft® Windows 11 Home Ubuntu® Linux® 24.04
1.6	<b>3 @™ Ultra</b> 8GB DDR5, 5600MT/s, ( 3 @™ Ultra A ,PC+GF , 16GB DDR5, 5600MT/s, 32GB DDR5, 5600MT/s, 64GB DDR5, 5600MT/s <b>3 @™ Ultra(10Xe/12XeH )</b> <sup>4</sup> 16GB LPCAMM2, 8533MT/s 32GB LPCAMM2, 8533MT/s 64GB LPCAMM2, 8533MT/s	<b>3 @™ Ultra</b> 8GB DDR5, 5600MT/s, ( 3 @™ Ultra A ,PC+GF , 16GB DDR5, 5600MT/s, 32GB DDR5, 5600MT/s, 64GB DDR5, 5600MT/s <b>3 @™ Ultra(10Xe/12XeH )</b> <sup>4</sup> 16GB LPCAMM2, 8533MT/s 32GB LPCAMM2, 8533MT/s 64GB LPCAMM2, 8533MT/s
1.6	256GB SSD, TLC 512GB SSD, TLC, SED 512GB SSD, TLC, Gen 5 <sup>3</sup> 512GB SSD, TLC 512GB SSD 1TB SSD, Gen5, SED <sup>4</sup> 1TB SSD, TLC <sup>3</sup> 1TB SSD 2TB SSD, Gen5, SED <sup>4</sup> 2TB SSD	256GB SSD, TLC 512GB SSD, TLC, SED 512GB SSD, TLC, Gen 5 <sup>3</sup> 512GB SSD, TLC 512GB SSD 1TB SSD, Gen5, SED <sup>4</sup> 1TB SSD, TLC <sup>3</sup> 1TB SSD 2TB SSD, Gen5, SED <sup>4</sup> 2TB SSD
1	14" WUXGA(1920x1200), ,60Hz, 400 ,62.5% sRGB, 14" WUXGA(1920x1200), ,60Hz, 400 ,62.5% sRGB, 14" WUXGA(1920x1200), ,60Hz, 400 ,100% sRGB, , ComfortView Plus( ) 14" WUXGA(1920x1200), ,1~120Hz(VRR), 500 ,100% sRGB, ComfortView Plus( ), 14" WQXGA(2560x1600), ,48~120Hz(VRR), 500 ,100% sRGB, ComfortView Plus( ) <sup>4</sup> 14" WUXGA OLED(1920x1200), ,60Hz, 300 ,DCI-P3 90%, , ComfortView Plus( ), 14" WUXGA(1920x1200), ,60Hz, 500 , , ComfortView Plus( ), Intelligent Privacy( )	16" WUXGA(1920x1200), ,60Hz, 400 ,62.5% sRGB, 16" WUXGA(1920x1200), ,60Hz, 400 ,62.5% sRGB, 16" WUXGA(1920x1200), ,1~120Hz(VRR), 500 ,100% sRGB, , ComfortView Plus( ), 16" WQXGA(2560x1600), ,48~120Hz(VRR), 500 ,100% sRGB, , ComfortView Plus( ) <sup>4</sup>
7,8	<b>LAN</b> <sup>7</sup> <b>3 @™ Ultra</b> @ Wi-Fi 7 BE211, 2x2, Bluetooth® 6.0 @ Wi-Fi 6E AX211, 2x2, Bluetooth® 5.3 <sup>8</sup> 5G - MediaTek® T700(DW5933e), eSIM ( 3 @™ Ultra ) 4G LTE - Qualcomm® Snapdragon™ X12 Global LTE-Advanced(DW5826e), eSIM <b>Modern Standby Microsoft</b>	<b>LAN</b> <sup>7</sup> <b>3 @™ Ultra</b> @ Wi-Fi 7 BE211, 2x2, Bluetooth® 6.0 @ Wi-Fi 6E AX211, 2x2, Bluetooth® 5.3 <sup>8</sup> 5G - MediaTek® T700(DW5933e), eSIM ( 3 @™ Ultra ) 4G LTE - Qualcomm® Snapdragon™ X12 Global LTE-Advanced(DW5826e), eSIM <b>Modern Standby Microsoft</b>
	FHD RGB HDR ,1080p, 30fps, TNR(Temporal Noise Reduction), <sup>3</sup> FHD RGB HDR + IR ,1080p, 30 fps, , TNR(Temporal Noise Reduction), 8MP RGB HDR + IR ,1440p, 30 fps, , TNR(Temporal Noise Reduction),	FHD RGB HDR ,1080p, 30fps, TNR(Temporal Noise Reduction), <sup>3</sup> FHD RGB HDR + IR ,1080p, 30 fps, , TNR(Temporal Noise Reduction), 8MP RGB HDR + IR ,1440p, 30 fps, , TNR(Temporal Noise Reduction),
2	2W , Cirrus Logic Cirrus Logic <sup>4</sup>	2W , Cirrus Logic Cirrus Logic <sup>4</sup>
	Thunderbolt™ 4(40Gbps) 2 (DisplayPort™ 2.1 / USB Type-C® / USB4 / Power Delivery ) Type-A USB 3.2 Gen1 (5Gbps) 1 Type-A USB 3.2 Gen1 (5Gbps) 1 (PowerShare ) HDMI 2.1 1 RJ45 (1Gbps) 1 1 SIM ( ) (WWAN ) 1 ( ) 1	Thunderbolt™ 4(40Gbps) 2 (DisplayPort™ 2.1 / USB Type-C® / USB4 / Power Delivery ) Type-A USB 3.2 Gen1 (5Gbps) 1 Type-A USB 3.2 Gen1 (5Gbps) 1 (PowerShare ) HDMI 2.1 1 RJ45 (1Gbps) 1 1 SIM ( ) (WWAN ) 1 ( ) 1

1 Dell Pro 5 14

Dell Pro 5 16

P514260

P516260

- 9,10,11 3 ,45Wh, ExpressCharge, ExpressCharge Boost
- 3 ,45Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost
- 3 ,57Wh, ExpressCharge, ExpressCharge Boost
- 3 ,57Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost
- 3 ,70Wh, ExpressCharge, ExpressCharge Boost
- 3 ,70Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost

- 3 ,45Wh, ExpressCharge, ExpressCharge Boost
- 3 ,45Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost
- 3 ,57Wh, ExpressCharge, ExpressCharge Boost
- 3 ,57Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost
- 3 ,70Wh, ExpressCharge, ExpressCharge Boost
- 3 ,70Wh, Long Life Cycle, ExpressCharge, ExpressCharge Boost

**AC** 9 65W USB-C GAN (2 , )  
 65W USB-C GAN  
 65W USB-C  
 100W USB-C

65W USB-C GAN (2 , )  
 65W USB-C GAN  
 65W USB-C  
 100W USB-C

10 ( )  
 ( AI ( ) LED)  
 Precision ( ( ) )

10 ( )  
 ( AI ( ) LED)  
 Precision ( ( ) )

® AMT(Active Management Technology)

® vPro® Manageability

® AMT(Active Management Technology)

® vPro® Manageability

12,13 :  
 FHD IR (Windows Hello )  
 TPM 2.0 FIPS-140-3 /TCG  
 BIOS

:  
 FHD IR (Windows Hello )  
 TPM 2.0 FIPS-140-3 /TCG  
 BIOS

:  
 ( )(Windows Hello )  
 ( )(Windows Hello ), ControlVault 3+  
 , ControlVault 3+  
 NFC/CSC, ControlVault 3+

:  
 ( )(Windows Hello )  
 ( )(Windows Hello ), ControlVault 3+  
 , ControlVault 3+  
 NFC/CSC, ControlVault 3+

14,15 : 315.5mm(12.42in.)  
 : 226.0mm(8.89in.)  
 ( ): 10.80mm(0.43in.)  
 ( ): 14.72mm(0.58in.)  
 ( ): 18.10mm(0.71in.)  
 : 1.34kg(2.96lb)

: 358.6mm(14.12in.)  
 : 253.4mm(9.98in.)  
 ( ): 10.88mm(0.43in.)  
 ( ): 15.16mm(0.59in.)  
 ( ): 18.95mm(0.74in.)  
 : 1.82kg(4.02lb)

16 Dell Pro 5 14

Dell Pro 5 16

- 1. ,2026 2 .
- 2. ,2026 2 . Dell Pro 5 14( ) Lenovo ThinkPad L14 Gen 6, Lenovo ThinkPad T14 Gen 6 HP EliteBook 6 G1 14
- 3. ,2026 2 .
- 4. ,2026 2 .
- 5. ,2026 2 . HP EliteBook 6 G1 Lenovo ThinkPad T14 Gen 6/T16 Gen 4/L13 Gen 6/L13 2n1 Gen 6/L14 Gen 6/L16 Gen 4


- 1. /
- 2. Copilot+ PC AI NPU(40TOPS )
- 3. ( ),PC+GF( ) PC+GF PC(Polycarbonate) GF(Glass Fiber)
- 4. ( ) HEVC(High-Efficiency Video Coding) HEVC HEVC 4K , Dolby Vision CyberLink
- 5. GB 10 ,TB 1 HEVC
- 6. Wi-Fi 7 Wi-Fi Alliance Bluetooth OS Wi-Fi
- 7. Wh(Watt Hour) Charge Boost 20 35% EC1.0(Express Charge 1.0) ECB 60 80%, 120 100% Long Life Cycle ECB(Express Charge Boost)
- 8. Long Life Cycle 3 1,000 / ,Dell 3
- 9. Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 [www.dell.com/warranty](http://www.dell.com/warranty)
- 10. 45Wh Express Charge 100W Express Charge Boost 70Wh 65W Express Charge 57Wh Express Charge Boost 100W 65W , Express Charge
- 11. BIOS PC
- 12. Dell SafeBIOS IoA(Indicator of Attack)
- 13. ( )
- 14.
- 15.
- 16. EMEA APJ



1	Dell Pro 5 14	Dell Pro 5 16
	P514265	P516265
	<b>AMD PRO OOB(Out-of-band)</b> AMD DASH(Desktop and mobile Architecture for System Hardware) AIM-T(AMD Integrated Management Technology)	<b>AMD PRO OOB(Out-of-band)</b> AMD DASH(Desktop and mobile Architecture for System Hardware) AIM-T(AMD Integrated Management Technology)
12.13	: TPM 2.0 FIPS-140-3 /TCG BIOS	: TPM 2.0 FIPS-140-3 /TCG BIOS
	: ( ) (Windows Hello ) ( ) (Windows Hello ), ControlVault 3+ , ControlVault 3+ NFC/CSC, ControlVault 3+ FHD IR (Windows Hello )	: ( ) (Windows Hello ), ControlVault 3+ , ControlVault 3+ NFC/CSC, ControlVault 3+ , NFC/CSC FIPS FPR + CV3+ FHD IR (Windows Hello )
14	: 315.5mm(12.42in.) : 226.0mm(8.89in.) ( ): 10.80mm(0.43in.) ( ): 14.72mm(0.58in.) ( ): 18.10mm(0.71in.) : 1.34kg(2.96lb)	: 358.6mm(14.11in.) : 253.4mm(9.98in.) ( ): 10.88mm(0.43in.) ( ): 15.16mm(0.59in.) ( ): 18.95mm(0.74in.) : 1.82kg(4.02lb)
15	Dell Pro 5 14	Dell Pro 5 16



: [Dell.com/sustainable-devices](https://Dell.com/sustainable-devices)



100%

Dell

Eco

[EPEAT Gold with Climate+™](#)

Ecolabel

[ENERGY STAR @](#)

[TCO\\_\\_\\_\\_\\_](#)

USB-C



: [Dell.com/sustainable-devices](https://Dell.com/sustainable-devices)

PCR(Post-Consumer Recycled)	30%
	50%
	(105W) 95%
	(45Whr, 57Whr 70Whr) 98%
	(45Whr, 57Whr 70Whr) 100%
	50%
	28%
	50%
	(105W) 98%
	5%
	20%
	(105W) 50%
	(45Whr, 57Whr 70Whr) 100%
	(45Whr, 57Whr) 100%
	(70Whr) 50%
	(57Whr) 90%

100%

Dell

Eco

[EPEAT Gold with Climate+™](#)

Ecolabel

[ENERGY STAR @](#)

[TCO \\_\\_\\_\\_\\_](#)

USB-C

1. /
2. ( )
3. ( ), PC+GF( )
4. Copilot+ PC AI HEVC(High-Efficiency Video Coding) HEVC HEVC PC+GF PC(Polycarbonate) GF(Glass Fiber) NPU(40TOPS )
5. HEVC(High-Efficiency Video Coding) HEVC HEVC 4K , Dolby Vision CyberLink
6. GB 10 , TB 1
7. Wi-Fi 7 Wi-Fi Alliance Bluetooth OS Wi-Fi
8. eSim
9. Wh(Watt Hour) Charge Boost) 20 35% EC1.0(Express Charge 1.0) EC1.0 ECB 60 80%, 120 100% Long Life Cycle 3 ECB(Express Charge Boost) 1,000 / , Dell Long Life Cycle 3
10. Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 [www.dell.com/warranty](http://www.dell.com/warranty)
11. 45Wh Express Charge Express Charge Boost 65W  
57Wh Express Charge Express Charge Boost 65W , Express Charge Boost 100W  
70Wh Express Charge Express Charge Boost 100W
12. BIOS PC
13. Dell SafeBIOS IoA(Indicator of Attack)
14. ( )
15. EMEA APJ