

OPTIPLEX DESKTOPS

PRECISION WORKSTATIONS

EDGE COMPUTING LATITUDE RUGGED MOBILITY

### Your unique products require unique solutions.

This is exactly what you'll get with Dell Technologies OEM Solutions end-to-end expertise, support and global network of top-tier partners. Together, we can turn your ideas into the next generation of OEM customer-influenced, tailored and fully customized solutions. You want to grow your brand, create exceptional customer experiences and be competitively differentiated. That's why we create products & capabilities to allow you to focus on what you do best – innovating.

Dell OEM's Client Solutions provide off-the-shelf, OEM tailor-made products that meet your customer's industry requirements and help you get to market fast.

# DELL TECHNOLOGIES OEM UNIQUE SOLUTIONS



Off the Shelf Dell Standard

Bring your IP to the world fast with global access to our tier-1 industry-standard solutions.



**OEM-Ready** De-branded, Re-brand Ready

Expand your presence and improve customer experience with de-branded products that you can easily add your brand to.



**XL | XE**Stability, Longevity
& Visibility

Innovate for your competitive edge with the product stability, visibility and longevity of OEM XL and XE offerings.



Industrialized
Industrialized
Durability

Get the industrial-grade durability needed for demanding jobs beyond the desktop and data center.



**Custom**Making Your
Ideas a Reality

Partner with our technology experts for fast to market delivery of branding, personalization, fit & function and specialized environment design Custom Solutions.

### DELL TECHNOLOGIES OEM CLIENT SOLUTIONS

#### Commercial

#### Industrialized



Laptops Latitude



Workstations Precision




OptiPlex Desktops/ Thin Clients



Gateways Edge



Rugged Mobility Latitude



### **OPTIPLEX DESKTOPS**



### OptiPlex XE4 SFF / MT\*

This industrialized OEM XE4 takes stability to a new level with up to a four-year purchase lifecycle and an OEM XE nine-month managed transition period. It comes in both tower and small form factor (SFF) chassis sizes - both available unbranded (OEM-Ready) right off the shelf for you to then rebrand with your own logo. It can natively support up to four displays without needing additional graphics cards and dual 3.5-inch SSD or HDD drives. It's fully industrialized with operating temperatures up to 45°C (113°F), remote power switch option, dust filter option, marine certification and MIL-STD 810G testing that make it ideal for maritime, industrial automation, retail, outdoor kiosks, banking, medical diagnostic machines and more.









#### OptiPlex 7000 XE Micro

This book-size OptiPlex model supports up to 3 displays with VESA all-in-one mounting options for embedded and edge applications in the tightest spaces. This desktop, with the OEM XE nine-month managed transition period and stability, eases technology planning and development burdens making it ideal for retail, healthcare and digital signage solutions.



\*Up to  $45^{\circ}\text{C}$  operation with limited configurations - refer to platform technical guidebook.

### PRECISION WORKSTATIONS



#### Precision 3280 XE Compact

With its small size and edge-ready industrialized design for operation up to 45°C (113°F), this tiny powerhouse is ideal for manufacturing computer vision, healthcare, video security or other space constrained usage scenarios. This OEM XE compact workstation offers a nine-month product transition and stable processor with an OEM-Ready unbranded option ready for your own logo.









#### Precision 3460 XE SFF

This space-saving, compact workstation enables up to nine displays with 3.5" drive and additional expansion. It is an ideal solution for entry-level video security and commercial usage requiring 24/7 reliability. It comes with the OEM XE nine-month managed transition and added stability with an OEM-Ready, unbranded, option rebrand ready for your logo.







#### Precision 3680 XE Tower

This industrialized workstation is edge-ready for up to 45°C (113°F) environments with mission critical reliability and scalable performance. Its high performance graphics, ML and Al Analytics capabilities make it ideal for industrial automation / control applications and healthcare rendering. It provides OEM XE stability with nine-month managed product transition and an OEM-ready unbranded option that is rebrand ready for your own logo.







 $<sup>^*\</sup>mbox{Up}$  to 45°C operation with limited configurations - refer to platform technical guidebook.

### PRECISION WORKSTATIONS (continued)



#### Precision 5860 XL Tower

Scalable performance in a mid-sized tower with power processing and highend graphics that makes it ideal for data-intensive design and visualization applications in healthcare and industrial automation. If offers the OEM XL up to 18-month product transition, six-month in-advance visibility to key changes, key component stability, and an OEM-Ready unbranded option.







#### Precision 7875 XL Tower

Exceptional performance for your applications with the latest AMD RyzenTM Threadripper Pro processor, featuring up to 96 cores and up to (2) 300W graphic cards. It also offers OEM XL with up to 18-month product transition, six-month in-advance visibility to product changes and key component stability.





#### Precision 7960 XL Tower

Amazing performance in a more compact tower design with processing power that makes it ideal for multi-threaded, compute intensive analysis, simulation and rendering applications requiring high CPU core counts. It also offers the OEM XL up to 18-month product transition, key component stability and six month in-advance visibility to key product changes.



#### Precision 7960 XL Rack



An ultra-scalable 2U rack workstation that allows productivity from almost anywhere with a powerful, secured access rack-based solution that keeps intellectual property safely in the data center. It also offers OEM XL with up to 18-month product transition, six-month in-advance visibility to product changes and key component stability.





### LATITUDE RUGGED MOBILITY



#### Latitude 5430 Rugged Notebook

Get ready for work, anywhere, with the lightest†, most powerful†, 5G-capable 14" semi-rugged laptop. With 11th Generation Intel Core Processors and up to 2TB of fast, reliable, and high performance PCle solid state drives, this IP-53 rated laptop tested to MIL-STD-810H specs can withstand harsh environments, and even thrive in them. A glove-capable 1100-nit FHD touchscreen option lets you work even in direct sunlight. Optional dual hot-swappable batteries with up to 25-hour battery runtime\*\*\*. The Latitude 5430 Rugged Laptop is FirstNet Ready™ with Band 14.





#### Latitude 7330 Rugged Extreme

Work in the harshest environments, with the smallest\*\*
5G-capable 13" fully-rugged laptop. With 11th Generation
Intel Core Processors and up to 2TB of fast, reliable, and high
performance PCle solid state drives, this IP-65 rated laptop
tested to MIL-STD810H specs can withstand the most extreme
environments, A glove-capable 1400-nit FHD touchscreen option
lets you work even in the brightest sunlight. Optional dual hotswappable batteries with up to 25-hour battery runtime\*\*\*.
The Latitude 7330 Rugged Extreme Laptop is FirstNet Ready™
with Band 14.





### Latitude 7220 Rugged Extreme Tablet

Work faster, anywhere, with the lightest, most powerful 12" fully-rugged tablet. Featuring a 1000-nit direct-sunlight viewable screen that is gloved multi-touch capable, the Latitude 7220 Rugged Extreme Tablet can handle any condition it's put in. All day productivity is easy with optional dual hot-swappable batteries. The Latitude 7220 Rugged Extreme Tablet is FirstNet Ready™ with Band 14.



FirstNet and FirstNet Ready are registered trademarks and service marks of the First Responder Network Authority, an independent authority within the U.S. Department of Commerce. The FirstNet core is designed primarily for use in the United States. \*\*Based on Dell internal analysis of fully-rugged competitive laptops and the Dell Latitude 7330 Rugged Extreme Laptop, using published data available as of May 2021. 'Smallest' when comparing the 'Y' (or 'Width') dimension of the laptop. \*\*\* 25-hour runtime using the Mobile Mark 2014 benchmark. Actual battery runtime varies and depends on the hardware configuration, screen-brightness level, the number of apps running simultaneously, and environmental conditions. † Based on Dell internal analysis of semi-rugged competitive laptops and the Dell Latitude 5430 Rugged Laptop, using published data available as of May 2021.

#### **EDGE GATEWAY**





#### Dell Edge Gateway 3200 & 5200

The new intelligent Dell Edge Gateways help companies connect OT/IT environments and extract value from edge-generated data with no interruptions to their infrastructure. Available in two models, series 3200 and 5200, these edge gateways enable enterprises to collect, consolidate, and perform lightweight analyses on the vast data generated from multiple edge devices. Designed in a rugged, fanless design, the Dell Edge Gateways are compact and robust enough to endure 24/7/365 operations. They power real-time insights that will lead to better efficiency, lower costs, and greater performance for business. Specifically designed for original equipment manufacturers (OEMs), with unbranded OEM-Ready options and a long lifecycle target of 5 years.

- The Edge Gateway 3200 has operating temperature of -20°C to 60°C with compact, fanless and rugged design. It offers WiFi-6E, Bluetooth 5.2 and Certified Dual Nano SIM 4G & 5G options.
- The Edge Gateway 5200 has operating temperature of 0°C to 60°C with compact, fanless and rugged design. It offers WiFi-6E, Bluetooth 5.2 and Certified Dual Nano SIM 4G & 5G options.

DESKTOPS

LAPTOP/TABLET



WORKSTATIONS



### INDUSTRIALIZED SOLUTIONS FOR THE EDGE

Precision 3280 Precision 3680 OptiPlex XE4 Latitude 7000, 5000 Edge Gateway 3200. 5200 Laptops & Tablet Rugged **Expandable Compact Form** Performance Tower Form Mini-Tower & SFF Industrial Uncompromised PC Mobility connectivity at Edge factor factor 10°C to 45°C 10°C to 45°C\* 5°C to 45°C -29°C to 63°C -20°C to 60°C, 0°C to 60°C Dust Filters Dust Filters Dust Filters Fanless Design Fanless Design Filtered Bezel Filtered Bezel Filtered Bezel 2.6 yr target life 1.9 yr target life 3-5 yr target life 2.5 yr target life 5 yr target life MIL-STD tested MIL-STD tested Designed to MIL-Certified: MIL-Designed to MIL-STD-810G Certified: STD-810G; Up to IP-65; STD-810G; Marine DNV-GL MIL-STD-461F IP50 rated INDUSTRIAL RUGGED

\*Standard operating temperature is 10-35C. Select configurations can operate up to 45C extended temperature

INDUSTRIAL

### DELL TECHNOLOGIES OEM UNIQUE SOLUTIONS











Standard

**OEM-Ready** 

OFM XI

OEM XE

Industrialized

Environmental Temp

	Off-the-shelf Dell Standard	De-branded SKU	Stability, Longevity & Visibility		Edge Ready	
		Ready for re-branding	18 Month transition Static CPU, chipset	9 Month transition Static CPU	Durability & Certifications	Range
Precision 3460 SFF		✓		✓		10°C – 35°C
OptiPlex 7000 Micro				✓		5°C – 35°C
Precision 5860 Tower		✓	<b>✓</b>			5°C – 45°C
Precision 7875 Tower			<b>✓</b>			5°C – 45°C
Precision 7960 Tower			✓			5°C – 45°C
Precision 7960 Rack			✓			5°C – 45°C
Precision 3660 Tower				<b>√</b>	<b>√</b>	10°C – 45°C
Precision 3680 Tower		<b>√</b>		<b>√</b>	<b>√</b>	10°C – 45°C*
Precision 3280 Compact		<b>√</b>		<b>√</b>	<b>√</b>	10°C – 45°C*
OptiPlex XE4		<b>√</b>		<b>✓</b>	<b>√</b>	0°C – 45°C
Latitude Rugged	✓				<b>√</b>	-29°C – 63°C
Edge Gateway 3200		<b>√</b>			✓	-20°C – 60°C
Edge Gateway 5200		✓			✓	0°C – 60°C

## **Dell Technologies OEM Solutions**

offers the precise unique offerings that our unique OEM clients require. Whatever your solution requires, OEM provides the tailor-made products to meet your needs. Within the full portfolio of OEM Client Solutions is sure to be your answer. Learn more at <u>DellTechnologies.com/OEMclient</u>.