

Introducing the PowerEdgeT340

Reliable, scalable and easy to manage single-socket tower server ideal for remote solutions.



OEM engine built to scale:

- 8 hot-plug HDD's or SSD's, your choice
- Minimize downtime with redundant power supplies
- Transfer data 11% faster

Perfect choice for solutions in remote locations.



Collaborations / Sharing

Share solutions results by connecting easily and efficiently.



Databases

See solution results faster with quicker and more powerful computing capability.

OEM Ready



Showcase your logo on this **OEM Ready** dense server today and expand your brand presence using an industry leading product proven to drive performance and customer satisfaction.

Backed by industry proven Security, Manageability and Global Serviceability.

Security

- Build on a Silicon Root of Trust.
- Signed firmware and secure boot.
- Audit logging and alerts provide robust layers of security.

Manageability

- iDRAC, our server management controller.
- OS agnostic and comprehensive, allowing full leveragability via APIs.

Services

- Backed by globally available ProSupport and ProSupport Plus.
- Additional menu of services is also available.



POWEREDGE T340

Grow through collaboration

Develop your business with the PowerEdge T340 tower server. It is a reliable, easy to manage, and scalable one-socket server. The PowerEdge T340 helps you share and connect quickly across your organization to drive business results.

Operate reliably and scale without limits¹

The PowerEdge T340 is your reliable server that allows you to collaborate and grow as you scale.

- Drive your business forward with improved performance due to 50% more cores with Intel® Xeon® E-2100 processors, 11% increase in memory speed, and 20% more PCIe lanes.²
- Scale with 17% more storage capacity.³
- Operate reliably with up to 8 hot-plug HDD's or SSD's and redundant power supplies.
- Get set up as much as 66% faster with our ProDeploy suite of services.⁴

Intuitive systems management with intelligent automation

PowerEdge servers with embedded iDRAC with Lifecycle Controller offer agent-free management right out of the box, delivering smart automation of routine tasks. The T340 is easily managed which frees up time for work priorities.

- Simplify management with the New OpenManage Enterprise console, with customized reporting and automatic discovery.
- Easily manage multiple remote servers via the intuitive general user interface with iDRAC9 Group Manager or upgrade to OpenManage Enterprise.
- Conveniently receive data alert notifications and access hardware remotely anywhere with OpenManage Mobile.
- Resolve issues with up to 72% less IT effort using automated proactive and predictive technology from ProSupport Plus and SupportAssist.⁵

Keep your data safe

Every PowerEdge server is made with a cyber-resilient architecture, building security into the server's entire life cycle. The T340 uses these new security features so you can reliably and securely deliver the right data to your customers. Dell EMC considers each part of system security, from design to end-of-life, to ensure trust and deliver worry-free, secure servers.

- Keep your data safe by automatically saving it with software RAID.
- Maintain data safety with cryptographically-signed firmware packages and Secure Boot.
- Protect your server from malicious changes with iDRAC9 Enterprise Server Lockdown mode.
- Wipe all data from storage media quickly and securely with System Erase.

PowerEdge T340

- Improved performance due to 50% more cores
- Scale with 17% more storage capacity
- Protect your server from malicious changes with iDRAC9 Enterprise Server Lockdown mode

¹ The PowerEdge T340 supports up to 14TB.

² Based on Dell EMC Internal analysis comparing T340 vs the previous generation. September 2018.

³ Based on Dell EMC internal analysis comparing Disk Drive Capacities of T340 vs the previous generation. September 2018. 14TB Drives are fully supported and are expected to be available early 2019.

⁴ Based on a November 2017 Principled Technologies Test Report commissioned by Dell EMC comparing in-house deployment vs. Dell EMC ProDeploy for Enterprise deployment service for Dell PowerEdge R730 servers, Dell Storage SC9000 and SC420 and networking components. Actual results will vary.

⁵ Based on June 2018 Principled Technologies Report commissioned by Dell EMC, "Save time and IT effort resolving server hardware issues with ProSupport Plus and SupportAssist", compared to Basic Warranty without SupportAssist. Actual results will vary. Full report: <http://facts.pt/olccpk>

PowerEdge T340

Features	Technical Specification	
Processor	1 processor from the following Intel® Xeon® E-2100 product family: Intel Pentium®, Intel Core i3®, Intel Celeron®	
Memory	4x DDR4 DIMM slots, supports UDIMMs, speeds up to 2666MT/s, 64GB max. supports registered ECC.	
Storage controllers	Internal controllers: PERC H730P, H330, HBA330 (non-RAID) Software RAID: PERC S140 External HBAs: 12Gbps SAS HBA (non-RAID) Boot Optimized Storage Subsystem: 2x M.2 240GB (RAID 1 or No RAID), 1x M.2 240GB (No RAID only)	
Drive bays	Up to 8 x 3.5" hot-pluggable bays (also supports 2.5" HDD in 3.5" hybrid drive carrier)	
Power supplies	2x Hot-Plug-Redundant 495W PSUs or Single Cabled 350W PSU	
Dimensions	Form factor: Tower server	Chassis height: 430.3mm (16.94 in) Chassis width: 218mm (8.58 in) Chassis depth: 603 mm (23.7 in) <i>Note: These metrics do not include PSU handle, bezel, or tower foot</i> Chassis weight: 26 kg (55.67 lb.)
Embedded management	iDRAC9 with Lifecycle Controller iDRAC Direct iDRAC RESTful API with Redfish	
Bezel	Optional security bezel	
OpenManage™ Software	OpenManage Enterprise OpenManage Essentials OpenManage Power Center	OpenManage Mobile (requires OM Enterprise or OM Essentials)
Integrations and connections	Integrations: Microsoft® System Center VMware® vCenter™ BMC Truesight (available from BMC) Red Hat Ansible	Connections: Nagios Core & Nagios XI Micro Focus Operations Manager i (OMi) IBM Tivoli Netcool/OMNibus
Tools	iDRAC Service Module OpenManage Server Administrator Dell EMC Repository Manager Dell EMC System Update	Dell EMC Server Update Utility Dell EMC Update Catalogs Dell EMC RACADM CLI IPMI Tool
Security	TPM 1.2/2.0 optional Cryptographically signed firmware Silicon Root of Trust	Secure Boot System Lockdown (requires OpenManage Enterprise) Secure Erase
I/O & ports	Networking Options: 2 X 1GbE LOM Front Ports: 1x USB 3.0, 1x iDRAC micro USB 2.0 management port Rear Ports: 2x USB 3.0, 4x USB 2.0, VGA, serial connector Internal USB: 1x internal USB 3.0	4 x PCIe Slots: 1x8 Gen3 (x16 connector) FH/HL 1x8 Gen3 (x8 connector) FH/HL 1x4 Gen3 (x8 connector) FH/HL 1x1 Gen3 (x1 connector) FH/HL
Supported operating systems	Certify XenServer Citrix® XenServer® Microsoft Windows Server® with Hyper-V Red Hat® Enterprise Linux Ubuntu Server	SUSE® Linux Enterprise Server VMware® ESXi For specifications and interoperability details, see Dell.com/OSsupport .
OEM-ready version available	From bezel to BIOS to packaging, your servers can look and feel as if they were designed and built by you. For more information, visit Dell.com/OEM .	
Recommended support	ProSupport Plus for critical systems or ProSupport for comprehensive hardware and software support for your PowerEdge solution. Consulting and deployment offerings are also available. Contact your Dell EMC representative today for more information. Availability and terms of Dell EMC Services vary by region. For more information, visit Dell.com/ServiceDescriptions .	

Learn more at DellEMC.com/PowerEdge

End-to-end technology solutions

Reduce IT complexity, lower costs and eliminate inefficiencies by making IT and business solutions work harder for you. You can count on Dell EMC for end-to-end solutions to maximize your performance and uptime. A proven leader in Servers, Storage and Networking, Dell EMC Services deliver innovation at any scale. And if you're looking to preserve cash or increase operational efficiency, Dell Financial Services™ has a wide range of options to make technology acquisition easy and affordable. Contact your Dell EMC Sales Representative for more information.*

©2016 Dell Inc. All rights reserved. Dell, the DELL logo, the DELL badge, PowerEdge, and OpenManage are trademarks of Dell Inc. Other trademarks and tradenames may be used in this document to refer to either the entities claiming the marks and names or their products. Dell disclaims proprietary interest in the marks and names of others. This document is for informational purposes only. Dell reserves the right to make changes without further notice to any products herein. The content provided is as is and without express or implied warranties of any kind.
*Leasing and financing provided and serviced by Dell Financial Services L.L.C. or its affiliate or designee ("DFS") for qualified customers. Offers may not be available or may vary in certain countries. Where available, offers may be changed without notice and are subject to product availability, credit approval, execution of documentation provided by and acceptable to DFS, and may be subject to minimum transaction size. Offers not available for personal, family or household use. Dell and the DELL logo are trademarks of Dell Inc.

