

DELLTechnologies



Lead with style, wherever work takes you

Dell Pro 7 13/14 Laptops and 2-in-1s

13" laptop: P713260 / P713265

13" 2-in-1: P703260 / P703265

14" laptop: P714260 / P714265

14" 2-in-1: P704260 / P704265

Meet our thinnest Dell Pro laptops yet¹



Dell Pro 7 laptops and 2-in-1s effortlessly combine portability and performance with a sleek design. Customize the laptop to fit your needs with premium options designed for exceptional experiences. Best of all, as the industry's most secure and manageable business PCs², you can work with confidence anywhere.



Up to 18% thinner³ and 9% lighter⁴ vs. prior gen

Transition seamlessly between the corporate office, your home workspace, and everywhere in between thanks to our thin and light designs. The thinnest 13-inch and 14-inch commercial laptops and 2-in-1s in their class,⁵ these devices are easy to slip in your bag and carry with you wherever your workday takes you.



Up-level your experience with premium options

Up to 500-nit panels make it easy to work in bright environments while an OLED display option provides rich color and contrast. Opt for a built-in privacy filter to shield your display from prying eyes. Mini-LED backlit keyboard option helps you work in dim environments without sacrificing battery life. Charge from either side of your device with an optional third Type-C port.



Ample power in a sleek design

Featuring Series 3 Intel® Core™ Ultra and AMD® Ryzen™ AI PRO 400 Series processors, Dell Pro 7 offers outstanding performance and powerful on-device AI with Copilot+ PC experiences and up to 55 TOPS NPUs. Experience fast and smooth multitasking with fast memory, up to 8533 MT/s, and optional PCIe SSD Gen 5 storage. Enjoy improved cooling with 50% better airflow thanks to fan sizes that are up to 32% larger.⁶



Built to last in real-world work environments

With Wi-Fi 7 and optional 4G or 5G, Dell Pro 7 supports fast, reliable connectivity almost anywhere. A service-friendly, modular design helps extend device life. Commercial-grade durability testing and quantum-resistant BIOS verification help protect devices against everyday wear and evolving security threats.

FEATURE	TECHNICAL SPECIFICATION	
PRODUCT ¹	Dell Pro 7 13	Dell Pro 7 13 2-in-1
MODEL NUMBER	P713260	P703260
CHASSIS	Aluminum (Top Cover, Palmrest, Bottom Cover) Aluminum (Top Cover, Palmrest), Lightweight Magnesium (Bottom Cover)	Aluminum (Top Cover, Palmrest, Bottom Cover)
PROCESSOR OPTIONS ¹	Series 3 Intel® Core™ Ultra - CoPilot+ PC ² Intel® Core™ Ultra 5 325 (8 cores) Intel® Core™ Ultra 5 335 vPro® (8 cores) Intel® Core™ Ultra 7 365 vPro® (8 cores) Intel® Core™ Ultra 5 336H vPro® (12 cores) Intel® Core™ Ultra 7 366H vPro® (16 cores)	Series 3 Intel® Core™ Ultra - CoPilot+ PC ² Intel® Core™ Ultra 5 325 (8 cores) Intel® Core™ Ultra 5 335 vPro® (8 cores) Intel® Core™ Ultra 7 365 vPro® (8 cores) Intel® Core™ Ultra 5 336H vPro® (12 cores) Intel® Core™ Ultra 7 366H vPro® (16 cores)
GRAPHICS ^{1,3}	Intel® Graphics, 4Xe	Intel® Graphics, 4Xe
OPERATING SYSTEM ¹	Windows 11 Pro Windows 11 Home Ubuntu® Linux® 24.04 LTS	Windows 11 Pro Windows 11 Home Ubuntu® Linux® 24.04 LTS
MEMORY OPTIONS ^{1,4}	16 GB LPDDR5x, 8533 MT/s, dual-channel 32 GB LPDDR5x, 8533 MT/s, dual-channel 64 GB LPDDR5x, 8533 MT/s, dual-channel	16 GB LPDDR5x, 8533 MT/s, dual-channel 32 GB LPDDR5x, 8533 MT/s, dual-channel 64 GB LPDDR5x, 8533 MT/s, dual-channel
STORAGE OPTIONS ^{1,4}	256 GB SSD, TLC 512 GB SSD 512 GB SSD, TLC 512 GB SSD, TLC, SED Ready 1 TB SSD 1 TB Performance SSD, Gen5, SED Ready 2 TB Performance SSD, Gen5, SED Ready	256 GB SSD, TLC 512 GB SSD 512 GB SSD, TLC 512 GB SSD, TLC, SED Ready 1 TB SSD 1 TB Performance SSD, Gen5, SED Ready 2 TB Performance SSD, Gen5, SED Ready
DISPLAY ¹	13.3" WUXGA (1920x1200), Non-touch, 60 Hz, 400 nits, 62.5% sRGB, 6-bit + FRC, Anti-Glare 13.3" WUXGA (1920x1200), Touch, 60 Hz, 400 nits, 100% sRGB, 8-bit, Anti-Glare, ComfortView Plus (Low Blue Light) 13.3" WUXGA (1920x1200), Non-touch, 500 nits, 20-120 Hz (VRR), 100% sRGB, 8-bit, Anti-Glare, ComfortView Plus (Low Blue Light), Super Low power, Lightweight	13.3" WUXGA (1920x1200), Touch, 60 Hz, 500 nits, 100% sRGB, 8-bit, Anti-Reflective, Anti-Smudge, Gorilla Glass Victus cover glass, Active pen support
CONNECTIVITY OPTIONS ¹	Wireless LAN Options⁵ Intel® Wi-Fi 7 BE211, 2x2, Qualified against Bluetooth® Core 6.0 wireless Card Intel® AX211 Wi-Fi 6E 2x2, Qualified against Bluetooth® Core 5.4 wireless Card Mobile Broadband Options⁶ 5G – Mediatek® T700 (DW5933e-m), eSIM capable 4G LTE – Qualcomm® Snapdragon™ X12 Global LTE-Advanced (DW5826e-m), eSIM capable Modern Standby Microsoft Compliant	Wireless LAN Options⁵ Intel® Wi-Fi 7 BE211, 2x2, Qualified against Bluetooth® Core 6.0 wireless Card Intel® AX211 Wi-Fi 6E 2x2, Qualified against Bluetooth® Core 5.4 wireless Card Mobile Broadband Options⁶ 5G – Mediatek® T700 (DW5933e-m), eSIM capable 4G LTE – Qualcomm® Snapdragon™ X12 Global LTE-Advanced (DW5826e-m), eSIM capable Modern Standby Microsoft Compliant
CAMERA ¹	FHD RGB HDR + IR camera, 1080p at 30 fps, Presence Detection, Temporal Noise Reduction, Camera Shutter 8MP RGB HDR + IR camera, 1440p at 30 fps, Presence Detection, Temporal Noise Reduction, Camera Shutter	FHD RGB HDR + IR camera, 1080p at 30 fps, Presence Detection, Temporal Noise Reduction, Camera Shutter 8MP RGB HDR + IR camera, 1440p at 30 fps, Presence Detection, Temporal Noise Reduction, Camera Shutter
AUDIO AND SPEAKERS ¹	2 x 2W Speakers, Cirrus Logic codec and smart amp 2 x Noise Canceling Microphones	2 x 2W Speakers, Cirrus Logic codec and smart amp 2 x Noise Canceling Microphones
PORTS AND SLOTS ¹	2 x Type-C Thunderbolt™ 4/USB4 (40 Gbps) port with Power Delivery and DisplayPort™ 2.1 1 x Type-C USB 3.2 Gen2x2 (20 Gbps) with Power Delivery and DisplayPort™ 1.4 or 1 x Type-A USB 3.2 Gen1 (5 Gbps) with PowerShare 1 x Type-A USB 3.2 Gen1 (5 Gbps) 1 x HDMI 2.1 port 1 x Global headset port 1 x Optional external nano SIM card tray (WWAN only) 1 x Optional Contacted Smart Card Reader 1 x Wedge Shaped Lock Slot	2 x Type-C Thunderbolt™ 4/USB4 (40 Gbps) port with Power Delivery and DisplayPort™ 2.1 1 x Type-C USB 3.2 Gen2x2 (20 Gbps) with Power Delivery and DisplayPort™ 1.4 or 1 x Type-A USB 3.2 Gen1 (5 Gbps) with PowerShare 1 x Type-A USB 3.2 Gen1 (5 Gbps) 1 x HDMI 2.1 port 1 x Global headset port 1 x Optional external nano SIM card tray (WWAN only) 1 x Optional Contacted Smart Card Reader 1 x Wedge Shaped Lock Slot
BATTERY ^{1,7,8,9}	3-cell, 55.8 Wh, ExpressCharge and ExpressCharge Boost Capable 3-cell, 55.8 Wh, Long Life Cycle, ExpressCharge and ExpressCharge Boost Capable	3-cell, 55.8 Wh, ExpressCharge and ExpressCharge Boost Capable 3-cell, 55.8 Wh, Long Life Cycle, ExpressCharge and ExpressCharge Boost Capable
AC ADAPTER ¹	65W USB-C GAN Slim Adapter (2-pin, Wall-mount) 65W USB-C GAN Slim Adapter 65W USB-C Adapter 100W USB-C Adapter	65W USB-C GAN Slim Adapter (2-pin, Wall-mount) 65W USB-C GAN Slim Adapter 65W USB-C Adapter 100W USB-C Adapter
INPUTS	10-Finger Touch Display (optional) Spill Resistant Non-Backlit AI hotkey Keyboard Spill Resistant Backlit AI hotkey Keyboard (Battery Saving Mini-LED) Precision Clickpad with multi-touch gesture support	10-Finger Touch Display (optional) Spill Resistant Non-Backlit AI hotkey Keyboard Spill Resistant Backlit AI hotkey Keyboard (Battery Saving Mini-LED) Precision Clickpad with multi-touch gesture support Dell Pro Premium Active Pen - PN7522W (optional, sold separately) Dell Pro Plus Active Pen - PN5122W (optional, sold separately)

FEATURE	TECHNICAL SPECIFICATION	TECHNICAL SPECIFICATION
PRODUCT ¹	Dell Pro 7 13	Dell Pro 7 13 2-in-1
MODEL NUMBER	P713260	P703260
MANAGEABILITY	Intel vPro® Manageability with Intel® Active Management Technology (Intel® AMT)	Intel vPro® Manageability with Intel® Active Management Technology (Intel® AMT)
SECURITY ¹	<p>Standard Security Features: FHD IR Camera (Windows Hello compliant) TPM 2.0 FIPS-140-3 Certified / TCG Certified Quantum-resistant BIOS ¹⁰ Chassis intrusion switch ¹¹ Camera Shutter Security Lock Slot</p> <p>Optional Security Features: Fingerprint Reader (in Power Button) (Windows Hello compliant) Fingerprint Reader (in Power Button) (Windows Hello compliant) with ControlVault 3+ Smart Card Reader with ControlVault 3+ Smart Card Reader and NFC/CSC with ControlVault 3+</p>	<p>Standard Security Features: FHD IR Camera (Windows Hello compliant) TPM 2.0 FIPS-140-3 Certified / TCG Certified Quantum-resistant BIOS ¹⁰ Chassis intrusion switch ¹¹ Camera Shutter Security Lock Slot</p> <p>Optional Security Features: Fingerprint Reader (in Power Button) (Windows Hello compliant) Fingerprint Reader (in Power Button) (Windows Hello compliant) with ControlVault 3+ Smart Card Reader with ControlVault 3+ Smart Card Reader and NFC/CSC with ControlVault 3+</p>
DIMENSIONS AND WEIGHTS ^{1, 12, 13}	Width: 11.8" / 300 mm Depth: 8.5" / 216.3 mm Height (front) starting from: 0.42 inches / 10.7 mm Height (rear) starting from: 0.55 inches / 14 mm Height (max) starting from: 0.64 inches / 16.35 mm Weight: starting from 2.62 lbs. (1.19 kg)	Width: 11.8" / 300 mm Depth: 8.5" / 216.3 mm Height (front) starting from: 0.43 inches / 10.9 mm Height (rear) starting from: 0.65 inches / 16.4 mm Height (max) starting from: 0.71 inches / 17.95 mm Weight: starting from 3.04 lbs. (1.38 kg)
WHAT'S IN THE BOX ^{1, 14}	Dell Pro 7 13 Laptop Power Adapter Power Cable Quick Start Guide	Dell Pro 7 13 2-in-1 Laptop Power Adapter Power Cable Quick Start Guide

FEATURE	TECHNICAL SPECIFICATION	
PRODUCT ¹	Dell Pro 7 14	Dell Pro 7 14 2-in-1
MODEL NUMBER	P714260	P704260
CHASSIS	Aluminum (Top Cover, Palmrest, Bottom Cover) Aluminum (Top Cover, Palmrest), Lightweight Magnesium (Bottom Cover)	Aluminum (Top Cover, Palmrest, Bottom Cover)
PROCESSOR OPTIONS ¹	Series 3 Intel® Core™ Ultra - CoPilot+ PC ² Intel® Core™ Ultra 5 325 (8 cores) Intel® Core™ Ultra 5 335 vPro® (8 cores) Intel® Core™ Ultra 7 365 vPro® (8 cores) Intel® Core™ Ultra 5 336H vPro® (12 cores) Intel® Core™ Ultra 7 366H vPro® (16 cores)	Series 3 Intel® Core™ Ultra - CoPilot+ PC ² Intel® Core™ Ultra 5 325 (8 cores) Intel® Core™ Ultra 5 335 vPro® (8 cores) Intel® Core™ Ultra 7 365 vPro® (8 cores) Intel® Core™ Ultra 5 336H vPro® (12 cores) Intel® Core™ Ultra 7 366H vPro® (16 cores)
GRAPHICS ^{1,3}	Intel® Graphics, 4Xe	Intel® Graphics, 4Xe
OPERATING SYSTEM ¹	Windows 11 Pro Windows 11 Home Ubuntu® Linux® 24.04 LTS	Windows 11 Pro Windows 11 Home Ubuntu® Linux® 24.04 LTS
MEMORY OPTIONS ^{1,4}	16 GB LPDDR5x, 8533 MT/s, dual-channel 32 GB LPDDR5x, 8533 MT/s, dual-channel 64 GB LPDDR5x, 8533 MT/s, dual-channel	16 GB LPDDR5x, 8533 MT/s, dual-channel 32 GB LPDDR5x, 8533 MT/s, dual-channel 64 GB LPDDR5x, 8533 MT/s, dual-channel
STORAGE OPTIONS ^{1,4}	256 GB SSD, TLC 512 GB SSD 512 GB SSD, TLC 512 GB SSD, TLC, SED Ready 1 TB SSD 1 TB Performance SSD, Gen5, SED Ready 2 TB Performance SSD, Gen5, SED Ready	256 GB SSD, TLC 512 GB SSD 512 GB SSD, TLC 512 GB SSD, TLC, SED Ready 1 TB SSD 1 TB Performance SSD, Gen5, SED Ready 2 TB Performance SSD, Gen5, SED Ready
DISPLAY ¹	14" WUXGA (1920x1200), Non-touch, 60 Hz, 400 nits, 62.5% sRGB, 6-bit + FRC, Anti-Glare, Low power 14" WUXGA (1920x1200), Touch, 60 Hz, 400 nits, 100% sRGB, 8-bit + FRC, Anti-Glare, ComfortView Plus (Low Blue Light) 14" WUXGA (1920x1200), Non-touch, 1-120 Hz (VRR), 500 nits, 100% sRGB, 8-bit, Anti-Glare, ComfortView Plus (Low Blue Light), Super Low Power, Lightweight 14" WUXGA (1920x1200), Non-touch, OLED, 60 Hz, 300 nits, DCI-P3 90%, 8-bit, Anti-Glare, ComfortView Plus (Low Blue Light), Lightweight 14" WQXGA (2560x1600), Non-touch, 48-120 Hz (VRR), 500 nits, 100% sRGB, 8-bit + FRC, Anti-Glare, ComfortView Plus (Low Blue Light) 14" WUXGA (1920x1200), Touch, Privacy, 60Hz, 500 nits, 100% sRGB, 8-bit, Anti-Glare, ComfortView Plus (Low Blue Light)	14" WUXGA (1920x1200), Touch, 60 Hz, 500 nits, 100% sRGB, 8-bit, ComfortView Plus (Low Blue Light), Super Low power, Lightweight, Anti-Reflective, Anti-Smudge, Gorilla® Glass Victus cover glass, Active pen support 14" WQXGA (2560x1600), Touch, 60 Hz, 500 nits, 1200:1, 100% sRGB, 8-bit, ComfortView Plus (Low Blue Light), Low power, Anti-Reflective, Anti-Smudge, Gorilla® Glass Victus cover glass, Active pen support
CONNECTIVITY OPTIONS ¹	Wireless LAN Options ⁵ Intel® Wi-Fi 7 BE211, 2x2, Qualified against Bluetooth® Core 6.0 wireless Card Intel® AX211 Wi-Fi 6E 2x2, Qualified against Bluetooth® Core 5.4 wireless Card Mobile Broadband Options ⁶ 5G – MediaTek® T700 (DW5933e-m), eSIM capable 4G LTE – Qualcomm® Snapdragon™ X12 Global LTE-Advanced (DW5826e-m), eSIM capable Modern Standby Microsoft Compliant	Wireless LAN Options ⁵ Intel® Wi-Fi 7 BE211, 2x2, Qualified against Bluetooth® Core 6.0 wireless Card Intel® AX211 Wi-Fi 6E 2x2, Qualified against Bluetooth® Core 5.4 wireless Card Mobile Broadband Options ⁶ 5G – MediaTek® T700 (DW5933e-m), eSIM capable 4G LTE – Qualcomm® Snapdragon™ X12 Global LTE-Advanced (DW5826e-m), eSIM capable Modern Standby Microsoft Compliant
CAMERA ¹	FHD RGB HDR + IR camera, 1080p at 30 fps, Presence Detection, Temporal Noise Reduction, Camera Shutter 8MP RGB HDR + IR camera, 1440p at 30 fps, Presence Detection, Temporal Noise Reduction, Camera Shutter	FHD RGB HDR + IR camera, 1080p at 30 fps, Presence Detection, Temporal Noise Reduction, Camera Shutter 8MP RGB HDR + IR camera, 1440p at 30 fps, Presence Detection, Temporal Noise Reduction, Camera Shutter
AUDIO AND SPEAKERS ¹	2 x 2W Speakers, Cirrus Logic codec and smart amp 2 x Noise Canceling Microphones	2 x 2W Speakers, Cirrus Logic codec and smart amp 2 x Noise Canceling Microphones
PORTS AND SLOTS ¹	2 x Type-C Thunderbolt™ 4/USB4 (40 Gbps) port with Power Delivery and DisplayPort™ 2.1 1 x Type-C USB 3.2 Gen2x2 (20 Gbps) with Power Delivery and DisplayPort™ 1.4 or 1 x Type-A USB 3.2 Gen1 (5 Gbps) with PowerShare 1 x Type-A USB 3.2 Gen1 (5 Gbps) 1 x HDMI 2.1 port 1 x Global headset port 1 x Optional external nano SIM card tray (WWAN only) 1 x Optional Contacted Smart Card Reader 1 x Optional Touch Fingerprint Reader in Power Button 1 x Wedge Shaped Lock Slot	2 x Type-C Thunderbolt™ 4/USB4 (40 Gbps) port with Power Delivery and DisplayPort™ 2.1 1 x Type-C USB 3.2 Gen2x2 (20 Gbps) with Power Delivery and DisplayPort™ 1.4 or 1 x Type-A USB 3.2 Gen1 (5 Gbps) with PowerShare 1 x Type-A USB 3.2 Gen1 (5 Gbps) 1 x HDMI 2.1 port 1 x Global headset port 1 x Optional external nano SIM card tray (WWAN only) 1 x Optional Contacted Smart Card Reader 1 x Wedge Shaped Lock Slot
BATTERY ^{1,7,8,9}	3-cell, 55.8 Wh, ExpressCharge and ExpressCharge Boost Capable 3-cell, 55.8 Wh, Long Life Cycle, ExpressCharge and ExpressCharge Boost Capable 3-cell, 70 Wh, ExpressCharge and ExpressCharge Boost Capable 3-cell, 70 Wh, Long Life Cycle, ExpressCharge and ExpressCharge Boost Capable	3-cell, 55.8 Wh, ExpressCharge and ExpressCharge Boost Capable 3-cell, 55.8 Wh, Long Life Cycle, ExpressCharge and ExpressCharge Boost Capable 3-cell, 70 Wh, ExpressCharge and ExpressCharge Boost Capable 3-cell, 70 Wh, Long Life Cycle, ExpressCharge and ExpressCharge Boost Capable

FEATURE	TECHNICAL SPECIFICATION	TECHNICAL SPECIFICATION
PRODUCT ¹	Dell Pro 7 14	Dell Pro 7 14 2-in-1
MODEL NUMBER	P714260	P704260
AC ADAPTER	65W USB-C GAN Slim Adapter (2-pin, Wall-mount) 65W USB-C GAN Slim Adapter 65W USB-C Adapter 100W USB-C Adapter	65W USB-C GAN Slim Adapter (2-pin, Wall-mount) 65W USB-C GAN Slim Adapter 65W USB-C Adapter 100W USB-C Adapter
INPUTS	10-Finger Touch Display (optional) Spill Resistant Non-Backlit AI hotkey Keyboard Spill Resistant Backlit AI hotkey Keyboard (Battery Saving Mini-LED) Precision Clickpad with multi-touch gesture support	10-Finger Touch Display (optional) Spill Resistant Non-Backlit AI hotkey Keyboard Spill Resistant Backlit AI hotkey Keyboard (Battery Saving Mini-LED) Precision Clickpad with multi-touch gesture support Dell Pro Premium Active Pen - PN7522W (optional, sold separately) Dell Pro Plus Active Pen - PN5122W (optional, sold separately)
MANAGEABILITY	Intel vPro® Manageability with Intel® Active Management Technology (Intel® AMT)	Intel vPro® Manageability with Intel® Active Management Technology (Intel® AMT)
SECURITY ¹	<p>Standard Security Features: FHD IR Camera (Windows Hello compliant) TPM 2.0 FIPS-140-3 Certified / TCG Certified Quantum-resistant BIOS ¹⁰ Chassis intrusion switch ¹¹ Camera Shutter Security Lock Slot</p> <p>Optional Security Features: Fingerprint Reader (in Power Button) (Windows Hello compliant) Fingerprint Reader (in Power Button) (Windows Hello compliant) with ControlVault 3+ Smart Card Reader with ControlVault 3+ Smart Card Reader and NFC/CSC with ControlVault 3+</p>	<p>Standard Security Features: FHD IR Camera (Windows Hello compliant) TPM 2.0 FIPS-140-3 Certified / TCG Certified Quantum-resistant BIOS ¹⁰ Chassis intrusion switch ¹¹ Camera Shutter Security Lock Slot</p> <p>Optional Security Features: Fingerprint Reader (in Power Button) (Windows Hello compliant) Fingerprint Reader (in Power Button) (Windows Hello compliant) with ControlVault 3+ Smart Card Reader with ControlVault 3+ Smart Card Reader and NFC/CSC with ControlVault 3+</p>
DIMENSIONS AND WEIGHTS ^{1, 12, 13}	<p>Width: 12.4" / 315.5 mm Depth: 8.9" / 226 mm Height (front) starting from: 0.41" / 10.33 mm Height (rear) starting from: 0.58" / 14.73 mm Height (max) starting from: 0.65" / 16.45 mm</p> <p>Weight: starting from 2.80 lbs. (1.27 kg)</p>	<p>Width: 12.4" / 315.5 mm Depth: 8.9" / 227 mm Height (front): 0.4" / 10.20 mm Height (rear): 0.63" / 16.10 mm Height (max): 0.69" / 17.40 mm</p> <p>Weight: starting from 3.23 lbs. (1.47 kg)</p>
WHAT'S IN THE BOX ^{1, 14}	Dell Pro 7 14 Laptop Power Adapter Power Cable Quick Start Guide	Dell Pro 7 14 2-in-1 Laptop Power Adapter Power Cable Quick Start Guide

Technical Disclaimers

1. Offering may vary by country, hardware configuration, and/or operating system.
2. Copilot+ PC comes with a high-performance NPU (40+ TOPS) designed to run advanced AI experiences locally and more efficiently.
3. High-Efficiency Video Coding (HEVC) content playback on the system and on an external display as well as HEVC content streaming is supported on configurations with a discrete graphics card, built in 4K panel, Dolby Vision or CyberLink Blue-ray player; for other configurations HEVC content playback on the system will require a separate purchase and download of software HEVC codec or third-party media players.
4. GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less than stated.
5. Wi-Fi 7 requires the latest Wi-Fi Alliance certification, certified device driver, hardware update, supported OS version and compatible router. Router requires a separate purchase. Wi-Fi connectivity is only available in select locations. Check availability with your service provider. The Bluetooth wireless card version may vary depending on the operating system that is installed on your computer.
6. Mobile Broadband antenna and module available only at time of system purchase. Mobile Broadband subject to service provider's broadband subscription and coverage area; additional charges apply. eSim technology subject to regional carrier/service provider availability & service provider's data plan subscription; additional charges apply. Check availability with your service provider.
7. The stated Watt Hour (Wh) is not an indication of battery life. Express Charge 1.0 (EC1.0) enables quick battery charging to 80% capacity in 60 minutes or 100% capacity in 120 minutes. Express Charge Boost (ECB) enables quick battery charging to 35% capacity in 20 minutes. Charging patterns for EC1.0 and ECB are measured for the system in a shutdown state. Long life cycle battery options have a charging pattern that enables longer life. Long-life cycle battery options are capable of 3 years life or 1000 discharge/charge cycles, and Dell provides a 3-year limited hardware warranty for these battery options.
8. Limited Hardware Warranty: For copy of Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty.
9. 55.8 Whr battery requires at least a 65W power adapter for Express Charge or Express Charge Boost. 70Whr battery requires at least a 100W power adapter for Express Charge or Express Charge Boost..]
10. Quantum-resistant BIOS verification protects PCs against current and emerging cryptographic threats.
11. Chassis Intrusion Switch remotely detects hardware tampering and is integrated with Dell SafeBIOS Indicators of Attack.
12. Height may vary depending on configuration. Height (max) represents the maximum system thickness excluding the system rubber feet.
13. Weights vary depending on configuration and manufacturing variability.
14. Power Adapter and Cable can be opted out in EMEA and APJ regions.

FEATURE	TECHNICAL SPECIFICATION	
PRODUCT ¹	Dell Pro 7 13	Dell Pro 7 13 2-in-1
MODEL NUMBER	P713265	P703265
CHASSIS	Aluminum (Top Cover, Palmrest, Bottom Cover) Aluminum (Top Cover, Palmrest), Lightweight Magnesium (Bottom Cover)	Aluminum (Top Cover, Palmrest, Bottom Cover)
PROCESSOR OPTIONS ²	AMD Series 400 Processors with Ryzen™ AI NPU - CoPilot+ PC AMD Ryzen™ AI 9 HX 470 (12 cores, 24 threads) AMD Ryzen™ AI 9 PRO 465 (10 cores, 20 threads) AMD Ryzen™ AI 7 PRO 450 (8 cores, 16 threads) AMD Ryzen™ AI 5 PRO 435 (6 cores, 12 threads)	AMD Series 400 Processors with Ryzen™ AI NPU - CoPilot+ PC AMD Ryzen™ AI 9 HX 470 (12 cores, 24 threads) AMD Ryzen™ AI 9 PRO 465 (10 cores, 20 threads) AMD Ryzen™ AI 7 PRO 450 (8 cores, 16 threads) AMD Ryzen™ AI 5 PRO 435 (6 cores, 12 threads)
GRAPHICS ¹	AMD Radeon™ 890M with AMD Ryzen™ AI 9 HX PRO 470 / PRO 465 AMD Radeon™ 860M with AMD Ryzen™ AI 7 PRO 450 AMD Radeon™ 840M with AMD Ryzen™ AI 5 PRO 435	AMD Radeon™ 890M with AMD Ryzen™ AI 9 HX PRO 470 / PRO 465 AMD Radeon™ 860M with AMD Ryzen™ AI 7 PRO 450 AMD Radeon™ 840M with AMD Ryzen™ AI 5 PRO 435
OPERATING SYSTEM ¹	Windows 11 Pro 64-bit Windows 11 Home 64-bit Ubuntu® Linux® 24.04 LTS	Windows 11 Pro 64-bit Windows 11 Home 64-bit Ubuntu® Linux® 24.04 LTS
MEMORY OPTIONS ^{1,3}	16 GB LPDDR5X, 8533 MT/s, dual-channel 32 GB LPDDR5X, 8533 MT/s, dual-channel 64 GB LPDDR5X, 8533 MT/s, dual-channel	16 GB LPDDR5X, 8533 MT/s, dual-channel 32 GB LPDDR5X, 8533 MT/s, dual-channel 64 GB LPDDR5X, 8533 MT/s, dual-channel
STORAGE OPTIONS ^{1,3,13}	256 GB SSD, TLC 512 GB SSD 512 GB SSD, TLC 512 GB SSD, TLC, SED 1 TB SSD 1 TB Performance SSD, Gen5, SED Ready 2 TB Performance SSD, Gen5, SED Ready	256 GB SSD, TLC 512 GB SSD 512 GB SSD, TLC 512 GB SSD, TLC, SED 1 TB SSD 1 TB Performance SSD, Gen5, SED Ready 2 TB Performance SSD, Gen5, SED Ready
DISPLAY ¹	13.3" WUXGA (1920x1200), Non-touch, 60 Hz, 400 nits, 62.5% sRGB, 6-bit + FRC, Anti-Glare 13.3" WUXGA (1920x1200), Touch, 60 Hz, 400 nits, 100% sRGB, 8-bit, Anti-Glare, ComfortView Plus (Low Blue Light) 13.3" WUXGA (1920x1200), Non-touch, 500 nits, 20-120 Hz (VRR), 100% sRGB, 8-bit, Anti-Glare, ComfortView Plus (Low Blue Light), Super Low power, Lightweight	13.3" WUXGA (1920x1200), Touch, 60 Hz, 500 nits, 100% sRGB, 8-bit, Anti-Reflective, Anti-Smudge, Gorilla Glass Victus cover glass, Active pen support
CONNECTIVITY OPTIONS ^{1,4,5}	Wireless LAN Options MediaTek Wi-Fi 6E MT7922, 2x2, 802.11ax, Qualified against Bluetooth® 5.2 wireless card MediaTek Wi-Fi 7 MT7925, 2x2, 802.11be, Qualified against Bluetooth® 5.4 wireless card Mobile Broadband Options 5G – Mediatek® T700-m (DW5933e-m), eSIM capable 4G LTE – Qualcomm® Snapdragon™ X12 Global LTE-Advanced (DW5826e-m), eSIM capable Modern Standby Microsoft Compliant	Wireless LAN Options MediaTek Wi-Fi 6E MT7922, 2x2, 802.11ax, Qualified against Bluetooth® 5.2 wireless card MediaTek Wi-Fi 7 MT7925, 2x2, 802.11be, Qualified against Bluetooth® 5.4 wireless card Mobile Broadband Options 5G – Mediatek® T700-m (DW5933e-m), eSIM capable 4G LTE – Qualcomm® Snapdragon™ X12 Global LTE-Advanced (DW5826e-m), eSIM capable Modern Standby Microsoft Compliant
CAMERA	FHD RGB HDR + IR camera, 1080p at 30 fps, Presence Detection, Temporal Noise Reduction, Camera Shutter 8MP RGB HDR + IR camera, 1440p at 30 fps, Presence Detection, Temporal Noise Reduction, Camera Shutter	FHD RGB HDR + IR camera, 1080p at 30 fps, Presence Detection, Temporal Noise Reduction, Camera Shutter 8MP RGB HDR + IR camera, 1440p at 30 fps, Presence Detection, Temporal Noise Reduction, Camera Shutter
AUDIO AND SPEAKERS	2 x 2W Speakers, Cirrus Logic codec and smart amp 2 x Noise Canceling Microphones	2 x 2W Speakers, Cirrus Logic codec and smart amp 2 x Noise Canceling Microphones
PORTS AND SLOTS	2x Thunderbolt™ 4 (40 Gbps) port with DisplayPort™ 2.1 / USB Type-C® / USB4 / Power Delivery 1 Type-C USB 3.2 Gen2x2 (20 Gbps) with Power Delivery and DisplayPort™ 1.4 or 1 Type-A USB 3.2 Gen1 (5 Gbps) with PowerShare (optional) 1 Type-A USB 3.2 Gen1 (5 Gbps) 1 HDMI 2.1 port 1 Global headset port 1 Kensington Wedge Shaped Lock Slot 1 External nano SIM card tray (with WWAN only) 1 Contacted Smart Card Reader (optional)	2x Thunderbolt™ 4 (40 Gbps) port with DisplayPort™ 2.1 / USB Type-C® / USB4 / Power Delivery 1 Type-C USB 3.2 Gen2x2 (20 Gbps) with Power Delivery and DisplayPort™ 1.4 or 1 Type-A USB 3.2 Gen1 (5 Gbps) with PowerShare (optional) 1 Type-A USB 3.2 Gen1 (5 Gbps) 1 HDMI 2.1 port 1 Global headset port 1 Kensington Wedge Shaped Lock Slot 1 External nano SIM card tray (with WWAN only) 1 Contacted Smart Card Reader (optional)
BATTERY ^{6,7}	3-cell, 55.8 Wh, ExpressCharge and ExpressCharge Boost Capable 3-cell, 55.8 Wh, Long Life Cycle, ExpressCharge and ExpressCharge Boost Capable	3-cell, 55.8 Wh, ExpressCharge and ExpressCharge Boost Capable 3-cell, 55.8 Wh, Long Life Cycle, ExpressCharge and ExpressCharge Boost Capable
AC ADAPTER ¹²	65W USB-C GAN Slim Adapter (2-pin, Wall-mount) 65W USB-C Adapter 100W USB-C Adapter	65W USB-C GAN Slim Adapter (2-pin, Wall-mount) 65W USB-C Adapter 100W USB-C Adapter
INPUTS	10-Finger Touch Display (optional) Spill Resistant Non-Backlit AI hotkey Keyboard Spill Resistant Backlit AI hotkey Keyboard (Battery Saving Mini-LED) Precision Clickpad with multi-touch gesture support	10-Finger Touch Display (optional) Spill Resistant Non-Backlit AI hotkey Keyboard Spill Resistant Backlit AI hotkey Keyboard (Battery Saving Mini-LED) Precision Clickpad with multi-touch gesture support Dell Pro Premium Active Pen - PN7522W (optional, sold separately) Dell Pro Plus Active Pen - PN5122W (optional, sold separately)
MANAGEABILITY	Out-of-band (OOB) remote management for AMD-powered PRO systems AMD DASH (Desktop and mobile Architecture for System Hardware) AIM-T (AMD Integrated Management Technology)	Out-of-band (OOB) remote management for AMD-powered PRO systems AMD DASH (Desktop and mobile Architecture for System Hardware) AIM-T (AMD Integrated Management Technology)

FEATURE	TECHNICAL SPECIFICATION	TECHNICAL SPECIFICATION
PRODUCT ¹	Dell Pro 7 13	Dell Pro 7 13 2-in-1
MODEL NUMBER	P713265	P703265
SECURITY ^{8,9}	<p>Standard Security Features: TPM 2.0 FIPS-140-3 Certified / TCG Certified Quantum-resistant BIOS Chassis intrusion switch Camera Shutter Security Lock Slot</p> <p>Optional Security Features: Fingerprint Reader (in Power Button) (Windows Hello compliant) Fingerprint Reader (in Power Button) (Windows Hello compliant) with ControlVault 3+ Smart Card with ControlVault 3+ Smart Card and NFC/CSC with ControlVault 3+ FHD IR Camera (Windows Hello compliant)</p>	<p>Standard Security Features: TPM 2.0 FIPS-140-3 Certified / TCG Certified Quantum-resistant BIOS Chassis intrusion switch Camera Shutter Security Lock Slot</p> <p>Optional Security Features: Fingerprint Reader (in Power Button) (Windows Hello compliant) Fingerprint Reader (in Power Button) (Windows Hello compliant) with ControlVault 3+ Smart Card with ControlVault 3+ Smart Card and NFC/CSC with ControlVault 3+ FHD IR Camera (Windows Hello compliant)</p>
DIMENSIONS AND WEIGHTS ^{10,11}	<p>Width: 11.8" / 300 mm Depth: 8.5" / 216.3 mm Height (front) starting from: 0.57" / 14.4 mm Height (rear) starting from: 0.44" / 11.15 mm Height (max) starting from: 0.65" / 16.35 mm</p> <p>Weight: starting from 2.63 lbs. (1.19 kg)</p>	<p>Width: 11.8" / 300 mm Depth: 8.5" / 216.3 mm Height (front) starting from: 0.67" / 16.97 mm Height (rear) starting from: 0.45" / 11.51 mm Height (max) starting from: 0.71" / 17.95 mm</p> <p>Weight: starting from 3.03 lbs. (1.38 kg)</p>
WHAT'S IN THE BOX	<p>Dell Pro 7 13 Laptop Power Adapter¹² Power Cable¹² Quick Start Guide</p>	<p>Dell Pro 7 13 2-in-1 Laptop Power Adapter¹² Power Cable¹² Quick Start Guide</p>

FEATURE	TECHNICAL SPECIFICATION	
PRODUCT ¹	Dell Pro 7 14	Dell Pro 7 14 2-in-1
MODEL NUMBER	P714265	P704265
CHASSIS	Aluminum (Top Cover, Palmrest, Bottom Cover) Aluminum (Top Cover, Palmrest), Lightweight Magnesium (Bottom Cover)	Aluminum (Top Cover, Palmrest, Bottom Cover)
PROCESSOR OPTIONS ²	AMD Series 400 Processors with Ryzen™ AI NPU - CoPilot+ PC AMD Ryzen™ AI 9 HX 470 (12 cores, 24 threads) AMD Ryzen™ AI 9 PRO 465 (10 cores, 20 threads) AMD Ryzen™ AI 7 PRO 450 (8 cores, 16 threads) AMD Ryzen™ AI 5 PRO 435 (6 cores, 12 threads)	AMD Series 400 Processors with Ryzen™ AI NPU - CoPilot+ PC AMD Ryzen™ AI 9 HX 470 (12 cores, 24 threads) AMD Ryzen™ AI 9 PRO 465 (10 cores, 20 threads) AMD Ryzen™ AI 7 PRO 450 (8 cores, 16 threads) AMD Ryzen™ AI 5 PRO 435 (6 cores, 12 threads)
GRAPHICS ¹	AMD Radeon™ 890M with AMD Ryzen™ AI 9 HX PRO 470 / PRO 465 AMD Radeon™ 860M with AMD Ryzen™ AI 7 PRO 450 AMD Radeon™ 840M with AMD Ryzen™ AI 5 PRO 435	AMD Radeon™ 890M with AMD Ryzen™ AI 9 HX PRO 470 / PRO 465 AMD Radeon™ 860M with AMD Ryzen™ AI 7 PRO 450 AMD Radeon™ 840M with AMD Ryzen™ AI 5 PRO 435
OPERATING SYSTEM ¹	Windows 11 Pro 64-bit Windows 11 Home 64-bit Ubuntu® Linux® 24.04 LTS	Windows 11 Pro 64-bit Windows 11 Home 64-bit Ubuntu® Linux® 24.04 LTS
MEMORY OPTIONS ^{1,3}	16 GB LPDDR5X, 8533 MT/s, dual-channel 32 GB LPDDR5X, 8533 MT/s, dual-channel 64 GB LPDDR5X, 8533 MT/s, dual-channel	16 GB LPDDR5X, 8533 MT/s, dual-channel 32 GB LPDDR5X, 8533 MT/s, dual-channel 64 GB LPDDR5X, 8533 MT/s, dual-channel
STORAGE OPTIONS ^{1,3,13}	256 GB SSD, TLC 512 GB SSD 512 GB SSD, TLC 512 GB SSD, TLC, SED 1 TB SSD 1 TB Performance SSD, Gen5, SED Ready 2 TB Performance SSD, Gen5, SED Ready	256 GB SSD, TLC 512 GB SSD 512 GB SSD, TLC 512 GB SSD, TLC, SED 1 TB SSD 1 TB Performance SSD, Gen5, SED Ready 2 TB Performance SSD, Gen5, SED Ready
DISPLAY ¹	14" WUXGA (1920x1200), Non-touch, 60 Hz, 400 nits, 62.5% sRGB, 6-bit + FRC, Anti-Glare, Low power 14" WUXGA (1920x1200), Touch, 60 Hz, 400 nits, 100% sRGB, 8-bit + FRC, Anti-Glare, ComfortView Plus (Low Blue Light) 14" WUXGA (1920x1200), Non-touch, 1-120 Hz (VRR), 500 nits, 100% sRGB, 8-bit, Anti-Glare, ComfortView Plus (Low Blue Light), Super Low Power, Lightweight 14" WUXGA (1920x1200), Non-touch, OLED, 60 Hz, 300 nits, DCI-P3 90%, 8-bit, Anti-Glare, ComfortView Plus (Low Blue Light), Lightweight 14" WQXGA (2560x1600), Non-touch, 48-120 Hz (VRR), 500 nits, 100% sRGB, 8-bit + FRC, Anti-Glare, ComfortView Plus (Low Blue Light) 14" WUXGA (1920x1200), Touch, Privacy, 60Hz, 500 nits, 100% sRGB, 8-bit, Anti-Glare, ComfortView Plus (Low Blue Light)	14" WUXGA (1920x1200), Touch, 60 Hz, 500 nits, 100% sRGB, 8-bit, ComfortView Plus (Low Blue Light), Super Low power, Lightweight, Anti-Reflective, Anti-Smudge, Gorilla® Glass Victus cover glass, Active pen support 14" WQXGA (2560x1600), Touch, 60 Hz, 500 nits, 1200:1, 100% sRGB, 8-bit, ComfortView Plus (Low Blue Light), Low power, Anti-Reflective, Anti-Smudge, Gorilla® Glass Victus cover glass, Active pen support
CONNECTIVITY OPTIONS ^{1,4,5}	Wireless LAN Options MediaTek Wi-Fi 6E MT7922, 2x2, 802.11ax, Qualified against Bluetooth® 5.2 wireless card MediaTek Wi-Fi 7 MT7925, 2x2, 802.11be, Qualified against Bluetooth® 5.4 wireless card Mobile Broadband Options 5G – Mediatek® T700-m (DW5933e-m), eSIM capable 4G LTE – Qualcomm® Snapdragon™ X12 Global LTE-Advanced (DW5826e-m), eSIM capable Modern Standby Microsoft Compliant	Wireless LAN Options MediaTek Wi-Fi 6E MT7922, 2x2, 802.11ax, Qualified against Bluetooth® 5.2 wireless card MediaTek Wi-Fi 7 MT7925, 2x2, 802.11be, Qualified against Bluetooth® 5.4 wireless card Mobile Broadband Options 5G – Mediatek® T700-m (DW5933e-m), eSIM capable 4G LTE – Qualcomm® Snapdragon™ X12 Global LTE-Advanced (DW5826e-m), eSIM capable Modern Standby Microsoft Compliant
CAMERA	FHD RGB HDR + IR camera, 1080p at 30 fps, Presence Detection, Temporal Noise Reduction, Camera Shutter 8MP RGB HDR + IR camera, 1440p at 30 fps, Presence Detection, Temporal Noise Reduction, Camera Shutter	FHD RGB HDR + IR camera, 1080p at 30 fps, Presence Detection, Temporal Noise Reduction, Camera Shutter 8MP RGB HDR + IR camera, 1440p at 30 fps, Presence Detection, Temporal Noise Reduction, Camera Shutter
AUDIO AND SPEAKERS	2 x 2W Speakers, Cirrus Logic codec and smart amp 2 x Noise Canceling Microphones	2 x 2W Speakers, Cirrus Logic codec and smart amp 2 x Noise Canceling Microphones
PORTS AND SLOTS	2x Thunderbolt™ 4 (40 Gbps) port with DisplayPort™ 2.1 / USB Type-C® / USB4 / Power Delivery 1 Type-C USB 3.2 Gen2x2 (20 Gbps) with Power Delivery and DisplayPort™ 1.4 or 1 Type-A USB 3.2 Gen1 (5 Gbps) with PowerShare (optional) 1 Type-A USB 3.2 Gen1 (5 Gbps) 1 HDMI 2.1 port 1 Global headset port 1 Kensington Wedge Shaped Lock Slot 1 External nano SIM card tray (with WWAN only) 1 Contacted Smart Card Reader (optional)	2x Thunderbolt™ 4 (40 Gbps) port with DisplayPort™ 2.1 / USB Type-C® / USB4 / Power Delivery 1 Type-C USB 3.2 Gen2x2 (20 Gbps) with Power Delivery and DisplayPort™ 1.4 or 1 Type-A USB 3.2 Gen1 (5 Gbps) with PowerShare (optional) 1 Type-A USB 3.2 Gen1 (5 Gbps) 1 HDMI 2.1 port 1 Global headset port 1 Kensington Wedge Shaped Lock Slot 1 External nano SIM card tray (with WWAN only) 1 Contacted Smart Card Reader (optional)
BATTERY ^{6,7}	3-cell, 55.8 Wh, ExpressCharge and ExpressCharge Boost Capable 3-cell, 55.8 Wh, Long Life Cycle, ExpressCharge and ExpressCharge Boost Capable 3-cell, 70 Wh, ExpressCharge and ExpressCharge Boost Capable 3-cell, 70 Wh, Long Life Cycle, ExpressCharge and ExpressCharge Boost Capable	3-cell, 55.8 Wh, ExpressCharge and ExpressCharge Boost Capable 3-cell, 55.8 Wh, Long Life Cycle, ExpressCharge and ExpressCharge Boost Capable 3-cell, 70 Wh, ExpressCharge and ExpressCharge Boost Capable 3-cell, 70 Wh, Long Life Cycle, ExpressCharge and ExpressCharge Boost Capable
AC ADAPTER ¹²	65W USB-C GAN Slim Adapter (2-pin, Wall-mount) 65W USB-C Adapter 100W USB-C Adapter	65W USB-C GAN Slim Adapter (2-pin, Wall-mount) 65W USB-C Adapter 100W USB-C Adapter

FEATURE	TECHNICAL SPECIFICATION	TECHNICAL SPECIFICATION
PRODUCT ¹	Dell Pro 7 14	Dell Pro 7 14 2-in-1
MODEL NUMBER	P714265	P704265
INPUTS	10-Finger Touch Display (optional) Spill Resistant Non-Backlit AI hotkey Keyboard Spill Resistant Backlit AI hotkey Keyboard (Battery Saving Mini-LED) Precision Clickpad with multi-touch gesture support	10-Finger Touch Display (optional) Spill Resistant Non-Backlit AI hotkey Keyboard Spill Resistant Backlit AI hotkey Keyboard (Battery Saving Mini-LED) Precision Clickpad with multi-touch gesture support Dell Pro Premium Active Pen - PN7522W (optional, sold separately) Dell Pro Plus Active Pen - PN5122W (optional, sold separately)
MANAGEABILITY	Out-of-band (OOB) remote management for AMD-powered PRO systems AMD DASH (Desktop and mobile Architecture for System Hardware) AIM-T (AMD Integrated Management Technology)	Out-of-band (OOB) remote management for AMD-powered PRO systems AMD DASH (Desktop and mobile Architecture for System Hardware) AIM-T (AMD Integrated Management Technology)
SECURITY ^{8,9}	Standard Security Features: TPM 2.0 FIPS-140-3 Certified / TCG Certified Quantum-resistant BIOS ² Chassis intrusion switch ³ Camera Shutter Security Lock Slot Optional Security Features: Fingerprint Reader (in Power Button) (Windows Hello compliant) Fingerprint Reader (in Power Button) (Windows Hello compliant) with ControlVault 3+ Smart Card with ControlVault 3+ Smart Card and NFC/CSC with ControlVault 3+ FHD IR Camera (Windows Hello compliant)	Standard Security Features: TPM 2.0 FIPS-140-3 Certified / TCG Certified Quantum-resistant BIOS ² Chassis intrusion switch ³ Camera Shutter Security Lock Slot Optional Security Features: Fingerprint Reader (in Power Button) (Windows Hello compliant) Fingerprint Reader (in Power Button) (Windows Hello compliant) with ControlVault 3+ Smart Card with ControlVault 3+ Smart Card and NFC/CSC with ControlVault 3+ FHD IR Camera (Windows Hello compliant)
DIMENSIONS AND WEIGHTS ^{10,11}	Width: 12.42" / 315.5 mm Depth: 8.90" / 226.0 mm Height (front) starting from: 0.41" / 10.3 mm Height (rear) starting from: 0.61" / 15.43 mm Height (max) starting from: 0.65" / 16.45 mm Weight: starting from 2.89 lbs. (1.31 kg)	Width: 12.42" / 315.5 mm Depth: 8.94" / 227 mm Height (front): 0.40" / 10.2 mm Height (rear): 0.63" / 16.1 mm Height (max): 0.69" / 17.4 mm Weight: starting from 3.23 lbs. (1.47 kg)
WHAT'S IN THE BOX	Dell Pro 7 13 Laptop Power Adapter ¹² Power Cable ¹² Quick Start Guide	Dell Pro 7 13 2-in-1 Laptop Power Adapter ¹² Power Cable ¹² Quick Start Guide

Technical Disclaimers

1. Offering may vary by country, hardware configuration, and/or operating system.
2. Copilot+ PC comes with a high-performance NPU (40+ TOPS) designed to run advanced AI experiences locally and more efficiently.
3. GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less than stated.
4. Wi-Fi 7 requires the latest Wi-Fi Alliance certification, certified device driver, hardware update, supported OS version and compatible router. Router requires a separate purchase. Wi-Fi connectivity is only available in select locations. Check availability with your service provider. The Bluetooth wireless card version may vary depending on the operating system that is installed on your computer.
5. Mobile Broadband antenna and module available only at time of system purchase. Mobile Broadband subject to service provider's broadband subscription and coverage area; additional charges apply. eSim technology subject to regional carrier/service provider availability & service provider's data plan subscription; additional charges apply. Check availability with your service provider.
6. The stated Watt Hour (Wh) is not an indication of battery life. Express Charge 1.0 (EC1.0) enables quick battery charging to 80% capacity in 60 minutes or 100% capacity in 120 minutes. Express Charge Boost (ECB) enables quick battery charging to 35% capacity in 20 minutes. Charging patterns for EC1.0 and ECB are measured for the system in a shutdown state. Long life cycle battery options have a charging pattern that enables longer life. Long-life cycle battery options are capable of 3 years life or 1000 discharge/charge cycles, and Dell provides a 3-year limited hardware warranty for these battery options.
7. 55.8 Whr battery requires at least a 65W power adapter for Express Charge or Express Charge Boost. 70Whr battery requires at least a 100W power adapter for Express Charge or Express Charge Boost.
8. Quantum-resistant BIOS verification protects PCs against current and emerging cryptographic threats.
9. Chassis Intrusion Switch remotely detects hardware tampering and is integrated with Dell SafeBIOS Indicators of Attack.
10. Height may vary depending on configuration. Height (max) represents the maximum system thickness excluding the system rubber feet.
11. Weights vary depending on configuration and manufacturing variability.
12. Power Adapter and Cable can be opted out in EMEA and APJ regions.
13. Gen 5 SSD will run at Gen 4 speed on Dell Pro 7 with AMD processor.

Product Disclaimers**Page 2 (Meet our thinnest Dell Pro laptops, ever)**

1. Based on internal analysis, February 2026. Percentage reduction varies by laptop model.
2. Most secure is based on Dell internal analysis, October 2025 (Intel) and March 2026 (AMD). Applicable to PCs on Intel and AMD processors. Not all features available with all PCs. Additional purchase required for some features. Intel-based PCs validated by Principled Technologies, July 2025. Most manageable is based on Dell internal analysis, January 2026. Most-manageable commercial PCs when comparing the systems management capabilities of Dell Update Processes, Dell Manageability Solutions capabilities and integrations with 3rd Party Management Solutions, with competitor update processes, systems management solution capabilities and integrations with 3rd party management solutions. 3rd Party Management Solution - Microsoft Intune, is a separate purchase.
3. Compared to Dell Pro Plus. Based on internal analysis, February 2026. Percentage reduction varies by laptop model.
 - a. Dell Pro 7 13 is up to 18% thinner than the prior generation.
 - b. Dell Pro 7 13 2-in-1 is up to 10% thinner than the prior generation.
 - c. Dell Pro 7 14 is up to 17% thinner than the prior generation.
 - d. Dell Pro 7 14 2-in-1 is up to 12% thinner than the prior generation.
4. Compared to Dell Pro Plus. Based on internal analysis, February 2026. Percentage reduction varies by laptop model.
 - a. Dell Pro 7 13 is up to 3% lighter than the prior generation.
 - b. Dell Pro 7 13 2-in-1 is up to 4% lighter than the prior generation.
 - c. Dell Pro 7 14 is up to 9% lighter than the prior generation.
 - d. Dell Pro 7 14 2-in-1 is up to 5% lighter than the prior generation.
5. Based on internal analysis, February 2026. Percentage reduction varies by laptop model.
 - a. Dell Pro 7 13 is up to 3% lighter than the prior generation.
 - b. Dell Pro 7 13 2-in-1 is up to 4% lighter than the prior generation.
 - c. Dell Pro 7 14 is up to 9% lighter than the prior generation.
 - d. Dell Pro 7 14 2-in-1 is up to 5% lighter than the prior generation.
6. Compared to Dell Pro Plus. Based on internal analysis, February 2026.
 - a. Dell Pro 7 13: Based on internal analysis, February 2026. Data is based on comparison with HP EliteBook 8 G1 13 and Lenovo ThinkPad L13 Gen 6
 - b. Dell Pro 7 13 2-in-1: Based on internal analysis, February 2026. Data is based on comparison with HP EliteBook 8 Flip G1 13 and Lenovo ThinkPad L13 2in1 Gen 6.
 - c. Dell Pro 7 14: Based on internal analysis, February 2026. Data is based on comparison with HP EliteBook 8 G1 14 and Lenovo ThinkPad T14s Gen 6
 - d. Dell Pro 7 14 2-in-1: Based on internal analysis, February 2026. Data is based on comparison with Lenovo ThinkPad T14s 2in1 Gen 6